

Last modification

2023-03-10

HARBOR EX.PTL-BK 9329501037478



The Harbor Bollard Pathlight is a versatile and stylish lighting solution for illuminating outdoor walkways and paths. The louvred grille design minimises glare and allows for optimal light distribution, while the option to select standard E27 globes makes it easy to customize the light source to your specific requirements. The impact-resistant and IP54 waterproof design ensures that the Harbor Bollard Pathlight can withstand harsh weather conditions and provide reliable lighting for years to come. The robust aluminum extrusion and polycarbonate lens provide durability and protection against the elements. Upgrade your outdoor lighting with the Harbor Bollard Pathlight and enjoy improved visibility and style.

Overview

| | |
|--------------------|-----------------------------------|
| Family name | Harbor |
| Categories | Post Lights |
| Mounting | Surface |
| Switch | Inline Switch |
| Usage | Outdoor Lighting, Trade Selection |

Color / Material

| | |
|--------------------------|-----------|
| Fixture Color | Black |
| Fixture Material | Aluminium |
| Canopy Color | Black |
| Diffuser Color | Clear |
| Diffuser Material | Acrylic |

Size

| | |
|------------------------------|------|
| Fixture Diameter (cm) | 17.0 |
| Fixture Height (cm) | 90.0 |

Specification

| | |
|--------------------------------------|------|
| Voltage Input | 240V |
| Wattage (max) | 40 |
| Globe Type | E27 |
| Globe / Light Source qty | 1 |
| Globe / Light Source included | No |
| Color Rendering | >80 |

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

| | |
|------------------------------|--|
| Dimmable | No |
| Power Factor | >0.90 |
| IP rating | IP65 |
| Lead and Plug | No |
| Approvals | RCM |
| Box Contents | Basic mounting screws, Instruction |
| Installation Required | Yes (by Licensed Electrician only) |
| Care Instructions | Do not use strong liquid cleaners, Wipe clean with a dry cloth |
| Replacement Warranty | *3 Years |

Barcode

GTIN 9329501037478

Image -dimensions





