



Oriel
LIGHTING

lighting innovation
2019 master catalogue

a selection of what's new in the **oriel lighting** master catalogue 2019



Palma table lamp 005



Jordi lamp 011



Salem wall light 098



Delaware pendant 060



Nimbus LED pendant 063



Newton wall light 057



Hampton pendant 047



Pandora outdoor 117



LED Filament globes 139



Shard LED pendant 085



table lamps 004



touch lamps 012



floor lamps 020



task lamps 028



industrial vintage 038



pendant lights 051



earth lighting 072



wall lights 077



linear energy saving 080



ceiling lights 086



DIY ceiling lights 091



spot lights 096



recessed lights 102



SG outdoor 108



outdoor lights 112



outdoor security 128



outdoor 12v DIY 130



ceiling fan lights 132



accessories 133



light globes 136

designer table LAMPS



The fittings on this page are energy saving LED ready.



OL98820
Pompeii
H550 D360
E27 60w



OL98823
Holm
H540 D330
E27 60w



OL98822
Pozzi
H600 D350
E27 60w



OL97971WH
Bikki
H540 Shade D360
E27 60w



OL97971BL
Bikki
H540 Shade D360
E27 60w



OL98842
Pippi
H530 Shade D350
E27 60w



OL97983
Alita
H620 Shade D355
E27 60w



OL98837
Azure
H650 Shade D380
E27 60w





The fittings on this page are energy saving LED ready.

designer table LAMPS



NEW

OL98865
Leon
H560 Shade D330
E27 60w





NEW

OL98853
Autumn
H680 Shade D380
E27 60w





NEW

OL97987
Algiers
H680 Shade 410x280
E27 60w





NEW

OL98850
Medea
H510 Shade D380
E27 60w





NEW

OL98856
Andorra
H550 Shade D330
E27 60w





NEW

OL98851
Palma
H550 Shade D330
E27 60w





NEW

OL98855
Palamos
H530 Shade D330
E27 60w





NEW

OL98841
Attica
H730 Shade D430
E27 60w





NEW

OL98852
Tangier
H650 Shade D390
E27 60w




designer table LAMPS



The fittings on this page are energy saving LED ready.



OL98831
Savona
H640 Shade D330
E27 60w





OL98832
Umbria
H570-690 Shade D330
E27 60w

Height adjustable





OL98838
Ivar
H760 Shade D450
E27 60w





OL98833
Tyros
H780 Shade 380x200
E27 60w





OL98834
Argos
H730 Shade D380
E27 60w





OL98839
Pilos
H720 Shade D370
E27 60w





OL98835
Pablo
H645 Shade D420
E27 60w





OL98836
Sedona
H650 Shade 380x250
E27 60w





OL98840
Pavia
H750 Shade D380
E27 60w






The fittings on this page are energy saving LED ready.

designer table LAMPS



OL97976AS

Dorne Antique Silver

H710 D350

E27 60w



OL97976BK

Dorne Antique Black

H710 D350

E27 60w



OL97984

Devana

H720 Shade D400

E27 60w



NEW

OL98866

Valencia Antique Gold

H650 D360

E27 60w



OL97973AS

Donati

H680 Shade D400

E27 60w



OL98825WH

Chev

H380 D125

E27 40w



OL97986

Galla

H680 Shade D430

E27 60w



OL97978TE

Casbah Teal

H510 D300

E27 60w



OL97978WH

Casbah White

H510 D300


E27 60w



traditional Chinese ceramic table LAMPS



The fittings on this page are energy saving LED ready.



OL96940
Daoming
H640 Shade 350x350
E27 60w





OL96931
Qing
H630 Shade D410
E27 60w





OL96937
Lifen
H710 Shade D430
E27 60w






OL96951
Liling
H670 Shade 385x385
E27 60w







OL96967
Meigui
H610 Shade 420x420
E27 60w





OL96935
Daiyu
H640 Shade D410
E27 60w


OL96953
Yanyu
H630 Shade D400
E27 60w





OL96952
Yanmei
H870 Shade D540
E27 60w





OL96963
Jade Buddha
H750 Shade 400x400
E27 60w






OL96936
Wenling
H590 Shade 330x330
E27 60w





OL96938
Shan
H600 Shade 300x300
E27 60w





OL96964
Longwei
H690 Shade D440
E27 60w






The fittings on this page are energy saving LED ready.

industrial LAMPS



Teak base

OL93131BB
Lane Brushed Brass
H500 BD150
E27 42w





Shown with ST64 LED filament lamp (available separately)

OL93131BK
Lane Black
H500 BD150
E27 42w





OL93131CO
Lane Copper finish
H500 BD150
E27 42w





OL93131WH
Lane White
H500 BD150
E27 42w





SL98795AC
Franklin Antique Copper
H290 D205
E27 42w

Clear glass





SL98795AB
Franklin Antique Brass
H290 D205
E27 42w

Clear glass





NEW

Shown with G125 LED filament lamp (available separately)

OL93733BK
Ville Floor Lamp
H1570 BD250
E27 60w

Marble base






NEW

Marble base



OL93731BK
Ville Table Lamp
H500 BD150
E27 42w





OL93102AM
Erica 2 Table Lamp
H285 D120
E27 25w

Amber glass


OL93101AM
Erica 1 Table Lamp
H280 D170
E27 25w

Amber glass





Shown with vintage filament globe.

OL93111TK
Cone Lamp Base only
H125 D100
E27 42w




designer table LAMPS



The fittings on this page are energy saving LED ready.



Wooden neck

OL93151BK
Micky Black
H510 SD300 BD200
E27 42w





OL93151BL
Micky Blue
H510 SD300 BD200
E27 42w





OL93151GN
Micky Teal
H510 SD300 BD200
E27 42w





OL93151PK
Micky Pink
H510 SD300 BD200
E27 42w





OL93151WH
Micky White
H510 SD300 BD200
E27 42w





OL93171BK
Corda Black + Copper
H500 D200
E27 42w





OL93171WH
Corda White + Brass
H500 D200
E27 42w





OL93601BK
Nolita Black
H420 SD250
E27 42w





Wooden neck

OL93121BK
Pod Black
H460 D200
E27 42w





OL93121CO
Pod Copper
H460 D200
E27 42w





OL93121WH
Pod White
H460 D200
E27 42w





↑ gold inside


OL93601CO
Nolita Copper
H420 SD250
E27 42w






The fittings on this page are energy saving LED ready.



designer table LAMPS



NEW

OL93611BK
Lucia Lamp Black
H325
E27 42w

Natural timber frame


NEW

OL93611GY
Lucia Lamp Grey
H325
E27 42w

Natural timber frame





NEW

OL93611PK
Lucia Lamp Pink
H325
E27 42w

Natural timber frame





NEW

OL93611WH
Lucia Lamp White
H325
E27 42w

Natural timber frame





NEW

OL93701BK
Jordi Lamp Black
H280 D150
E14 18w





NEW

OL93701BL
Jordi Lamp Blue
H280 D150
E14 18w





NEW

OL93701GN
Jordi Lamp Green
H280 D150
E14 18w





NEW

OL93701WH
Jordi Lamp White
H280 D150
E14 18w






OL98824
Neba 1 lamp base
D95 H130
E27 40w

Shown with vintage filament globe. (available separately)







OL98821
Neba 2 lamp base
D110 H145
E27 40w




Shown with vintage filament globe. (available separately)







NEW

OL97317BK
Lace Lamp Black
H180 D180
E14 42w

NEW

OL97317WH
Lace Lamp White
H180 D180
E14 42w

touch LAMPS



These lamps feature an ON/OFF touch switch, making them suitable for use with energy saving lamps.



These lamps feature a three stage touch dimmer.

OL99452AB
Nikki Touch
H400 Shade D230
B22 60w

3 Stage Touch Dimmer

OL99452BC
Nikki Touch
H400 Shade D230
B22 60w

3 Stage Touch Dimmer

OL99454AB
Zoe Touch
H410 Shade D280
B22 42w

On / Off Touch Switch

OL99454BC
Zoe Touch
H410 Shade D280
B22 42w

On / Off Touch Switch

LF9201AB **LF9201GM** **LF9201BC**
Lotti Touch Lotti Touch Lotti Touch
H270 D140 H270 D140 H270 D140
E14 42w E14 42w E14 42w

3 Stage Touch Dimmer

LF9205AB **LF9205GM** **LF9205BCH**
Lola Touch Lola Touch Lola Touch
H345 D160 H345 D160 H345 D160
E14 42w E14 42w E14 42w

3 Stage Touch Dimmer

OL99455AB
Tracey Touch
H405 D290
E14 42w

3 Stage Touch Dimmer

OL99455BC
Tracey Touch
H405 D290
E14 42w

3 Stage Touch Dimmer

OL99457BL **OL99457PK** **OL99457WH**
Tizz Touch Blue Tizz Touch Pink Tizz Touch White
H380 D160 H380 D160 H380 D160
E14 40w E14 40w E14 40w

3 Stage Touch Dimmer



These lamps feature a three stage touch dimmer.



These lamps feature an ON/OFF touch switch, making them suitable for use with energy saving lamps.

touch LAMPS



OL99458BP
Bankers Touch Brass
H400 W270
B22 60w





OL99458CH
Bankers Touch Chrome
H400 W270
B22 60w





OL99458AB
Bankers Touch Antique
H400 W270
B22 60w





AB Antique Brass
BC Brushed Chrome
WH White


OL99466
Lancet Touch base only
H250 D100
B22 40w








OL93123BK
Brazz Touch Black
H470 D150
E27 42w





OL93123CO
Brazz Touch Copper
H470 D150
E27 42w


OL93123WH
Brazz Touch White
H470 D150
E27 42w





OL99480BC
Pepe Touch Round
H300 D105
E14 40w





OL93125BK
Pod Touch Black
H460 D200
E27 42w





OL93125CO
Pod Touch Copper
H460 D200
E27 42w





OL93125WH
Pod Touch White
H460 D200
E27 42w





OL99481BC
Pepe Touch Square
H300 W110x110
E14 40w




LAMP bases



The fittings on this page are energy saving LED ready.



OL91238BCH

Spoke 35 Brushed Chrome

H350 D160

E27 60w



OL91238BK

Spoke 35 Black

H350 D160

E27 60w



OL91238CH

Spoke 35 Chrome

H350 D160

E27 60w



OL91238WH

Spoke 35 White

H350 D160

E27 60w



OL91297CH

Alta Chrome base

shown with

OL91881

Satin Black shade

T225 B275 H225



OL91297BK

Alta Black

H370 D190

E27 60w



OL91297CH

Alta Chrome

H370 D190

E27 60w



OL91297WH

Alta White

H370 D190

E27 60w



OL91298CH

Milo base

shown with

OL91821

Lucille black laser cut shade

T300 B300 H225



OL91298BK

Milo Black

H240 D250

E27 60w



OL91298CH

Milo Chrome

H240 D250

E27 60w



OL91298WH

Milo White

H240 D250

E27 60w





The fittings on this page are energy saving LED ready.

LAMP bases



OL93459
Malen base
shown with
OL91877
Pearl shantung shade
T280 B350 H240



OL93459
Malen Crystal
H470 W140x140
E27 60w





OL93453
Arko 144 Crystal
H385 W140x140
E27 60w





OL93453
Arko 144 base
shown with
OL91892
Mauve suede shade
T225 B275 H225



OL93466CH
Crofton Crystal Chrome
H450 D150
E27 60w





OL93466AB
Crofton Crystal Antique
H450 D150
E27 60w





OL93466AB
Crofton base
shown with
OL91898
Olive suede shade
T225 B275 H225



OL93465CH
Roxy Crystal Floor Lamp
Polished Chrome
H1350 BD250
E27 60w





OL99463AB
Clara Antique Brass
H370 D180
E27 60w





OL99463BC
Clara Brushed Chrome
H370 D180
E27 60w





OL99463GM
Clara Gunmetal
H370 D180
E27 60w




LAMP bases



The fittings on this page are energy saving LED ready.



OL97941BC

Ralph 1 Base

H380 W140x140

B22 60w



OL97944BC

Ralph 4 Base

H410 W140x140

B22 60w



OL97945BC

Ralph 5 Base

H425 D140

B22 60w



OL91233CH

Spoke 50

Chrome

H500 D160

E27 60w



OL91311BB

Fino Base Brushed Brass

H390 BD150

E27 42w




OL91311BK

Fino Base Black

H390 BD150

E27 42w




OL91311CO

Fino Base Copper finish

H390 BD150

E27 42w



OL91311WH

Fino Base White

H390 BD150

E27 42w



Alix base has a cord-line switch.

OL91135BC

Alix base only
Brushed Chrome

H25 D130

E27 60w



OL91135BC + OL91827

Alix Brushed Chrome base
with OL91827 shade H280



OL91135BC + OL91705

Alix Brushed Chrome base
with OL91705 shade H280



OL91135BC + OL91765

Alix Brushed Chrome base
with OL91765 shade H280



The fittings on this page are energy saving LED ready.

LAMP bases



OL99732BR
Ketu 400
H430 D135
E27 60w





OL99732BR
Ketu 400 base
shown with
OL91936
White linen shade
T300 B300 H225



OL99722WG
Moja 460
H430 D135
E27 60w





OL99722WG
Moja 460 base
shown with
OL91893
Ash suede shade
T225 B275 H225



OL97951WN
Barton base
H360 D110
E27 60w





OL97951WN
Barton base
shown with
OL91737
Off White Shantung shade
T225 B275 H225



OL97951WH
Barton base
H360 D110
E27 60w





OL97951WH
Barton base
shown with
OL91891
Coral suede shade
T225 B275 H225



OL97962WH
Rosalie 27 Base
H270 D120
B22 60w





OL97962WH
Rosalie 27 base
shown with
OL91740
Black linen shade
T125 B175 H150



OL97964WH
Rosalie 46 Base
H460 D160
B22 60w





OL97964WH
Rosalie 46 Base
shown with
OL91897
Denim suede shade
T225 B275 H225


table LAMP SHADES



The fittings on this page are energy saving LED ready.



OL91733
White linen



OL91735
Black linen

Tapered shades
T225 B275 H225
E27 60w



OL91737
White shantung



OL91823
Wanaka Blue



OL91891
Coral Pink
Suede



OL91825
Bonfire Orange



OL91892
Mauve Suede



OL91775
Bronze chintz



OL91893
Ash Suede



OL91777
Seafoam chintz



OL91894
Pistacio
Suede



OL91776
Plum chintz



OL91895
Steel Blue
Suede



OL91855
Teal Blue



OL91896
Battleship
Suede



OL91826
Ayers Rock




OL91897
Denim Blue
Suede



OL91854
Sundial Yellow



OL91898
Olive Green
Suede



OLA16/SHADE

These shades have an E27 shade ring and are supplied with a B22 shade adapter ring, allowing them to be fitted onto both E27 & B22 lamp holders.



OL91753
White Jacquard



OL91863
Pearl Shantung



OL91932
White with Black Fleur



OL91931
Black Cotton



OL91756
Cow Hide Flock



OL91856
Black & White Chevron




OL98775SIL
Abbey Shade
T225 B275 H300
E27 60w



OL98775WH
Abbey Shade



OL98775BK
Abbey Shade



Abbey shade has a gimbal harp. It can be used as a table lamp shade or a pendant shade.






The fittings on this page are energy saving LED ready.

traditional LAMP SHADES

Floor Lamp Shades



SE-10-20-16 GD
20" Satin Gold Shade



OL91730
20" Ivory Jacquard Shade



SE-10-20-16 SS
20" Silver Pewter Shade



SE-10-20-16 WH
20" Ivory Shade



These scalloped Empire shades have an E27 shade ring and a B22 adapter ring. These shades are fully lined. T250 B510 H400



OL91729
20" Old Gold Jacquard Shade



Harp Fitting Shades



OL91788
12" Flax Linen Shade
T300 B350 H250
Harp Fitting



OL91789
12" White Shantung Shade
T300 B350 H250
Harp Fitting

These handmade shades are fully lined, and made to fit onto a shade "harp".



Empire Shades

These handmade Empire shades are fully lined, and a suitable match to a traditional table lamp base.



OL91749
5-13-10 White Shantung
T130 B330 H250
E27 60w



OL91750
5-13-10 Gold Jacquard
E27 60w



OL91751
7-18-12 White Shantung
T180 B460 H310
E27 60w




OL91752
7-18-12 Gold Jacquard
E27 60w





OL99771NAT
Classic Natural Base
with
OL91885
17" Black Satin
Shade



OL91880
17" Off White
Shantung Shade
T340 B430 H270
E27 60w




OL91885
17" Black Satin
Shade
T340 B430 H270
E27 60w



OL91887
17" Pearl
Shantung Shade
T340 B430 H270
E27 60w



OL91890
17" Satin Silver
Shade
T340 B430 H270
E27 60w




OL91937
16" White Linen
Shade
T400 B400 H250
E27 60w



OL91938
16" Black Linen
Shade
T400 B400 H250
E27 60w




OL91852
16" Teal Blue Cotton
Shade
T400 B400 H250
E27 60w



OL91901
20" Black Satin
Shade
T500 B500 H300
E27 60w



OL91902
20" Off White
Shantung Shade
T500 B500 H300
E27 60w



OLA16/SHADE

These shades have an E27 shade ring and are supplied with a B22 shade adapter ring, allowing them to be fitted onto both E27 & B22 lamp holders.



OL91903
20" Satin Silver
Shade
T500 B500 H300
E27 60w



The fittings on this page are energy saving LED ready.

floor LAMP bases

NEW




OL99771NAT

Classic Natural

H1385 D300

B22 60w




OL99771WN

Classic Walnut

H1385 D300

B22 60w



OL99775BT

Jacobean Baltic

H1395 D300

B22 60w




OL99775WN

Jacobean Walnut

H1395 D300

B22 60w



OL91232BK

Spoke
Floor Lamp
Black

H1450 D250

E27 60w



OL91232WH

Spoke
Floor Lamp
White

H1450 D250

E27 60w



OL91232BC

Spoke
Floor Lamp
Brushed Chrome

H1450 D250

E27 60w



OL91232CH

Spoke
Floor Lamp
Polished Chrome

H1450 D250

E27 60w



table & floor LAMPS



The fittings on this page are energy saving LED ready.



OL97993

Galileo teak base

shown with

OL91887

17" Pearl Shade

T340 B430 H270

OL97995

Galileo limed base

shown with

OL91885

17" Black Shade

T340 B430 H270



OL97934WN

Habitat Table Lamp Base

H480 Base 225x180

E27 60w



OL97934WN+OL91845

Habitat Base + Shantung Shade

Shade 400x180 H250

(Base & shade available separately)



OL97993

Galileo Base Teak-
with black metalware

H760-1380 D270-430

E27 60w



OL97995

Galileo Base Limewash
with brushed chrome

H760-1380 D270-430

E27 60w



OL97936WN

Habitat Floor Lamp Base

H1420 Base 350x240

E27 60w



OL97936WN+OL91846

Habitat Base + Shantung Shade

Shade 500x250 H250

(Base & shade available separately)



The fittings on this page are energy saving LED ready.

table & floor LAMPS



OL93281NAT

Stabb Tripod Base

H400 D250

E27 60w



OL93281NAT+OL91882

Stabb Base + Satin Black Shade

Shade T275 B350 H240

(Base & shade available separately)




OL93511

Malmo Base

H450 W300

E27 60w



OL93511+OL91904

Malmo Base + Satin Black Shade

Shade T400 B400 H250

(Base & shade available separately)



OL93283NAT

Stabb Floor Lamp Base

H1380 BD380

E27 60w



OL93283NAT+OL91901

Stabb Base + Satin Black Shade

Shade T500 B500 H300

(Base & shade available separately)



OL93513

Malmo Floor Lamp Base

H1420 B380 x380

E27 60w



OL93513+OL91902

Malmo Base + Off White Shade

Shade T500 B500 H300

(Base & shade available separately)

table & floor LAMPS



The fittings on this page are energy saving LED ready.



NEW

Clear glass

SL98799AB
Newton Antique Brass
H500
E14 28w

NEW

Clear glass

SL98799BK
Newton Black
H500
E14 28w



OL90700AB

Swingley Floor Lamp
Antique brass base
complete with shade.

H1400 W350
B22 60w



OL90700CH

Swingley Floor Lamp
Chrome plated base
complete with shade.

H1400 W350
B22 60w



NEW

OL93801AB
Chi Antique Brass
H520 Shade 270x120
E27 40w

NEW

OL93801CH
Chi Chrome
H520 Shade 270x120
E27 40w



OL99441AB

Bankers Lamp Antique

H400 W270
B22 60w



OL99441BP

Bankers Lamp Brass Plate

H400 W270
B22 60w





The fittings on this page are energy saving LED ready.

table & floor LAMPS



NEW

OL93531BK
Edra Table Lamp
H540 Shade D280
E27 42w





NEW

OL93531WH
Edra Table Lamp
H540 Shade D280
E27 42w






NEW

OL93521WH
Lund Table Lamp
H540 Shade D270
E27 40w





NEW



Charge your phone or tablet (cable not included)

USB Socket (2.1A / 5V)

OL93761NAT
Toft Floor Lamp Base
H1420 BD470 Table360
B22 42w





OL93761NAT+OL91885
Toft Base + Satin Black Shade
Shade T340 B430 H270
(Base & shade available separately)



NEW

OL93523WH
Lund Floor Lamp
H1590 D500 Shade D420
E27 42w






The fittings on this page are energy saving LED ready.



OL97811BK

Sojo Table


H360 W120 x 120
E27 60w



OL93401BR

Bali Wicker

H460 W200x200
B22 60w



OL96735BR

Pekan Bamboo

H1610 D360
E27 60w



OL97813BK

Sojo Floor

H1060 W210 x 210
E27 60w



OL93403BR

Bali Wicker

H1130 W255x255
B22 60w x 2



As Earth Lighting products feature natural materials and hand finishing; colours and finishes may vary across the range, and between shipments.



The fittings on this page are energy saving LED ready.

industrial LAMPS

Shown with a vintage filament bulb.



OL94405BK

Bradway Lamp

H400 BD420

E27 60w



OL94401BK

Dayton Base

H350 D270

E27 60w



NEW

Adjustable Head

Shown with a vintage filament bulb.

↑ same inside

SL98511RB

Boston Table Lamp

H530 BD160 P370

E27 42w



Oil Rubbed Bronze finish (RB)

SL98515RB

Marion Base

H1500 BD270

E27 60w



SL98515RB

Marion Base

shown with

OL91880

Off White Shantung shade

T340 B430 H270



Adjustable Head

↑ same inside

Oil Rubbed Bronze finish (RB)

Boston floor lamp shown with vintage filament bulb.

SL98513RB

Boston Floor Lamp

H1600 P600 BD270


E27 42w





task floor LAMPS





The fittings on this page are energy saving LED ready.




SL98572BC
 Vespa twin
 Brushed Chrome
 BD250 H1500
 SD160
 E27 60w x 2

SL98572BK
 Vespa twin
 Matt Black
 BD250 H1500
 SD160
 E27 60w x 2

SL98572CH
 Vespa twin
 Chrome
 BD250 H1500
 SD160
 E27 60w x 2




SL98572WH
 Vespa twin
 White
 BD250 H1500
 SD160
 E27 60w x 2



The Vespa features individually switched heads. (Heads L260 D160)




OL91206GM
 Retro Gunmetal
 H1400 BD300 SD150
 E27 60w x 2





OL91206CH
 Retro Chrome
 H1400 BD300 SD150
 E27 60w x 2





OL91206BK
 Retro Matt Black
 H1400 BD300 SD150
 E27 60w x 2





OL91206BC
 Retro Brushed Chrome
 H1400 BD300 SD150
 E27 60w x 2






The fittings on this page are energy saving LED ready.

task floor LAMPS

NEW

The Over features a clear acrylic shade on an adjustable knuckle joint.

Shown here with G125 opal matt LED lamp.

SL91207BK

Over Floor Lamp Black

H1950 P1200 BD320 SD300

E27 42w



NEW

SL91207AB

Over Floor Lamp Antique Brass

H1950 P1200 BD320 SD300

E27 42w



SL91201BK

Dome Floor Lamp

H1700 P950 BD320
Shade D300

E27 60w



SL91201CH

Dome Floor Lamp

H1700 P950 BD320
Shade D300

E27 60w





OL91203CH

Bobo Chrome
H1400 BD300 SD150
E14 40w x 2



SL98521GM

Bianca Floor
Gunmetal
H1600 P500 BD280
Shade D250
E27 60w




Cord
line
switch



OL91203GM

Bobo Gunmetal
H1400 BD300 SD150
E14 40w x 2



SL98521AB

Bianca Floor
Antique Brass
H1600 P500 BD280
Shade D250
E27 60w



NEW

SL91205CH

Mantra Chrome
H2300 BD350
E14 40w x 5



The Mantra heads
are adjustable,
and the arms can
be arranged to
suit your style.



Marble
base

LED




The Daxam features individually switched heads.


SL98592AB
Daxam LED
Antique Brass
H1590 BD250
2 x GU10 LED (included)



LED



SL98592BC
Daxam LED
Brushed Chrome
H1590 BD250
2 x GU10 LED (included)



LED



SL98592BK
Daxam LED
Matt Black
H1590 BD250
2 x GU10 LED (included)



LED



SL98592WH
Daxam LED
White
H1590 BD250
2 x GU10 LED (included)



LED




OL91415BC
Alena LED
Brushed Chrome
H1800 BD260
Uplighter - 20W
Task Lamp - 4W

colour temperature
4000K

colour rendition
>Ra80

The Alena features individually switched and dimmed uplighter and task lamp.

LED



OL91415BK
Alena LED
Black
H1800 BD260
Uplighter - 20W
Task Lamp - 4W

colour temperature
4000K

colour rendition
>Ra80

LED



The Carmen lamp is supplied complete with a fabric shade and has a switched lampholder.

LED



SL98585BK
Carmen Mother + Child
H1630 SD350 BD250
Main Light B22/60W
Task Light GU10 LED (included)

Convenient switch

The Carmen task lamp is supplied with a replaceable GU10 LED lamp.



colour temperature
5000K

colour rendition
>Ra83

LED



Convenient switch

The Lente lens magnifies 3 times.

The lamp is supplied with both a weighted desk base and desk clamp.

SL98721WH
Lente LED Magnifier
H650 P500
LED 6w Integral

colour temperature 4000K

LED



SL98651CH
Elly Desk Lamp
H330 P260 BD160
LED 5w Integral

colour temperature 4000K
colour rendition >Ra80
switch on the base

LED



SL98711SIL
Techno Desk Lamp
H600 (base) W210
LED 6w Integral

3 Stage Touch Dimmer

colour temperature 6500K
colour rendition >Ra80

LED



SL98751BC
Nex LED Touch
H370 P230 BD110
GU10 LED (included)

✓Included On / Off Touch Switch


LED



SL98751GM
Nex LED Touch
H370 P230 BD110
GU10 LED (included)

✓Included On / Off Touch Switch

LED



SL98785BK
Chad LED Black
H400 BD140
GU10 LED (included)

✓Included

LED



Natural timber base & head

SL98785WH
Chad LED White
H400 BD140
GU10 LED (included)

✓Included

LED



SL98784BK
Ludo LED Black
H400 P300 BD130
GU10 LED (included)

✓Included

LED



SL98784WH
Ludo LED White
H400 P300 BD130
GU10 LED (included)

✓Included

LED



SL98784BL
Ludo LED Blue
H400 P300 BD130
GU10 LED (included)

✓Included

LED



Natural timber features


SL98784PK
Ludo LED Pink
H400 P300 BD130
GU10 LED (included)

✓Included




The fittings on this page are energy saving LED ready.

task LAMPS




SL92941BK
Lift Desk Lamp
H800 Base 150 x 150
E27 42w






SL92941WH
Lift Desk Lamp
H800 Base 150 x 150
E27 42w





SL92941TE
Lift Desk Lamp
H800 Base 150 x 150
E27 42w






SL92941GN
Lift Desk Lamp
H800 Base 150 x 150
E27 42w






SL92941YE
Lift Desk Lamp
H800 Base 150 x 150
E27 42w





OL92961BK
Forma Desk Lamp
H840 P400 BD210
E27 60w




OL92965BK
Forma Wall Light
D110 P250-600
E27 60w



OL92965WH
Forma Wall Light
D110 P250-600
E27 60w



OL92965SIL
Forma Wall Light
D110 P250-600
E27 60w



Forma switch is on the head.



This fitting should be installed by a licensed electrician.




OL92961SIL
Forma Desk Lamp
H840 P400 BD210
E27 60w




OL92961WH
Forma Desk Lamp
H840 P400 BD210
E27 60w



mid-century task LAMPS



The fittings on this page are energy saving LED ready.




SL98788BK
Steam Desk Lamp
H600 P500
E27 42w







SL98788WH
Steam Desk Lamp
H600 P500
E27 42w





SL98791BK
Lom Desk Lamp
H460 BD180
E14 40w


SL98791WH
Lom Desk Lamp
H460 BD180
E14 40w





SL98789BK
Steam Floor Lamp
H1500 P750
E27 42w






SL98789WH
Steam Floor Lamp
H1500 P750
E27 42w




The Steam lamps feature a cloth covered cord & a natural timber body.



SL98792BK
Lom Floor Lamp
H1650 BD300
E14 40w x2

The Lom floor lamp features individually switched heads & a natural timber body.



SL98792WH
Lom Floor Lamp
H1650 BD300
E14 40w x2




The Lom lamps feature a cloth covered cord.



The fittings on this page are energy saving LED ready.


mid-century task LAMPS

NEW




SL98786BC

Ari Table Lamp
Br.Chrome/Black
H530 P250 BD180
E27 25w



SL98786CO

Ari Table Lamp
Copper/Black
H530 P250 BD180
E27 25w



The Ari features switch on the head.
(Table Lamp Head L180 D120
Floor Lamp Head L220 D150)



Natural timber arm

SL98781ORB


Perno Table Lamp
Oil Rubbed Bronze
H530 P420 SD150
E27 60w



NEW

SL98787BC

Ari Floor Lamp
Br.Chrome/Black
H1500 BD250
E27 40w



SL98787CO

Ari Floor Lamp
Copper/Black
H1500 BD250
E27 40w



NEW

SL98787/2BC

Ari Twin
Br.Chrome/Black
H1500 BD250
E27 40w x 2



NEW

SL98787/2CO

Ari Twin
Copper/Black
H1500 BD250
E27 40w x 2



task LAMPS



The fittings on this page are energy saving LED ready.

SL98401WH
Trax Desk Lamp
H400 BD160
E27 60w

switch on the base

SL98401BK
Trax Desk Lamp
H400 BD160
E27 60w

SL98401BL
Trax Desk Lamp
H400 BD160
E27 60w

SL98401PK
Trax Desk Lamp
H400 BD160
E27 60w



SL98401GM
Trax Desk Lamp
H400 BD160
E27 60w

SL98401AB
Trax Desk Lamp
H400 BD160
E27 60w

SL98401BC
Trax Desk Lamp
H400 BD160
E27 60w

SL98431BK
Scope Clamp Lamp
L500 SD60
GU10 LED 7w

SL98431WH
Scope Clamp Lamp
L500 SD60
GU10 LED 7w

SL98431AB
Scope Clamp Lamp
L500 SD60
GU10 LED 7w

SL98431BC
Scope Clamp Lamp
L500 SD60
GU10 LED 7w

NEW

SL92997WH
Scoot LED Desk Lamp
H360 D125
GU10 LED (Included)

NEW

SL92997GM
Scoot LED Desk Lamp
D125 H360
GU10 LED (Included)

NEW

SL92997BK
Scoot LED Desk Lamp
D125 H360
GU10 LED (Included)

NEW

SL92997BC
Scoot LED Desk Lamp
D125 H360
GU10 LED (Included)



The fittings on this page are energy saving LED ready.

mid-century task LAMPS

NEW



SL98782BK

Oxford Desk Lamp

H490 BD180 SD130

E14 28w



NEW



OL93721BK

Henk Desk Lamp with USB

H460 BD180 SD140

E14 18w



The Henk features a switch on the base.

Black cloth covered cord.



Charge your phone or tablet (cable not included)



USB Socket (2.1A / 5V)

NEW



OL93721WH

Henk Desk Lamp with USB

H460 BD180 SD140


E14 18w



White cloth covered cord.



Charge your phone or tablet (cable not included)



USB Socket (2.1A / 5V)

NEW



The Oxford features an antique brass flexible joint.

SL98783BK

Oxford Floor Lamp

H1340 BD220 SD130

E27 42w



NEW



OL98868BK

Everton Desk Lamp

H380 P250 W210

E27 25w



INDUSTRIAL VINTAGE mix & match



The fittings on this page are energy saving LED ready.

OL2250CL

Toledo Clear Glass Shade
D350 H190
E27 opening (gallery included)




OL2250MO

Toledo Matt Opal Glass Shade
D350 H190
E27 opening (gallery included)



OL2252/30CL

Holo.30 Clear Glass Shade
D300 H140
E27 opening



OL2255/15CL

Maison.15 Clear Glass Shade
D150 H120
E27 opening



OL2255/15BL

Maison.15 Blue Glass Shade
D150 H120
E27 opening



OL2255/15AM

Maison.15 Amber Glass Shade
D150 H120
E27 opening



Toledo, Maison and Holo.30 glass shades shown on Albany cord suspensions.

OL2298/38CO

Slater.38 Shade
D380 H160
E27 opening



OL2298/38BK

Slater.38 Shade
D380 H160
E27 opening



OL2298/38RU

Slater.38 Shade
D380 H160
E27 opening



OL2298/38WH

Slater.38 Shade
D380 H160
E27 opening



OL2290WH

Warehouser Shade
D400 H200
E27 opening



OL2290BK

Warehouser Shade
D400 H200
E27 opening



OL2293/30BK

Ohio.30 Shade
D310 H165
E27 opening



OL2293/30WH

Ohio.30 Shade
D310 H165
E27 opening





The fittings on this page are energy saving LED ready.

INDUSTRIAL VINTAGE mix & match



Brazz.28 & Brazz.15 shades shown on Albany suspensions.

OL2295/35BK

Yard.35 Shade

D350 H260

E27 opening



OL2295/35PA

Yard.35 Shade

D350 H260

E27 opening



OL2295/35WH

Yard.35 Shade

D350 H260

E27 opening



We have an extensive range of vintage filament & LED filament globes, detailed in the ACCESSORIES section of this catalogue.

OL2295/35RD

Yard.35 Shade

D350 H260

E27 opening



OL2295/35CO

Yard.35 Shade

D350 H260

E27 opening



OL2295/47BK

Yard.47 Shade

D470 H360

E27 opening



OL2295/47PA

Yard.47 Shade

D470 H360

E27 opening



OL2295/47WH

Yard.47 Shade

D470 H360

E27 opening



OL2291/15BK

Brazz.15 Mesh Shade

D150 H250

E27 opening



OL2291/28BK

Brazz.28 Mesh Shade

D280 H430

E27 opening



OL2291/36BK

Brazz.36 Mesh Shade

D360 H190

E27 opening



INDUSTRIAL VINTAGE mix & match



The fittings on this page are energy saving LED ready.



- PEG DIY cord sets (B22)**
- OL2010/30BC** L450
 - OL2010/30BK** L450
 - OL2010/30WH** L450
 - OL2010/50BC** L650
 - OL2010/50BK** L650
 - OL2010/50WH** L650
 - OL2010/100BC** L1150
 - OL2010/100BK** L1150
 - OL2010/100WH** L1150

OL2270/27WH 
 Victoriana 11 Shade
 D270 H100
 B22 opening



OL2270/27AL 
 Victoriana 11 Shade
 D270 H100
 B22 opening



OL2270/34WH 
 Victoriana 14 Shade
 D340 H130
 B22 opening



OL2270/34AL 
 Victoriana 14 Shade
 D340 H130
 B22 opening



Many shades come with the European E27 lampholder size shade ring. The accessory "shade ring reducer" is available to reduce the size down to suit a B22 - Bayonet lampholder.



OLA16/SHADE
 Adapter Ring
 E27 > B22

OL2299/18BK

Cage.18
 D150 H180
 E27 opening



OL2299/32BK

Cage.32
 D90 H320
 E27 opening



OL2299/14BK

Cage.14
 D145 H180
 E27 opening



OL69373BK
 Boulton Wall Bracket
 with **OL2280CO**
 Retro Shade



OL2280BK

Retro Shade
 H195 D150
 E27 opening



↑ white inside



OL2280WH

Retro Shade
 H195 D150
 E27 opening



↑ white inside



OL2280RD

Retro Shade
 H195 D150
 E27 opening



↑ white inside



OL2280BC

Retro Shade
 H195 D150
 E27 opening



↑ white inside



OL2280GM

Retro Shade
 H195 D150
 E27 opening



↑ white inside



OL2280CH

Retro Shade
 H195 D150
 E27 opening



↑ white inside



OL2280CO

Retro Shade
 H195 D150
 E27 opening



↑ white inside





The fittings on this page are energy saving LED ready.

INDUSTRIAL VINTAGE mix & match

OL69321BK

Albany Cord Black

S1800 D100

E27 60w



Albany cord and chain suspensions feature cloth covered cords.



OL69321AB

Albany Cord Ant Brass



OL69321CO

Albany Cord Ant Copper



OL69321BK

Albany Cord Black



OL69321WH

Albany Cord White



OL69321CH

Albany Cord Chrome



Albany cord suspension with Slater shade.



Albany cord suspensions with assorted Cages.

Albany cord suspension with Yard 35cm shade.

Albany cord suspensions with G125 vintage filament globes.

Albany chain suspension with Slater shade.

Bradway suspension with Toledo glass.



OL69322AB

Albany Chain Ant Brass

S1700 D110

E27 60w



Albany cord and chain suspensions feature cloth covered cords.



OL69322AB

Albany Chain Ant Brass



OL69322BK

Albany Chain Black



OL69361BK

Bradway Suspension

W130 H200 S1800

E27 60w



Cloth covered cord.

Shown with vintage filament globe.





The fittings on this page are energy saving LED ready.



OL69321BK
Albany Cord Black
S1800 D100
E27 60w

Shown with vintage filament globe.

with **OL2291/36BK**
Brazz.36 Mesh Shade
D360 H190




OL2280CO
Retro Shade
H195 D150

OL69321BK
Albany Cord Black
S1800 D100
E27 60w



OL2295/35CO
Yard.35 Shade
D350 H260

OL2298/38CO
Slater.38 Shade
D380 H160

OL69361BK
Bradway Suspension
W130 H200 S1800
E27 60w

with **OL2295/35WH**
Yard.35 Shade
D350 H260




SL65011BK
Rope Suspension
L1450 D125
E27 40w

with **OL2298/38BK**
Slater.38 Black Shade
D380 H160






OL69321BK
Albany Cord Black
S1800 D100
E27 60w

with **OL2299/14BK**
Cage.14
D145 H180




OL69321BK
Albany Cord Black
S1800 D100
E27 60w

with **OL2298/38RU**
Slater.38 Rust Finish Shade
D380 H160


OL69256BK
Parti Pan 3 Light

with 3 x **OL69321BK**
Albany Cord Black

with assorted **OL2255**
Maison.15 Glass Shades



The fittings on this page are energy saving LED ready.

INDUSTRIAL VINTAGE mix & match

SL65013BK

Rope 3lt Suspension


W1100 S2150

E27 40w



1m Chain suspension + each rope 1.2m.

Shown with LED ST64 loop filament lamps.



NEW

SL65011BK

Rope Suspension

S1450 D125

E27 40w



Rope 3 light suspension
Shown with Yard 35cm shades.



Rope suspension
Shown with G125 LED filament lamp.

SL65012BK

Rope Suspension

S2250 D125

E27 40w

Now avail. in 2.2m length.

NEW

INDUSTRIAL VINTAGE pendants



The fittings on this page are energy saving LED ready.

SL64730WH

Forge.300 Pendant
D300 H160 S1200
E27 60w



↑ white inside



Complete pendant.

SL64730BK

Forge.300 Pendant
D300 H160 S1200
E27 60w



↑ white inside



SL64730OR

Forge.300 Pendant
D300 H160 S1200
E27 60w



↑ white inside



SL64730BC

Forge.300 Pendant
D300 H160 S1200
E27 60w



↑ white inside



NEW

SL64743WH

Forge.430 Pendant
D430 H220 S1200
E27 60w



↑ white inside



SL64743BK

Forge.430 Pendant
D430 H220 S1200
E27 60w



↑ white inside



Forge.300 with ST64 Opal Matt LED lamp.

SL64730RU

Forge.300 Pendant
D300 H160 S1200
E27 60w



↑ white inside



NEW

OL67431BK

Orbis.36 Pendant
D360 H160 S1800
E27 60w



Clear cord.

↑ black inside




OL67431WH

Orbis.36 Pendant
D360 H160 S1800
E27 60w



Clear cord.

↑ white inside




Orbis.36 with G125 decorative LED filament lamp.



SL64805

Agar 5lt Pendant
D260 H220 S1800
E27 40w x 5



OL69271BK

Work Pendant
D170 H235 S1800
E27 60w



Cloth covered cord



OL69271BC

Work Pendant
D170 H235 S1800
E27 60w



Cloth covered cord



SL64801

Agar 1lt Pendant
D120 H220 S1800
E27 40w





The fittings on this page are energy saving LED ready.

INDUSTRIAL VINTAGE pendants

OL65441WH

Idaho Pendant

D420 H305 S1800

E27 60w



↑ white inside

Cloth covered cord



OL65467RB

Baltimore Pendant

D360 H450 S1800

E27 60w



↑ same inside

Shown with vintage filament lamp.

Cloth covered cord



OL65421RB

Capple Pendant

D350 H350 S1800

E27 60w



↑ same inside

Black + white checked cloth covered cord

Oil Rubbed Bronze finish

Clear glass



OL69265/19BK

Bay.19 Pendant

D190 H250 S950

E27 60w



↑ white inside



OL69265/28BK

Bay.28 Pendant

D280 H370 S950

E27 60w



↑ white inside



OL65401BK

Cottage Pendant

D370 H475 S1800

E27 60w



↑ white inside



OL65401CH

Cottage Pendant

D370 H475 S1800

E27 60w



↑ white inside



OL65401BR

Cottage Pendant

D370 H475 S1800

E27 60w



↑ white inside



INDUSTRIAL VINTAGE



The fittings on this page are energy saving LED ready.

OL69373BK

Boulton Wall Bracket
P270 D110
E27 60w



OL69373BK
Black

OL69373AB
Antique Brass

OL69373CH
Chrome

OL69373BK

Boulton Wall Bracket
With OL2255/15BL
Maison.15 Blue Glass
E27 60w
(See mix & match options on Page 000)



OL69375RB

Derwent Wall Light
H320 SD220 P255
E27 60w



Rubbed
Bronze
finish.

↑ same
inside

OL69375BK

Derwent Wall Light
H320 SD220 P255
E27 60w



↑ same
inside

OL69377BK

Roxbury Adjustable Wall Bracket
P600 H400 SD190
E27 60w



↑ same
inside


SL64531BK

Geo 1lt Pendant
D400 H500 S2000
E27 60w



SL64534BK

Geo 4lt Pendant
D600 H700 S2000
E27 60w x 4



OL63251BK

Chester.18 Pendant
H320 D180 S1800
E27 60w



Cloth
covered
cord

OL63252BK

Chester.36 Pendant
H200 D360 S1800
E27 60w



Cloth
covered
cord

OL68883BK

Southall 3lt Pendant
H480 D300 S700
E14 40w x 3





The fittings on this page are energy saving LED ready.

INDUSTRIAL VINTAGE

SL64901BK

Eaton.17 Pendant

H340 180x180

E27 60w



Clear glass



The canopy is tilt adjustable.



SL64902BK

Eaton.30 Pendant

H400 300x300

E27 60w



Clear glass



The canopy is tilt adjustable.



SL64914BK

Hampton Pendant

H550 450x450 S1200

E27 42w x 4



Clear glass



NEW

Shown with ST64 twin loop LED filament lamps.

SL64903BK


Eaton.70 Pendant

H350 700x300

E27 42w x 3



Clear glass



Eaton rod suspensions supplied in 130 + 230mm lengths.

SL64904BK


Eaton.100 Pendant

H350 1010x300

E27 42w x 4



Clear glass



Eaton rod suspensions supplied in 130 + 230mm lengths.

SL64906BK

Eaton Wall Light

H250 W170 P140

E27 42w



Shown with vintage filament globe.



Eaton.100 with G125 Vintage filament lamps.



INDUSTRIAL VINTAGE pendants



The fittings on this page are energy saving LED ready.

OL63114CL
Hartford #14 Pendant
D280 H220
E27 40w

Shown with vintage filament lamp.

Clear glass

OL63116CL
Hartford #16 Pendant
D130 H350
E27 40w

Clear glass

OL63117CL
Hartford #17 Pendant
D170 H290
E27 40w

Clear glass

OL63121CL
Hartford #21 Pendant
D240 H230
E27 40w

Clear glass

OL63114SM
Hartford #14 Pendant
D280 H220
E27 40w

Smoke glass

OL63116SM
Hartford #16 Pendant
D130 H350
E27 40w

Smoke glass

OL63117SM
Hartford #17 Pendant
D170 H290
E27 40w

Smoke glass

OL63121SM
Hartford #21 Pendant
D240 H230
E27 40w

Smoke glass

OL69451BK
Flint Pendant
D200 H310 S1500
E27 60w

Clear glass

↑ same inside

OL69451BZ
Flint Pendant
D200 H310 S1500
E27 60w

Bronze painted

Clear glass

↑ same inside

OL68891AC
Vernon Pendant
D260 H300 S1500
B22 60w

Antique Copper

Clear glass

↑ same inside

OL68891CH
Vernon Pendant
D260 H300 S1500
B22 60w

Antique Copper

Clear glass

↑ same inside



The fittings on this page are energy saving LED ready.

INDUSTRIAL VINTAGE pendants

OL69267/19AC

Sherborne.19 Pendant

D190 H280 S1200

E27 40w



Black cloth covered cord + clear glass.



OL69267/25AC

Sherborne.25 Pendant

D250 H290 S1200

E27 40w



Black cloth covered cord + clear glass.



OL63301CL

Mason Jar Pendant

H230 D120 S1100

E27 42w



OL63301GN

Mason Jar Pendant

H230 D120 S1100

E27 42w



OL63501CL

Decant.1 Pendant

D140 H250 S1800

E27 60w



Black cloth covered cord.



OL63503CL

Decant.3 Pendant

D130 H240 S1800

E27 60w



Black cloth covered cord.



OL63504CL

Decant.4 Pendant

100x100 H250 S1800

E27 60w



Black cloth covered cord.



OL62255/27CL

Maison.27 Pendant

D270 H120 S1500

E27 60w



Ant. brass chain suspension.



OL62255/27BL

Maison.27 Pendant

D270 H120 S1500

E27 60w



Ant. brass chain suspension.



OL62255/27AM

Maison.27 Pendant

D270 H120 S1500

E27 60w



Ant. brass chain suspension.



OL63506CL

Vin 1lt Pendant

D75 H300 S1800

E14 42w



Clear glass, clear cord, chrome metalware.



INDUSTRIAL VINTAGE pendants



The fittings on this page are energy saving LED ready.

OL65790AR

Columbus 5lt Pendant
(650mm Diameter)

D650 S1500

E14 40w x 5



OL65789AR

Columbus 5lt Pendant
(460mm Diameter)

D460 S1800

E14 40w x 5



OL65791AR

Columbus "Bling" 5lt Pendant
(650mm Diameter)

D650 S1500

E14 40w x 5



OL68871BK

Esdale 1lt Pendant

H370 D190 S700

E27 60w



OL68873BK

Esdale 3lt Pendant

H390 D300 S650

E14 40w x 3



OL68821AW

Istanbul Pendant

H420 D270 S1800

B22 60w



OL68821AR

Istanbul Pendant

H420 D270 S1800

B22 60w



OL68852WH

Gabby Pendant

H440 D450 S700

B22 60w



Shown with G125 globe (not included)

OL68852BK

Gabby Pendant

H440 D450 S700

B22 60w




Shown with G125 globe (not included)




The fittings on this page are energy saving LED ready.

multi-drop PENDANTS



OL69351BK
Philly 10lt Pendant
Canopy D120 H40 Cords S1800
E27 40w x 10




OL69351WH
Philly 10lt Pendant
Canopy D120 H40 Cords S1800
E27 40w x 10




The Philly is a 10 light “swag” style pendant, allowing you to fix each light individually to create a unique fitting. Cord fixings included.

Shown here with assorted vintage filament globes.

The Pop.6 dropper pendant can be used with globes, as shown or shades.

The drops can be arranged in a spiral or simply let to hang, the choice is yours.

Shown here with G95 vintage filament globes.



Black cloth covered cords.

OL69286BK
Pop 6lt Pendant
S1800 D120
E27 60w x 6



White cloth covered cords.

OL69286WH
Pop 6lt Pendant
S1800 D120
E27 60w x 6



single PENDANTS + accessories



The fittings on this page are energy saving LED ready.

OL69281BK

Pop.2 Suspension

L2000 D115

E27 60w



Black cloth covered cord.



POP suspensions shown here with vintage filament G125 globe. A-CAR-12525E27

OL69281CH


Pop Suspension

L2000 D115

E27 60w



Clear cord.



OL69281CO

Pop.2 Suspension

L2000 D115

E27 60w



Black cloth covered cord.



OL69281RD


Pop Suspension

L2000 D115

E27 60w



Red cloth covered cord.



OL69281WH


Pop Suspension

L2000 D115

E27 60w



White cloth covered cord.



OL69258WH

Parti Rail
3 Light accessory
White

L1050 H25 W55



OL69258BK
Parti Rail
Black

The Parti Rail can be used to suspend multiple single pendants.

OL69256BC

Parti Pan
3 Light accessory
Brushed Chrome

D255 H25



OL69256BK

Parti Pan
3 Light accessory
Black

D255 H25



OL69256WH

Parti Pan
3 Light accessory
White

D255 H25



The Parti Pan can be used to suspend multiple single pendants.

OL69257BK

Parti Pan
5 Light accessory
Black

D255 H25



OL69257WH

Parti Pan
5 Light accessory
White

D255 H25





The fittings on this page are energy saving LED ready.

urban PENDANTS

OL67402AL
 Kit 02
 H250 D205 S2000
 E27 60w

↑ white inside
 Clear cord.



OL67405AL
 Kit 05
 H355 D150 S2000
 E27 60w

↑ white inside
 Clear cord.



OL67421BK
 Plato Pendant
 H360 D200 S1800
 E27 60w

↑ gold inside



OL67421WH
 Plato Pendant
 H360 D200 S1800
 E27 60w

↑ gold inside




OL67452BR
 Chino 2
 H170 D360 S1800
 E27 60w

↑ gold inside
 Clear cord.



OL67453BR
 Chino 3
 H280 D230 S1800
 E27 60w

↑ gold inside
 Clear cord.



OL67451BR
 Chino 1
 H400 D190 S1800
 E27 60w

↑ gold inside
 Clear cord.



Bronze hand painted finish with gold interior

OL67453BK
 Chino 3
 H280 D230 S1800
 E27 60w

↑ white inside
 Clear cord.



OL67453WH
 Chino 3
 H280 D230 S1800
 E27 60w

↑ white inside
 Clear cord.



urban PENDANTS



The fittings on this page are energy saving LED ready.

OL64621BR

Boite Pendant

D400 H175

E27 20w (LED) x 2



Matt opal acrylic diffuser.



Layers of corrugated cardboard.

OL64722

Panto.1 Pendant

H170 D120 S1800

E27 15w



Concrete finish

Black cloth covered cord. Timber features.



OL64721

Chunk Pendant

D80 H150 S1800

E27 60w

Grey cloth covered cord.



Concrete finish

Shown with an LED filament globe (not included)



OL64761

Terros.130 Pendant

D130 H160 S1800

E14 28w

NEW

Terrazzo finish



Black cloth covered cord.



OL64762

Terros.160 Pendant

D160 H200 S1800

E27 42w

NEW

Terrazzo finish



Black cloth covered cord.



OL64723

Panto.2 Pendant

H270 D130 S1800

E27 20w



Concrete finish

Black cloth covered cord. Timber features.



OL64724

Panto.3 Pendant

H300 D210 S1800

E27 20w



Concrete finish

Black cloth covered cord and strainer wire. Timber features.



OL60175BK

Tig Pendant Black

D80 H300 S1800

GU10 35w

NEW



Black cloth covered cord.



OL60175WH

Tig Pendant White

D80 H300 S1800

GU10 35w

NEW

White cloth covered cord.



OL64726

Cimo.10 Pendant

H200 D100 S1800

E27 25w

Concrete finish

Black cloth covered cord.



OL64727

Cimo.20 Pendant

H190 D205 S1800

E27 25w

Concrete finish

Black cloth covered cord.





The fittings on this page are energy saving LED ready.

timber PENDANTS

OL64712NAT

Acorn.25
H250 D250 S1800
E27 60w



Black cloth covered cord

Plywood in natural finish.



OL64714NAT

Acorn.40
H400 D350 S1800
E27 60w



Black cloth covered cord

Plywood in natural finish.



OL64715NAT

Acorn.50
H500 D450 S1800
E27 60w



Black cloth covered cord

Plywood in natural finish.



OL64719NAT

Bud Pendant
D125 S1800
E27 60w



Black cloth covered cord



Shown with LED filament globes (not included)

Plywood in natural finish.

OL64741NAT

Trap II Pendant
W360 H360 S1600
E27 60w



Black cloth covered cord



Shown with vintage filament globes (not included)





urban PENDANTS



The fittings on this page are energy saving LED ready.

OL63716CO
Perno.16
D160 H280 S1800
E27 60w

Black cloth covered cord.

↑ white inside

OL63730CO
Perno.30
D300 H470 S1500
E27 60w

Black cloth covered cord.




↑ white inside

OL64822BK
Malt.22 Pendant
D220 H420 S1800
E27 60w

Black cloth covered cord.





↑ white inside

OL64822WH
Malt.22 Pendant
D220 H420 S1800
E27 60w

White cloth covered cord.




OL63716BC
Perno.16
D160 H280 S1800
E27 60w

Clear cord.




↑ white inside

OL63730BC
Perno.30
D300 H470 S1500
E27 60w

Clear cord.




↑ white inside

OL64832BK
Malt.32 Pendant
D320 H230 S1800
E27 60w

Black cloth covered cord.





↑ white inside

OL64832WH
Malt.32 Pendant
D320 H230 S1800
E27 60w

White cloth covered cord.




OL67761BK
Lenox Pendant
D380 H390 S1800
E27 60w





Lenox shown with G95 LED filament globe (not included)



OL64848BK
Malt.48 Pendant
D480 H350 S1800
E27 60w

Black cloth covered cord.





↑ white inside

OL64848WH
Malt.48 Pendant
D480 H350 S1800
E27 60w

White cloth covered cord.






The fittings on this page are energy saving LED ready.

designer PENDANTS

SL64425BB

Newton Pendant

D250 S1500

E27 42w



Clear glass

Brushed brass, black cloth cov. cord with clear glass. Shown with vintage filament globe (not included)

SL64430BB

Newton Pendant

D300 S1500

E27 42w



Clear glass

SL64440BB

Newton Pendant

D400 S1500

E27 42w



Clear glass

Shown with vintage filament globe (not included)

SL64425BK

Newton Pendant

D250 S1500

E27 42w



Clear glass

Satin black, black cloth cov. cord with clear glass. Shown with vintage filament globe (not included)

SL64430BK

Newton Pendant

D300 S1500

E27 42w



Clear glass

SL64440BK

Newton Pendant

D400 S1500

E27 42w



Clear glass

SL64451BB

Newton Wall Light

H210 P210 W180 BD120

E27 42w



Clear glass

SL64451BK

Newton Wall Light

H210 P210 W180 BD120

E27 42w



Clear glass

Shown with vintage filament globes (not included)



designer PENDANTS



The fittings on this page are energy saving LED ready.

SL64406AB


Chelsea 6lt Ant Brass
H540 W850 S1500
E27 42w x 6



Shown with
G95 vintage
filament globe
(not included)



Chelsea
Antique Brass
shown with
G95 vintage
filament globe
(not included)



Each arm on
the Chelsea is
adjustable.

SL64406BK

Chelsea 6lt Black
H540 W850 S1500
E27 42w x 6



Shown with
G95 vintage
filament globe
(not included)



SL64406CH

Chelsea 6lt Chrome
H540 W850 S1500
E27 42w x 6



Shown with
G95 LED
crowned
silver globe
(not included)





The fittings on this page are energy saving LED ready.

designer PENDANTS

SL64407BK

Chelsea.120 6lt Black

H540 W1200 S1500

E27 42w x 6



Each arm on the Chelsea is adjustable.

Chelsea.120 is 1.2m Wide



NEW

Chelsea.120 shown with G125 Opal Matt globe. (not included)

SL64409BK

Epping 6lt Black

W1200 x 750 Rod 1000

E27 42w x 6



Cross arms on the Epping are adjustable.



NEW


Epping shown with G125 Opal Matt globe. (not included)

SL64401BK

Chelsea Wall Light

H235 P145 BD120

E27 42w



NEW


Chelsea wall light shown with G125 spiral filament LED globe. (not included)

SL64401AB

Chelsea Wall Light

H235 P145 BD120

E27 42w



NEW

Chelsea wall light shown with ST64 Opal Matt LED globe. (not included)

designer PENDANTS



The fittings on this page are energy saving LED ready.

SL64318BK

Delaware.18 Pendant
H230 D180 S900
E27 42w

NEW



SL64335BK

Delaware.35 Pendant
H280 D350 S900
E27 42w


NEW



SL64310BK

Delaware Wall Light
W330 H180 P150
E14 40w x 2

NEW



SL64352BK

Delaware.52
3lt Pendant
H280 D520 S900
E27 42w x 3


NEW



SL64811BK

Georgetown.100 Pendant
H340 L1000 S690
E14 42w x 8

NEW



SL64813BK

Georgetown.35 Pendant
350 x 350 H550 S690
E14 42w x 8

NEW





The fittings on this page are energy saving LED ready.

designer PENDANTS

SL64680/6BK

Padua 6lt Pendant

W1700 (max) H850 - 1500
Glass D150

E27 42w x 6



Each joint in the Padua pendant is adjustable at installation.




Clear glass

SL64680/6SB

Padua 6lt Pendant

W1700 (max) H850 - 1500
Glass D150

E27 42w x 6



Clear glass

SL64412/4BK

Lunar 4lt Pendant

D800 H400-1260

E27 42w x 4



Satin black with smoke glass balls




SL64413/5BK

Sinus 5lt Pendant

W1200 D360 S1500

E27 42w x 5



Sinus pendant can be suspended vertically or horizontally.

Smoke Glasses 3 x D150 + 2 x D180


PENDANTS



The fittings on this page are energy saving LED ready.

OL64130WH

Phase 30
D300 S2000
E27 60w



The Phase sphere is acrylic, has a white canopy and cord.

OL64140WH

Phase 40
D400 S2000
E27 75w



OL64150WH

Phase 50
D500 S2000
E27 75w



OL67393WH

Chic 33
D330 S1800
E27 60w



Clear cord.

Made from polypropylene.

OL67394WH

Chic 43
D430 S1800
E27 60w



Clear cord.

OL67384WH

Ziggy
D430 S1800
E27 40w



Clear cord.

OL69256WH

Parti Pan
3 Light accessory
White
D255 H25



The Parti Pan can be used to suspend multiple single pendants.

OL69257WH

Parti Pan
5 Light accessory
White
D255 H25



OL69258WH

Parti Rail
3 Light accessory
White
L1050 H25 W55



The Parti Rail can be used to suspend multiple single pendants.

LED



Stainless steel construction. Replaceable LED modules.

OL60392/55

Spatial.55 LED Pendant

D550 S2000

4200K | >Ra80

colour temperature
4200K

colour rendition
>Ra80



LED



OL60392/75

Spatial.75 LED Pendant

D750 S2000

4200K | >Ra80

colour temperature
4200K

colour rendition
>Ra80



LED

OL60914/40BK

Nimbus LED Pendant
Black

D400 S1500

18w | 4000K | 900lm

NEW



OL60914/40WH

Nimbus LED Pendant
White

D400 S1500

18w | 4000K | 900lm



colour temperature
4000K

colour rendition
>Ra80



LED

OL60914/60WH

Nimbus LED Pendant
White

D600 S1500

24w | 4000K | 1200lm

NEW



OL60914/60BK

Nimbus LED Pendant
Black

D600 S1500

24w | 4000K | 1200lm

colour temperature
4000K

colour rendition
>Ra80



glass PENDANTS



The fittings on this page are energy saving LED ready.

OL60521WH

Meri White

H410 D110 S1800

E27 40w




Meri and Cleo are handpainted glass

OL60561WH

Cleo White

H305 D140 S1800

E27 40w



OL60525WH

Meri 500 White

H500 D140 S1800

E27 40w



Meri and Cleo are handpainted glass

OL60521SIL

Meri Silver

H410 D110 S1800

E27 40w



OL60561SIL

Cleo Silver

H305 D140 S1800

E27 40w



OL60521RD

Meri Red

H410 D110 S1800

E27 40w



Meri Red shown lit

OL60561RD

Cleo Red

H305 D140 S1800

E27 40w



Cleo Red shown un-lit

Cleo Red shown lit

Meri & Cleo glasses are hand made and have a hand brushed painted finish.





The fittings on this page are energy saving LED ready.


glass PENDANTS

OL69291/17CL

Holbeck.17 Pendant

H420 D170 S1800

E27 60w




OL69291/19CL

Holbeck.19 Pendant

H440 D200 S1800

E27 60w



Clear cord + clear glass.
Wooden highlights.

OL69291/30CL

Holbeck.30 Pendant

H300 D300 S1800

E27 60w




OL63984BC

Astrid Mini

H240 D90 S1800

E14 40w




Clear outer glass, opal matt inner glass.

OL63981BC

Astrid

H350 D120 S1800

E27 60w



Clear outer glass, opal matt inner glass.

OL63293CH

Cybelle

H290 D315 S1800

E27 60w



OL69217/1BC

Zest Wall

H250 P150

E27 60w



OL69207/3BC

Zest 3lt

D450 H250 Rod 880

E27 60w x 3



OL69207/5BC

Zest 5lt

D460 H250 Rod 880

E27 60w x 5



Zest can be shortened down to a close to ceiling if required

classic PENDANTS



The fittings on this page are energy saving LED ready.

OL68783WH

Vicky 35
H300 D350 S750
B22 60w



OL68784WH

Vicky 45
H300 D450 S750
B22 100w



OL68781WH

Vicky Wall Light
H205 W185 P120
B22 40w



OL68783BK

Vicky 35
H300 D350 S750
B22 60w



OL68784BK

Vicky 45
H300 D450 S750
B22 100w



OL68781BK

Vicky Wall Light
H205 W185 P120
B22 40w



OL2265BK

Vicky 25 DIY Black
H200 D250
B22 60w



↑ black inside

OL2265WH


Vicky 25 DIY White
H200 D250
B22 60w



↑ white inside

OL2265CO

Vicky 25 DIY Copper
H200 D250
B22 60w



↑ copper inside



The fittings on this page are energy saving LED ready.

classic PENDANTS

OL68999/6CH

Diaz 6lt
H500 D700 S1800
E14 40w x 6



OL68999/12CH

Diaz 12lt
H600 D820 S1800
E14 40w x 12



OL68999/8CH

Diaz 8lt
H500 D820 S1800
E14 40w x 8



OL68710/1CL

Marie Therese
H180 W100 P240
B22 40w



OL68710/3CL

Marie Therese 3
H380 D470 S750
B22 40w x 3



OL68711/8CL

Marie Therese 8
H410 D640 S750
B22 40w x 8



OL68710/5CL

Marie Therese 5
H380 D470 S750
B22 40w x 5



OLA16/01

Candle Drip Cover (B22)
Perfect for renovating
chandeliers!

classic PENDANTS



The fittings on this page are energy saving LED ready.

OL65709BZ

Gaston 9lt
H830 D800 S600
E27 60w x 9



OL65705BZ

Gaston 5lt
H700 D675 S600
E27 60w x 5



The Gaston suite has a painted bronze finish.

OL65701BZ

Gaston Wall
H250 W190 P310
E27 60w



OL65751BZ

Gaston 1lt
H330 D305 S600
E27 60w



OL65763BZ

Gaston 3lt
H590 D460 S600
E27 60w x 3



OL65733BZ

Gaston 3lt CTC
H360 D460
E27 60w x 3





The fittings on this page are energy saving LED ready.

classic PENDANTS

OL65309BN

Bedford 9lt Pendant

H850 D850 S1800

E27 60w x 9



OL65305BN

Bedford 5lt Pendant

H700 D650 S1500

E27 60w x 5



OL65303BN

Bedford 3lt Pendant

H650 D520 S1500

E27 60w x 3



The Bedford suite has a painted antique bronze finish.

OL65301BN

Bedford Wall Light

H270 P250

E27 60w





The fittings on this page are energy saving LED ready.

OL69243BC


Shade 3 Light suspension

BD125 D170 H650 S1350

B22 60w x 3



This 3 light shade suspension is designed to allow the lamp shade to be changed without the need for re-wiring. Ideally suited to a shade 12" (300mm) diameter or greater.



OLA16/SHADE

Many of our shades have an E27 shade ring. The use of our "shade adapter ring" (OLA16/SHADE) will allow these shades to be fitted on a smaller B22 lamp holder. Ask your distributor about this useful adapter.



We stock a large range of replacement lamp holders and spare parts - see the ACCESSORIES section of this catalogue or contact your distributor for the latest list of parts and accessories.

OL69253CH

Parti Suspension

L1800 D120

E27 60w

OL69253BC

Parti Suspension

L1800 D120

E27 60w

OL69253WH

Parti Suspension

L1800 D120

E27 60w

OL69253BK

Parti Suspension

L1800 D120

E27 60w

OL69251BC

Parti Rod Suspension

L1100 D120

E27 60w

OL69242BC

Drop Suspension

L1800 D120x25

B22 60w



The PARTI suspensions have an E27 lampholder and are designed for use with most shades with an E27 shade ring.




The DROP suspension has a B22 lampholder and is designed for use with most shades with a B22 shade ring.



The fittings on this page are energy saving LED ready.

mix & match PENDANT SHADES



OL91938
16" Black Linen Shade
T400 B400 H250
E27 60w



OL91937
16" White Linen Shade
T400 B400 H250
E27 60w



OL91904
16" Satin Black Shade
T400 B400 H250
E27 60w




OL91850
16" Off-white Shantung Shade
T400 B400 H250
E27 60w



OL91852
16" Teal Blue Shade
T400 B400 H250
E27 60w




OL91851
16" Ayers Rock Shade
T400 B400 H250
E27 60w



OL91919
14" White organza ribbon shade
T350 B350 H250
E27 60w



OL91920
14" Black organza ribbon shade
T350 B350 H250
E27 60w



OL91901
20" Satin Black Shade
T500 B500 H300
E27 60w



OL91902
20" Off-white Shantung Shade
T500 B500 H300
E27 60w



OL91903
20" Satin Silver Shade
T500 B500 H300
E27 60w

These shades have an E27 shade ring and are supplied with a B22 shade adapter ring, allowing them to be fitted onto both E27 & B22 lamp holders.

OLA16/SHADE



The fittings on this page are energy saving LED ready.

OL2704/30CK
Lumi 30 shade
H170 D300
E27 40w

Shown here on PARTI brushed chrome suspension OL69253BC

OL2704/60CK
Lumi 60 shade
H280 D590
E27 40w

Shown here on PARTI brushed chrome suspension OL69253BC

OL2704/45CK
Lumi 45 shade
H220 D450
E27 40w

Shown here on PARTI brushed chrome suspension OL69253BC

OL2592WH
Kita DIY White
H230 D215
B22 60w

OL2592BR
Kita DIY Brown
H230 D215
B22 60w

INSTALL YOURSELF
NO ELECTRICIAN REQUIRED

OL2593BK
Kono 25 DIY Black
D250
B22 60w

INSTALL YOURSELF
NO ELECTRICIAN REQUIRED

NEW

OL2593WH
Kono 25 DIY White
D250
B22 60w

INSTALL YOURSELF
NO ELECTRICIAN REQUIRED

OL2593BR
Kono 25 DIY Brown
D250
B22 60w

INSTALL YOURSELF
NO ELECTRICIAN REQUIRED

NEW



Kono Black is made from woven string with a black painted finish.

OL64230BK

Kono 30 pendant Black
D300 S1800
E27 42w

OL64245BK

Kono 45 pendant Black
D450 S1800
E27 42w

OL64260BK

Kono 60 pendant Black
D600 S1800
E27 42w



The Earth **KONO** series of pendants are supplied with a 1800mm cord and canopy set.



Kono White is made from woven string with a white painted finish.

OL64230WH

Kono 30 pendant White
D300 S1800
E27 42w

OL64245WH

Kono 45 pendant White
D450 S1800
E27 42w

OL64260WH

Kono 60 pendant White
D600 S1800
E27 42w



The Earth **KONO** series of pendants are supplied with a 1800mm cord and canopy set.



Shown here on PARTI cord suspension OL69253BC

OL67802
Marakesh Cocoa shade
D500 H230
E27 60w

OL67801
Marakesh Beech shade
D500 H230
E27 60w

Shown here on PARTI cord suspension OL69253BC

Shown here on PARTI cord suspension OL69253BC

OL2552
Taho Cocoa shade
D385 H230
E27 60w

OL2633BK
Cooper 30 Shade
H340 D300
E27 60w

Woven string shade

Shown here on PARTI cord suspension OL69253BC

OL2634BK
Cooper 45 Shade
H490 D450
E27 60w

Shown here on PARTI cord suspension OL69253BC

Shown here on PARTI cord suspension OL69253BC

OL2551
Taho Beech shade
D385 H230
E27 60w

OL2633WH
Cooper 30 Shade
H340 D300
E27 60w

Shown here on PARTI cord suspension OL69253BC

OL2634WH
Cooper 45 Shade
H490 D450
E27 60w

Shown here on PARTI cord suspension OL69253BC

OL69253CH Chrome + clear cord
OL69253BC Br. Chrome + clear
OL69253WH White + white cord
OL69253BK Black + black cord

All suspensions E27 60w
Parti is 1800mm long / ceiling canopy 115mm dia.

OL2714/35BR

Butan 35 Shade
D350 H300
E27 60w



Shown here on PARTI Black suspension OL69253BK

OL2705BR

Buco Shade
H305 D380
E27 60w



Shown here on PARTI Brushed Chrome suspension OL69253BC

OL64301/72BR

Baja 72 pendant
H720 D250 S1800
E27 40w



Wicker cane with cotton inner shade

OL64303/36BR

Satori 36 pendant
D360 H290
E27 40w



Split cane strips formed into a ball with a central cone, diffusing the light. Dark stained natural cane.

OL64303/50BR

Satori 50 pendant
D510 H430
E27 40w



OL64303/72BR

Satori 72 pendant
D720 H600
E27 40w



Satori 72 has a strainer wire suspension.



OL64303/36WH

Satori 36 pendant
D360 H290
E27 40w



Split cane strips formed into a ball with a central cone, diffusing the light. White painted finish.

OL64303/50WH

Satori 50 pendant
D510 H430
E27 40w



OL64303/72WH


Satori 72 pendant
D720 H600
E27 40w



Satori 72 has a strainer wire suspension.



Spanish GLASS



101




102



Hand finished glassware from Spain. Patterns and finish may vary slightly from shipment to shipment.


Dimensions are approximate, as small variations occur in handmade glassware.



300



301




500




501



502




901




1400



1401



NAP-00



1600



1607



The fittings on this page are energy saving LED ready.

WALL LIGHTS




OL69375RB
Derwent Wall Light
(rubbed bronze)
H320 D220 P255
E27 60w



OL69375BK
Derwent Wall Light
H320 D220 P255
E27 60w



OL68710/1CL
Marie Therese
H180 W100 P240
B22 40w



SL64310BK
Delaware Wall Light
W330 H180 P150
E14 42w x 2



Supplied with soft-pleat shade.

OL50700AB
Swingley Antique
H280 W245 P345
B22 60w



Supplied with soft-pleat shade.

OL50700PB
Swingley Brass
H280 W245 P345
B22 60w



Bronze painted finish

OL65701BZ
Gaston Wall Bracket
H250 W190 P310
E27 60w



Ant. Brown painted finish

OL65301BN
Bedford Wall Bracket
H270 P250 W150
E27 60w



OL69377BK
Roxbury adjustable Wall Bracket
P600 H400 SD190
E27 60w



SL64906BK
Eaton Wall Light
H250 W170 P140
E27 42w



OL68781WH
Vicky Wall Light
H205 W185 P120
B22 40w



OL68781BK
Vicky Wall Light
H205 W185 P120
B22 40w



WALL LIGHTS



The fittings on this page are energy saving LED ready.



OL41340BCH
Remo Wall
W300 H150 P100
E27 60w




OL41340GD
Remo Wall
W300 H150 P100
E27 60w





OL41340WH
Remo Wall
W300 H150 P100
E27 60w




OL44331CH
Claw Wall
W300 H150 P100
E27 60w




OL52451BC
Odyssey
H260 W175 P110
E27 60w

OL59079CH
Nova
H290 W125 P110
E27 60w




OL53512
Lia Wall Light
W300 H140 P95
E14 40w

Paintable plaster up-down wall washer





OL59407
Elba
H230 W280 P110
E27 60w




OL57117CH
Duo.2
H180 W210 P70
E14 40w




OL69217/1BC
Zest Wall
H250 P150
E27 60w





OL51823CH
Yoshi 500
H500 W110 P110
E27 60w x 2






The fittings on this page are energy saving LED ready.


WALL LIGHTS




OL69373BK
Boulton Wall Bracket
Black
P270 BD110
E27 60w




NEW




OL69373AB
Boulton Wall Bracket
Antique Brass
P270 BD110
E27 60w



NEW



OL69373CH
Boulton Wall Bracket
Chrome
P270 BD110
E27 60w




OL50610BC
Stafia Bracket
H180 W125 P100
E27 60w
(with switch)



NEW



SL64451BK
Newton Wall Bracket
H210 P210 W180
E14 42w



NEW



SL64451BB
Newton Wall Bracket
H210 P210 W180
E14 42w

Brushed Brass finish



NEW



SL64401BK
Chelsea Wall Bracket
H235 P145 BD120
E27 42w



NEW




SL64401AB
Chelsea Wall Bracket
H235 P145 BD120
E27 42w

Antique Brass finish






OL50800BP
Picture Polished Brass finish
L350 P190
B22 40w x 2






OL50800AB
Picture Antique Brass
L350 P190
B22 40w x 2


OL50800CH
Picture Chrome
L350 P190
B22 40w x 2




Slate.LED wall light




Slate.LED - top & bottom LED can be wired to be switched independently or together, allowing up light, down light or both.

OL60785/600WH	Slate.LED Wall Light	L605 H85 P55	30w 4000K >Ra82 1485lm
OL60785/900WH	Slate.LED Wall Light	L905 H85 P55	45w 4000K >Ra82 2395lm
OL60785/1200WH	Slate.LED Wall Light	L1175 H85 P55	58w 4000K >Ra82 3015lm

colour temperature 4000K colour rendition >Ra82

Solus.LED vanity light



Solus.LED - features a frosted glass opening surrounded by mirror.




SL58064WH	Solus.60 LED IP44	L640 H100 P45	14w 4000K >Ra80 650lm
SL58124WH	Solus.120 LED IP44	L1200 H100 P45	24w 4000K >Ra80 1550lm

IP44 colour temperature 4000K colour rendition >Ra80

Mode.2 LED

NEW



Mode.2 is a wall mounted LED vanity light with a tilt adjustable head.




OL60824/600BK	Mode.2 LED 12w Black	L630 H30 P110	12w 4000K >Ra83 850lm
OL60824/600WH	Mode.2 LED 12w White	L630 H30 P110	12w 4000K >Ra83 850lm
OL60824/900BK	Mode.2 LED 17w Black	L930 H30 P110	17w 4000K >Ra83 1250lm
OL60824/900WH	Mode.2 LED 17w White	L930 H30 P110	17w 4000K >Ra83 1250lm
OL60824/1200BK	Mode.2 LED 21w Black	L1230 H30 P110	21w 4000K >Ra83 1550lm
OL60824/1200WH	Mode.2 LED 21w White	L1230 H30 P110	21w 4000K >Ra83 1550lm

colour temperature
4000K

colour rendition
>Ra83



Gebo.LED



Acrylic panel
backlit with LED.

OL54508CH	Gebo.40 LED 9w	L395 H40 P110	9w 4000K >Ra80 700lm	Not Dimmable
OL54516CH	Gebo.60 LED 17w	L590 H40 P110	17w 4000K >Ra80 1550lm	Not Dimmable
OL54524CH	Gebo.90 LED 24w	L855 H50 P110	24w 4000K >Ra80 1830lm	Dimmable
OL54532CH	Gebo.120 LED 28w	L1150 H50 P110	28w 4000K >Ra80 2175lm	Dimmable



colour temperature
4000K

colour rendition
>Ra80

Beam.LED



colour temperature 4000K
colour rendition >Ra82

OL60751/600WH	Beam.60 LED 15w	L625 W80 P70	15w 4000K >Ra83 >825lm
OL60751/900WH	Beam.90 LED 22w	L925 W80 P70	22w 4000K >Ra83 >1240lm
OL60751/1200WH	Beam.120 LED 29w	L1215 W80 P70	29w 4000K >Ra83 >1650lm

Halo.LED



OL60610/55	Halo.55	L575 W25 P30	10w 850lm
OL60610/85	Halo.85	L870 W25 P30	14w 1050lm
OL60610/115	Halo.115	L1175 W25 P30	18w 1450lm
OL60611WH	Halo Plug & Cord	L1000	
OL60612WH	Halo Con-cable	L500	

Each Halo fitting is supplied with mounting clips and a close fit joiner.



Multiple Halo fittings can easily be joined together.



The Halo fittings have clear ends designed to minimise shadow when they are close joined.

colour temperature 4000K
colour rendition >Ra83

Wave.LED





colour temperature 4000K
colour rendition >Ra83


OL60755/1200SIL	Wave.120 LED 29w	L1200 W135 P35	29w 4000K >Ra83 >1650lm
OL60755/1200WH	Wave.120 LED 29w	L1200 W135 P35	29w 4000K >Ra83 >1650lm

Dash.LED

Chrome metalware with frosted acrylic face panel.



Black metalware with frosted acrylic face panel. (98cm only)



UA51894/60CH	Dash LED 600 CHROME	L680 P80 H30	10w 4000K >Ra83 850lm
UA51894/90CH	Dash LED 900 CHROME	L980 P80 H30	14w 4000K >Ra83 1050lm
UA51894/90BK	Dash LED 900 BLACK	L980 P80 H30	14w 4000K >Ra83 1050lm

colour temperature
4000K

colour rendition
>Ra83



Lineum.LED

Opal acrylic diffuser with chrome end caps.




OL51064CH	Lineum.60 LED 14w	L610 W75 P75	14w 4500K >Ra82 >1000lm
OL51094CH	Lineum.90 LED 24w	L910 W75 P75	24w 4500K >Ra82 >1950lm

colour temperature
4500K







colour rendition
>Ra82




Vana.LED



Vana.LED extruded aluminium LED fitting with opal diffuser, available as a surface mounted fitting in 3 lengths.



Vana.LED can be converted to a suspended fitting using the Suspension Kit OL60775WH (available separately).




OL60774/900BK	Vana.LED 900 Black	L930 W110 P40	43w 4000K >Ra80 1900lm
OL60774/900WH	Vana.LED 900 White	L930 W110 P40	43w 4000K >Ra80 1900lm
OL60774/1200BK	Vana.LED 1200 Black	L1230 W110 P40	51w 4000K >Ra80 3900lm
OL60774/1200WH	Vana.LED 1200 White	L1230 W110 P40	51w 4000K >Ra80 3900lm
OL60774/1500BK	Vana.LED 1500 Black	L1530 W110 P40	70w 4000K >Ra80 5100lm
OL60774/1500WH	Vana.LED 1500 White	L1530 W110 P40	70w 4000K >Ra80 5100lm
OL60775WH	Suspension Kit Chrome Wires, White cable+canopy	S2000 D100	

colour temperature
4000K

colour rendition
>Ra80



Slate.LED pendant




Slate.LED extruded aluminium LED fitting in matt white with opal diffuser, supplied with 1.5m suspension wires and cable.

The Slate.LED can be wired to allow top and bottom LED to be lit independently or together, allowing up light, down light or both.



OL60780/1200BK	Slate.LED 58w Pendant	L1175 H85 W35 S1500	4000K >Ra82 3000lm
OL60780/1200WH	Slate.LED 58w Pendant	L1175 H85 W35 S1500	4000K >Ra82 3000lm



Shard



Slim profile
only 30mm wide
and 28mm high



Shard.LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the ceiling canopy.

OL60795/1500BK	Shard LED 30w Pendant Black	L1500 H28 W30 S1800	4000K >Ra82 1500lm
OL60795/1500WH	Shard LED 30w Pendant White	L1500 H28 W30 S1800	4000K >Ra82 1500lm



LED energy saving CEILING LIGHTS

LED

LED



OL49212
 Uno 13w LED
 D295 P90
 13w SMD LED
 4000K / CRI>80
 700lm

colour temperature
4000K

colour rendition
>Ra80

LED



OL49224
 Uno 24w LED
 D390 P110
 24w SMD LED
 4000K / CRI>80
 1300lm

colour temperature
4000K

colour rendition
>Ra80



Uno.LED has a twist lock matt opal acrylic diffuser.

LED



OL49812AL
 Aura.30 12w LED
 D295 H85
 12w LED
 4000K / CRI >80
 750lm

IP44

colour temperature
4000K

colour rendition
>Ra80

LED



OL49824AL
 Aura.36 24w LED
 D355 H95
 24w LED
 4000K / CRI >80
 1200lm

IP44

colour temperature
4000K

colour rendition
>Ra80



Aura.LED has a brushed aluminium trim and matt opal acrylic diffuser.

LED



OL49412
 Vello.35 LED
 D335 P80
 13w Epistar LED
 4000K / CRI >80
 700lm

colour temperature
4000K

colour rendition
>Ra80

LED



OL49424
 Vello.45 LED
 D435 P90
 26w Epistar LED
 4000K / CRI >80
 1300lm

colour temperature
4000K

colour rendition
>Ra80



Vello.LED has a clear acrylic trim, silver surround and a matt opal acrylic diffuser.

LED



OL48620WH
Kore.20 LED
D200 P50
15w Epistar LED
CCT | CRI>80 | 1050-1100lm

IP54

colour rendition >Ra80

LED



OL48620BK
Kore.20 LED
D200 P50
15w Epistar LED
CCT | CRI>80 | 1050-1100lm

IP54

colour rendition >Ra80



Kore.LED has a matt white or black polycarbonate trim and matt opal diffuser.

LED



OL48630WH
Kore.30 LED
D300 P40
25w Epistar LED
CCT | CRI>80 | 2050-2200lm

IP54

colour rendition >Ra80

LED



OL48630BK
Kore.30 LED
D300 P40
25w Epistar LED
CCT | CRI>80 | 2050-2200lm

IP54

colour rendition >Ra80

CCT

Colour Change Technology
Select your colour temperature option before installing the fitting

3000K Warm White
4000K Cool White
5000K Daylight White

Kore.LED features CCT - the option to select the colour temperature at installation.

LED



OL48640WH
Kore.40 LED
D410 P50
30w Epistar LED
CCT | CRI>80 | 2700-3000lm

IP54

colour rendition >Ra80

LED



OL48640BK
Kore.40 LED
D410 P50
30w Epistar LED
CCT | CRI>80 | 2700-3000lm

IP54

colour rendition >Ra80



LED

NEW

PROTO.LED has low standby power usage, a high quality microwave motion detector and is suitable for use in Entry Areas, Outdoor Patios, Pantries, Walk-in-Robes, Hallways, Garages, Walkways, Foyers

OL49312

Proto LED Security Light

D295 P80
12w | 4000K | 700lm

colour temperature 4000K
colour rendition >Ra80



Detects up to 6m



Energy Saving Light Sensor



Hold Time 5sec - 10min



Microwave Sensor



Mounting Height up to 6m



Automatic On/Off Light Control



Automatic Stepped Dimming



Low Standby Power

T5 fluorescent energy saving CEILING LIGHTS




LF8822
Uno T5 22w Opal Matt
D295 P90
T5 22w 2GX13



Uno T5 has a twist-lock diffuser.



LF8840
Uno T5 40w Opal Matt
D390 P110
T5 40w 2GX13





OL43635/22SN
Volute 22w
D300 P100
T5 22w 2GX13




OL43645/40SN
Volute 40w
D400 P100
T5 40w 2GX13






OL48409/22SIL
Vello 22 Square
W335x335 P85
T5 22w G10q






OL48410/22SIL
Vello 22
D335 P80
T5 22w G10q




allumē T5 Circular fluorescent tubes



A-T5C/G10Q-22/840	T5 22w CIRCULAR TUBE 4000K [G10q] D184mm	 G10q 4 pins on one side
A-T5C-22/840	T5 22w CIRCULAR TUBE 4000K [2GX13] D225mm	
A-T5C-40/840	T5 40w CIRCULAR TUBE 4000K [2GX13] D299mm	


2GX13
 4 pins 2 on each side



The fittings on this page are energy saving LED ready.

CEILING LIGHTS



OL43630SN

Volute 1lt
D300 P100
E27 100w



OL43640SN

Volute 2lt
D400 P100
E27 60w x 2



OL43512SC

Luma 1lt
D300 P90
E27 60w



OL43516SC

Luma 2lt
D400 P100
E27 60w x 2



OL47400WH

Clipper White
D230 P90
B22 60w



OL47407SC

Clipper Satin Chrome
D230 P90
B22 60w



The allume *A-LED-74 Series* lamps are available to suit most ceiling light fittings.

LED
allumē



OL47100WH

Button Ceiling Light
D250 P85
E27 75w



OL48431WH

Vera Twin
D360 P90
E27 10w LED x 2



The allume *A-LED-72 Series* lamps are available to suit most ceiling light fittings.

LED
allumē



CEILING LIGHT suites



The fittings on this page are energy saving LED ready.



OL41040BCH

Remo 1lt Brushed Chrome



Brushed Chrome

OL41040WH

Remo 1lt White



White

OL41040GD

Remo 1lt Brass Plate



Brass Plate

D300 P110

E27 60w



OL41140BCH

Remo 2lt Brushed Chrome



Brushed Chrome

OL41140WH

Remo 2lt White



White

OL41140GD

Remo 2lt Brass Plate



Brass Plate

D400 P150

E27 60w x 2



OL41340BCH

Remo Wall Light Brushed Chrome

W300 H150 P100

E27 60w



OL41340WH

Remo Wall Light White

W300 H150 P100

E27 60w



Remo has an alabaster look glass available with brushed chrome, white or gold finished clips.



Claw has an opal matt glass with chrome "claw" clips.



OL413040GD

Remo Wall Light Brass Plate

W300 H150 P100

E27 60w



OL44031CH

Claw 1lt

D300 P95

E27 60w



OL44131CH

Claw 2lt

D400 P110

E27 60w x 2



OL44331CH

Claw 1lt Wall Light

W300 H150 P100

E27 60w






The fittings on this page are energy saving LED ready.



DO-IT-YOUR-SELF



OL2100/15WH
Jetball 15cm
D150

OL2100/20WH
Jetball 20cm
D200

Batten Holder

Gallery

Skirt

Lamp (B22)

Shade



OL2100/15BCH
Jetball 15cm
D150




OL2100/20BCH
Jetball 20cm
D200




OL2130/15BCH
Alabaster 15cm
D150





OL2130/20BCH
Alabaster 20cm
D200




OL2100/15BP
Jetball 15cm
D150




OL2100/20BP
Jetball 20cm
D200





OL2401/16B
Bell Frost 16cm
D160

Spanish glass






OL2401/20B
Bell Frost 20cm
D200

Spanish glass


OL2100/15BK
Jetball 15cm
D150

NEW

OL2100/20BK
Jetball 20cm
D200

NEW




OL2101/15B
Boston Frost 15cm
D150

Spanish glass




OL2101/20B
Boston Frost 20cm
D200

Spanish glass



DO-IT-YOUR-SELF



The fittings on this page are energy saving LED ready.




OL2210/15
Phil Small
H150 D150




OL2210/22
Phil Large
H210 D230




OL2270/27WH
Victoriana 11 Shade
H100 D270
B22 opening



OL2270/34WH
Victoriana 14 Shade
H130 D340
B22 opening

↑ white inside




OL2270/27AL
Victoriana 11 Shade
H100 D270
B22 opening



OL2270/34AL
Victoriana 14 Shade
H130 D340
B22 opening

↑ same inside




OL2220SC
Tim Bell
H170 D165




OL2404SW
Bell
H200 D160




OL2230WH
Zoa WH
D360




OL2230SC
Zoa SC
D360




OL2240
Vamp AB+BC
H160 D290
(Includes antique brass & brushed chrome metalware)




OL2243
Pana AB+BC
H150 D310
(Includes antique brass & brushed chrome metalware)





The fittings on this page are energy saving LED ready.

DO-IT-YOUR-SELF



OL2567CH
Bling DIY
H220 D190



OL2566CH
Astoria DIY
H170 D190



OL2570CH
Asti DIY
H210 D175



OL2583CL
Abelle Clear DIY
H260 D205




OL2582CH
Missy DIY
H230 D210



NEW

OL2541/18BK
Jessy.18 DIY
H230 D180



NEW

OL2541/32BK
Jessy.32 DIY
H210 D320



Many shades come with the European E27 lampholder size shade ring. The accessory "shade ring reducer" is available to reduce the size down to suit a B22 - Bayonet lampholder.



OLA16/SHADE
Adapter Ring
E27 > B22



NEW

String shade

OL2810BK
Kensington DIY
H200 D150



NEW

String shade


OL2810WH
Kensington DIY
H200 D150



NEW

Organza ribbon


OL2830BK
Tilly DIY
H200 D250



NEW

Organza ribbon

OL2830WH
Tilly DIY
H200 D250





The fittings on this page are energy saving LED ready.



OL2590NAT
Congo DIY
H260 D205



NEW

OL2593BK
Kono 25 DIY Black
D250



OL2593BR
Kono 25 DIY Brown
D250



OL2593WH
Kono 25 DIY White
D250



OLA09/99BK
Batten holder cover
Black
D100 H35 28mm centre



OLA09/99WH
Batten holder cover
White
D100 H35 28mm centre



OL2592BR
Kita DIY Brown
H230 D215



OL2592WH
Kita DIY White
H230 D215



↑ black inside

OL2265BK
Vicky DIY
H200 D250



↑ white inside

OL2265WH
Vicky DIY
H200 D250



↑ copper inside

OL2265CO
Vicky DIY
H200 D250



OL2568CH
Sarba DIY
H215 D155





The fittings on this page are energy saving LED ready.



PEG DIY cord sets

- OL2010/30BC L450
- OL2010/30BK L450
- OL2010/30WH L450
- OL2010/50BC L650
- OL2010/50BK L650
- OL2010/50WH L650
- OL2010/100BC L1150
- OL2010/100BK L1150
- OL2010/100WH L1150



NEW



OL2267BK
Bursa.27 DIY
D260 H220



NEW



OL2267CH
Bursa.27 DIY
D260 H220



NEW



OL2267WH
Bursa.27 DIY
D260 H220



OL2562AL
Mara DIY
H130 D300




OL2563AL
Parra DIY
H265 D180



OL2561AL
Luka DIY
H170 D230



NEW



OL2542BK
Maci.18 DIY
H200 D180



NEW



OL2542CO
Maci.18 DIY
H200 D180



NEW



OL2543BK
Eve.18 DIY
H200 D190



NEW



OL2543CO
Eve.18 DIY
H200 D190







The fittings on this page are energy saving LED ready.


Profile R80

- LF500/1WH** Profile 1lt White D80 P175
- LF500/2WH** Profile 2lt White L360 W40 P175
- LF500/3WH** Profile 3lt White L550 W40 P175
- LF500/1S WH** Profile with Switch D80 P175



Profile R80

- LF500/1BCH** Profile 1lt Brushed Chrome D80 P175
- LF500/2BCH** Profile 2lt Brushed Chrome L360 W40 P175
- LF500/3BCH** Profile 3lt Brushed Chrome L550 W40 P175



LED

800
Lumen
10 Watt



allumē

Retrofit LED R80 style lamp available. A-LED-7710240

- Light Output 800 lumen
- Energy Used 10 watts
- Efficacy 80 lm/w
- Beam Width 180°



LF4325WH

Project

D125 C85

R80 E27 100w

LF4325BCH

Project

D125 C85


R80 E27 100w




All of the fittings on this page are retrofit GU10 LED ready.

240v TRACK SPOTLIGHTS

Trak - 240v



240v



- LF5300/1000BK** Trak Black 1M L1000 W40 P20
- LF5300/1000WH** Trak White 1M L1000 W40 P20
- LF5300/2000BK** Trak Black 2M L2000 W40 P20
- LF5300/2000WH** Trak White 2M L2000 W40 P20

TRAK track is available in black or white finish.
240 volt track and lights sold separately.
Single circuit (3 wire) track supplied with live and dead end.
Accessories are available to join multiple Traks.

Trak Accessories

[to suit single circuit / 3wire TRAK]



LF5301BK Inline (straight) Trak joiner



LF5301WH Inline (straight) Trak joiner



LF5302BK Power-feed (straight) Trak joiner



LF5302WH Power-feed (straight) Trak joiner



LF5303BK Flexible Trak joiner



LF5303WH Flexible Trak joiner
Adjustable 0° to 90°




Baril



OL58615BK
P145 D60
Rated GU10 35w
(lamp not included)



Baril



OL58615WH
P145 D60
Rated GU10 35w
(lamp not included)



Zero



LF5355BK
L80 D60 P135
Rated GU10 35w
(lamp not included)



Zero



LF5355WH
L80 D60 P135
Rated GU10 35w
(lamp not included)



Zap

LF5352BK
L75 D50 P125
GU10 35w
28w ER Lamp
included



✓Included



Zap

LF5352WH
L75 D50 P125
GU10 35w
28w ER Lamp
included



✓Included



wall mounted SPOTLIGHTS



All of the fittings on this page are LED or LED ready.

LED



switch on the back plate

UA50913BA
Flexi Wall Mounted LED Reading Lamp
(features a fully flexible goose-neck arm)
BD85 P300 SD30
LED 3w Integrated
(with switch)




LED



switch on the back plate

UA50913BK
Flexi Wall Mounted LED Reading Lamp
(features a fully flexible goose-neck arm)
BD85 P300 SD30
LED 3w Integrated
(with switch)




LED



switch on the back plate

UA50913WH
Flexi Wall Mounted LED Reading Lamp
(features a fully flexible goose-neck arm)
BD85 P300 SD30
LED 3w Integrated
(with switch)





LED



switch on the back plate

OL55211BK
Salem adjustable Wall Light
BD105 SD100 P250
E27 42w
(with switch)




LED



switch on the back plate

OL55211WH
Salem adjustable Wall Light
BD105 SD100 P250
E27 42w
(with switch)




LED



LED READY

OL58576BC
Zip DIY Wall Light
H280 W70 P180
Rated GU10 35W
(DIY model with 1200mm flex, plug & inline switch)







LED



LED READY

OL58576WH
Zip DIY Wall Light
H280 W70 P180
Rated GU10 35W
(DIY model with 1200mm flex, plug & inline switch)







LED



LED READY

OL58579BC
Zip Wall Light
H280 W70 P180
Rated GU10 35W
(hardwired model with switch on backplate)





switch on the back plate

LED



LED READY

OL58579WH
Zip Wall Light
H280 W70 P180
Rated GU10 35W
(hardwired model with switch on backplate)





switch on the back plate



All of the fittings on this page are retrofit GU10 LED ready.

LED READY energy saving SPOTLIGHTS

- OL58770/1RB** Norton 1lt BD80 HD65 P180 Rated GU10 35W
- OL58771/2RB** Norton 2lt L310 HD65 P180
- OL58771/3RB** Norton 3lt L510 HD65 P180

Oil Rubbed Bronze finish

Norton GU10 LED READY

Norton is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Head Dia. 65

Norton shown with LED GU10 lamp.




- OL58610/1WH** Baril 1lt BD80 HD60 P145 Rated GU10 35W
- OL58611/2WH** Baril 2lt L300 HD60 P160
- OL58611/3WH** Baril 3lt L500 HD60 P160
- OL58611/4WH** Baril 4lt L700 HD60 P160
- OL58613/1WH** Baril 1lt (with switch) BD80 HD60 P145

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Baril with switch.



switch on the back plate

Matt White finish



- OL58610/1BK** Baril 1lt BD80 HD60 P145 Rated GU10 35W
- OL58611/2BK** Baril 2lt L300 HD60 P160
- OL58611/3BK** Baril 3lt L500 HD60 P160
- OL58613/1BK** Baril 1lt (with switch) BD80 HD60 P145

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.




Baril with switch.



switch on the back plate

Matt Black finish

Baril shown with LED GU10 lamp.



A-LED-67075 series avail. in black



LED READY energy saving SPOTLIGHTS



Most of the fittings on this page are retrofit GU10 LED ready.

sg



The engineers at SG have designed an excellent LED ready GU10 spotlight - the Zoom.

Designed to accept GU10 LED retrofit lamps of varying lengths. The hood on the Zoom can be extended to cover the lamp or act as a baffle.

You can choose from a wide range of retrofit LED GU10 lamps - for optimum life and performance we recommend the SMART TC GU10 globe.



A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 470lm

colour temperature
3000K

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 490lm

colour temperature
4000K

allumē



Not Suitable for Dimming


TC- Temperature Control
This SMART globe adapts itself to the luminaire, managing heat and achieving a n average life of over 20,000 hrs.

If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.

sg




SG75051BS
Zoom LED ready spotlight
BD100 P170
Designed for GU10 LED
(lamp not included)



sg




SG75056BS
Zoom 3lt LED ready spotlight
BD300 P180
Designed for GU10 LED
(lamp not included)



sg




SG75051WH
Zoom LED ready spotlight
BD100 P170
Designed for GU10 LED
(lamp not included)



sg



SG75056WH
Zoom 3lt LED ready spotlight
BD300 P180
Designed for GU10 LED
(lamp not included)



sg




SG75052WH
Zoom LED ready spotlight
L400 BW40 P170

SG75053WH
Zoom LED ready spotlight
L580 BW40 P170



Designed for GU10 LED
(lamp not included)






All of the fittings on this page are retrofit GU10 LED ready.

LED READY energy saving SPOTLIGHTS

- OL58810/1BK** Yarra 1lt BD100 HD55 P140 Rated GU10 35W
- OL58811/2BK** Yarra 2lt L300 HD55 P170
- OL58811/3BK** Yarra 3lt L500 HD55 P170
- OL58811/4BK** Yarra 4lt L700 HD55 P170



Yarra GU10 LED READY

Yarra is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Yarra shown with LED GU10 lamp.


NEW



Matt Black finish



- OL58810/1WH** Yarra 1lt BD100 HD55 P140 Rated GU10 35W
- OL58811/2WH** Yarra 2lt L300 HD55 P170
- OL58811/3WH** Yarra 3lt L500 HD55 P170
- OL58811/4WH** Yarra 4lt L700 HD55 P170



Yarra GU10 LED READY

Yarra is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Yarra shown with LED GU10 lamp.



Matt White finish



LED



450
Lumen
5 Watt



A-LED-620553060
LED GU10 retrofit lamp
5w | 60° | Ra80 | 425lm

colour temperature
3000K

A-LED-620555060
LED GU10 retrofit lamp
5w | 60° | Ra80 | 470lm

colour temperature
5000K

allumē



Not Suitable for Dimming

LED



580
Lumen
7 Watt



A-LED-690753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 570lm

colour temperature
3000K

A-LED-690755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 590lm

colour temperature
5000K

allumē



Not Suitable for Dimming

LED



580
Lumen
7 Watt



A-LED-670753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 570lm

colour temperature
3000K

A-LED-670755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 590lm

colour temperature
5000K

allumē



Not Suitable for Dimming

LED



540
Lumen
7 Watt



A-LED-650753060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 520lm

colour temperature
3000K

A-LED-650755060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 550lm

colour temperature
5000K

allumē



LED Dimmer Friendly

LED energy saving DOWNLIGHTS

LED

LED



850
Lumen
13 Watt

LF3513WH
Neutron LED Downlight
D108 C90
LED 13w | 120° | 850lm
(Dimmable Remote Driver)



colour temperature: 3000K
colour rendition: >Ra80
3 YEAR Guarantee
90

LED



850
Lumen
13 Watt

LF3513SS
Neutron LED Downlight
D108 C90
LED 13w | 120° | 850lm
(Dimmable Remote Driver)



colour temperature: 3000K
colour rendition: >Ra80
3 YEAR Guarantee
90

LED



560
Lumen
10 Watt

UA4823WH
Saturn.10 LED Downlight
D115 C95
LED 10w | >85° | 560lm
(Dimmable Remote Driver)



colour temperature: 3000K
colour rendition: >Ra81
3 YEAR Guarantee
95

LED



830
Lumen
14 Watt

UA4833WH
Saturn.14 LED Downlight
D145 C120
LED 14w | >85° | 830lm
(Dimmable Remote Driver)



colour temperature: 3000K
colour rendition: >Ra81
3 YEAR Guarantee
120

LED



850
Lumen
13 Watt

LF3515WH
Neutron LED Downlight
D108 C90
LED 13w | 120° | 875lm
(Dimmable Remote Driver)



colour temperature: 5000K
colour rendition: >Ra80
3 YEAR Guarantee
90

LED



850
Lumen
13 Watt

LF3515SS
Neutron LED Downlight
D108 C90
LED 13w | 120° | 875lm
(Dimmable Remote Driver)



colour temperature: 5000K
colour rendition: >Ra80
3 YEAR Guarantee
90

LED



560
Lumen
10 Watt

UA4824WH
Saturn.10 LED Downlight
D115 C95
LED 10w | >85° | 570lm
(Dimmable Remote Driver)



colour temperature: 4000K
colour rendition: >Ra81
3 YEAR Guarantee
95

LED



830
Lumen
14 Watt


UA4834WH
Saturn.14 LED Downlight
D145 C120
LED 14w | >85° | 850lm
(Dimmable Remote Driver)




colour temperature: 4000K
colour rendition: >Ra81
3 YEAR Guarantee
120

LED

NEW



LF3613BK
Proton 3000K Black



LF3613WH
Proton 3000K White

D120 C90

LED 10w | 120° | 850lm
(Dimmable Integral Driver)

850 Lumen
10 Watt

IP44


colour temperature **3000K** | colour rendition **>Ra82**

3 YEAR Guarantee


90° beam angle

LED

NEW



LF3614BK
Proton 4000K Black



LF3614WH
Proton 4000K White

D120 C90

LED 10w | 120° | 950lm
(Dimmable Integral Driver)

950 Lumen
10 Watt

IP44

colour temperature **4000K** | colour rendition **>Ra82**

3 YEAR Guarantee

90° beam angle

LED

NEW



LF3615BK
Proton 5000K Black



LF3615WH
Proton 5000K White

D120 C90

LED 10w | 120° | 950lm
(Dimmable Integral Driver)

950 Lumen
10 Watt


IP44

colour temperature **5000K** | colour rendition **>Ra82**

3 YEAR Guarantee

90° beam angle

LED



LF3610WH
Pluto.10 LED Downlight


D115 C90

LED 10w | 120°
(Dimmable Integral Driver)

3000K | 625lm
4000K | 725lm
6000K | 650lm

The PLUTO LED recessed downlight features CTS (Colour Temperature Switching) - allowing the installer to select the colour temperature between Warm White (3000K), Cool White (4000K) and Daylight (6000K).

One fitting with three colour temperatures.




725 Lumen
10 Watt


IP44


90° beam angle

colour rendition **>Ra80**

3 YEAR Guarantee


3000K


4000K


6000K

LED



UA4694BK



UA4694WH
Entas LED Surface Mounted

D75 H115

LED 9w | 120° | 630lm
(Integral Driver)

630 Lumen
9 Watt

IP44

colour temperature **4000K** | colour rendition **>Ra80**

3 YEAR Guarantee

LED energy saving DOWNLIGHTS

LED

LED



850
Lumen
13 Watt

UA4704WH

Theta IP44 White Kit

D110 C92 R100

LED 10w | 38° | 850lm
(Driver included)



IP44



colour temperature
4000K

colour rendition
>Ra80

3
YEAR
Guarantee

92

LED



850
Lumen
13 Watt

UA4714WH

Gamma Tilt Adj. White Kit

D110 C92 R100

LED 10w | 38° | 850lm
(Driver included)



colour temperature
4000K

colour rendition
>Ra80

3
YEAR
Guarantee

92

LED



650
Lumen
10 Watt

UA4662WH

Rock 3000K White Kit

D95 C85 R70

LED SHARP 7.5w | 60° | 650lm
(Dimmable driver included)



colour temperature
3000K

colour rendition
>Ra82

3
YEAR
Guarantee

85

LED



800
Lumen
12 Watt

UA4663WH

Rock 4000K White Kit

D95 C85 R70

LED SHARP 9w | 60° | 800lm
(Dimmable driver included)



colour temperature
4000K

colour rendition
>Ra82

3
YEAR
Guarantee

85

LED

Theta & Gamma are supplied with a 350mA standard (non-dimmable) driver. An upgrade to a DIMMABLE driver is available at an extra cost. Ask your stockist for details.




LED-CC350-12

350mA 12w constant current driver



LED

Dimmable 350mA LED Driver suitable for use with Theta & Gamma.



LED-CC350-12DIM

350mA 12w Dimmable constant current driver



LED



OLA17/130

Converter plate to suit Rock LED downlights.

D130

Allows the Rock to be fitted to an opening up to 120mm.



OLA17/140

Converter plate to suit Theta & Gamma
D140

Allows the Theta & Gamma to be fitted to an opening up to 120mm.



OLA17/185

Converter kit to suit Chip adjustable fitting LF3820 / LF3824

D185 suits cutout 95-160



LED



LF3824/3000WH
Chip 7w Adjustable
D105 C85

500 Lumen
7 Watt



The Chip 7w Kits (LF3824) are supplied with a 7w LED GU10 lamp.

A-LED-640753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 500lm

colour temperature **3000K**



LED



LF3824/5000WH
Chip 7w Adjustable
D105 C85

550 Lumen
7 Watt



The Chip 7w Kits (LF3824) are supplied with a 7w LED GU10 lamp.

A-LED-640755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 550lm

colour temperature **5000K**



LED

LF3800WH
CHIP GU10 LED Ready fitting
D80 C65
Rated GU10 35w



LED READY

LED

LF3800BC
CHIP GU10 LED Ready fitting
D80 C65
Rated GU10 35w



LED READY

LED

LF3820WH
CHIP GU10 LED Ready fitting
D105 C85
Rated GU10 35w



LED READY

LED

LF3820BC
CHIP GU10 LED Ready fitting
D105 C85
Rated GU10 35w



LED READY

LED

LF3820BK
CHIP GU10 LED Ready fitting
D105 C85
Rated GU10 35w




NEW

LED READY

The Chip LED Ready fittings are supplied without lamp, allowing you to choose a suitable GU10 LED lamp for your application.

LED




450 Lumen
5 Watt

A-LED-620553060
LED GU10 retrofit lamp
5w | 60° | Ra80 | 425lm

colour temperature **3000K**

A-LED-620555060
LED GU10 retrofit lamp
5w | 60° | Ra80 | 470lm

colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



580 Lumen
7 Watt

A-LED-690753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 570lm

colour temperature **3000K**

A-LED-690755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 590lm

colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



580 Lumen
7 Watt

A-LED-670753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 570lm

colour temperature **3000K**

A-LED-670755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 590lm

colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



540 Lumen
7 Watt

A-LED-650753060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 520lm

colour temperature **3000K**

A-LED-650755060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 550lm

colour temperature **5000K**

allumē  LED Dimmer Friendly

12volt Recessed DOWNLIGHTS + ACCESSORIES



All of the fittings on this page are LED ready.



LF4800WH
Fixed
D80 C65
MR16 12v 50w






LF4800BCH
Fixed
D80 C65
MR16 12v 50w






LF4820WH
Adjustable
D103 C85
MR16 12v 50w






LF4820BCH
Adjustable
D103 C85
MR16 12v 50w






TX-ST60FP
Star-60va F&P
L107 W40 H25




OLA01/210A
GU10 Conversion Kit

The GU10 conversion accessory [OLA01/210A] is available to convert most MR16 halogen downlights to 240v, giving even more LED options.



SG70197WH
Jupiter White
D95 C84
MR16 50w Rated






SG70156WH
Tellus White
W95x95 C84
MR16 50w Rated






TX-ST60
Star-60va
L107 W40 H25




TX-ST105
Star-105va
L130 W40 H30




TX-TG40
Tiger - 0-40va
L105 W40 H30
LED ready transformer







TX-TG80
Tiger - 0-80va
L105 W40 H30
LED ready transformer





There are heat "cans" or "cages" for our recessed downlights. The symbols above signify which can is suited for a particular downlight.


LF475CAN Heat Can D70 H105
LF480CAN Heat Can D65 H100
LF482CAN Heat Can D80 H105






A-LVLH/300
12v Lampholder 30cm



A-LVLH/1000
12v Lampholder 100cm



OLA17/185
Converter kit to suit
Chip adjustable fitting
D185 suits cutout 95-160



UA4245/3000WH
Peko.6 LED - 3000K | 290lm

UA4245/4000WH
Peko.6 LED - 4000K | 345lm

LED 6w Sharp (450mA) | >Ra84
W120 H155 C105x135 R70
Peko.6 is only 40mm deep
(Includes 450mA CC Driver)




colour rendition >Ra84 3 YEAR Guarantee 105x135




UA4245/3000BK
Peko.6 LED - 3000K | 290lm

UA4245/4000BK
Peko.6 LED - 4000K | 345lm

LED 6w Sharp (450mA) | >Ra84
W120 H155 C105x135 R70
Peko.6 is only 40mm deep
(Includes 450mA CC Driver)




colour rendition >Ra84 3 YEAR Guarantee 105x135




UA4240/3000WH
Peko.3 LED - 3000K | 130lm

UA4240/4000WH
Peko.3 LED - 4000K | 140lm

LED 3w Sharp (350mA) | >Ra84
W80 H80 C66x73 R70
Peko.3 is only 26mm deep
(Includes 350mA CC Driver)




colour rendition >Ra84 3 YEAR Guarantee 66x73



Peko.3 is only 26mm deep.



UA4313SS
Bing LED
70x70 C63x63 R60
9 LEDs - max 1.1w
3000K IP54
(Integrated Driver)




colour temperature 3000K IP54 63x63



UA4301SS
Slot LED
110x45 C100x33 R60
12 LEDs - max 1.3w
3000K IP54
(Integrated Driver)




colour temperature 3000K IP54 100x33



UA4510SIL
Magro Silver
D70 C60
LED 2w | 82lm
(Requires 12V CV Driver)



colour temperature 3000K colour rendition >Ra80 3 YEAR Guarantee 60



UA4510WH
Magro White
D70 C60
LED 2w | 82lm
(Requires 12V CV Driver)



colour temperature 3000K colour rendition >Ra80 3 YEAR Guarantee 60



Magro recessed cabinet light is only 10mm deep.

Magro recessed cabinet light requires a 12volt 12watt constant voltage driver.
Up to 6 Magro fittings can be attached in parallel to one 12w driver.




LED-CV12V-12W
12volt 12w constant voltage driver



LED



sg
NEW

SG72654GP
Frame Mini Graphite
H240 W150 P80
10w | 700lm | 4000K

IP65
colour temperature
4000K

LED



sg
NEW

SG72654BK
Frame Mini Black
H240 W150 P80
10w | 700lm | 4000K

IP65
colour temperature
4000K



sg

SG70521BK
Senza Mini Black
H240 W150 P95
E27 40w

IP65

LED READY



sg

SG70521WH
Senza Mini White
H240 W150 P95
E27 40w

IP65

LED READY



sg

SG70521GP
Senza Mini Graphite
H240 W150 P95
E27 40w

IP65

LED READY

LED READY These fittings are energy saving LED ready.




sg

SG70522BK
Trio Mini Black
H240 W150 P100
E27 40w

IP65

LED READY



sg

SG70522WH
Trio Mini White
H240 W150 P100
E27 40w

IP65

LED READY



sg

SG70522GP
Trio Mini Graphite
H240 W150 P100
E27 40w

IP65

LED READY





The fittings on this page are energy saving LED ready.

OUTDOOR by SG



sg

SG70520BK
Trio Black
H320 W185 P95
E27 60w

IP65

LED READY



sg

SG70520WH
Trio White
H320 W185 P95
E27 60w

IP65

LED READY



sg

SG70520GP
Trio Graphite
H320 W185 P95
E27 60w

IP65

LED READY




sg

SG70560BK
Largo Black
W240x240 P120
E27 75w

IP65

LED READY



sg

SG70560WH
Largo White
W240x240 P120
E27 75w

IP65

LED READY



sg

SG70560GP
Largo Graphite
W240x240 P120
E27 75w

IP65

LED READY




sg

SG70585BK
Bassi Black
W240x240 P80
E27 60w

IP65

LED READY



sg

SG70585GP
Bassi Graphite
W240x240 P80
E27 60w

IP65

LED READY

sg

Merging form and function, the SG luminaires are constructed and manufactured of high quality materials with a meticulous attention to detail.

These quality luminaires are made of cast powder-coated aluminium with UV-stabilised opal polycarbonate diffusers.

They are highly corrosion resistant and impact resistant.





The fittings on this page are energy saving LED ready.

sg



SG70570BK
Primo Black
D270 P110
E27 60w

IP65




sg



SG70570WH
Primo White
D270 P110
E27 60w

IP65




sg



SG70570GP
Primo Graphite
D270 P110
E27 60w

IP65





sg



SG70550BK
Solo Black
D270 P130
E27 60w

IP65




sg



SG70550WH
Solo White
D270 P130
E27 60w

IP65




sg



SG70550GP
Solo Graphite
D270 P130
E27 60w

IP65





sg



SG70540BK
Tanto Black
D270 P130
E27 60w

IP65




sg



SG70540WH
Tanto White
D270 P130
E27 60w

IP65




sg



SG70540GP
Tanto Graphite
D270 P130
E27 60w

IP65







The fittings on this page are energy saving LED ready.

OUTDOOR by SG



SG71201BK **IP65**
Kube GU10 Black
H90 W80 P115
GU10 35w




SG71201WH **IP65**
Kube GU10 White
H90 W80 P115
GU10 35w




SG71201GP **IP65**
Kube GU10 Graphite
H90 W80 P115
GU10 35w



Kube and Metro fittings are GU10, and supplied without lamps.

You can choose from a wide range of retrofit LED GU10 lamps - for optimum life and performance we recommend the SMART TC GU10 globe.



A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm

colour temperature **3000K**

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm

colour temperature **4000K**

allumē  Not Suitable for Dimming

TC- Temperature Control
This SMART globe adapts itself to the luminaire, managing heat and achieving a guaranteed life of 20,000 hrs.

If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.



SG71202BK **IP65**
Kube GU10 Twin Black
H180 W80 P115
GU10 35w x 2




SG71202WH **IP65**
Kube GU10 Twin White
H180 W80 P115
GU10 35w x 2




SG71202GP **IP65**
Kube GU10 Twin Graphite
H180 W80 P115
GU10 35w x 2




SG71301BK **IP65**
Metro GU10 Black
H120 W90 P150
GU10 35w




SG71302BK **IP65**
Metro GU10 Twin Black
H235 W90 P150
GU10 35w x 2




SG71301GP **IP65**
Metro GU10 Graphite
H120 W90 P150
GU10 35w




SG71302GP **IP65**
Metro GU10 Twin Graphite
H235 W90 P150
GU10 35w x 2



contemporary OUTDOOR



The fittings on this page are energy saving LED ready.



OL7282BK
Cheeta Black
H280 W225 P90
E27 60w

IP44




OL7282SS
Cheeta Stainless
H280 W225 P90
E27 60w

IP44






OL7293BK
Cheeta Sensor Black
H280 W225 P90
E27 60w

IP44




OL7293SS
Cheeta Sensor Stainless
H280 W225 P90
E27 60w



IP44

2m mounting height

4m 6m 8m

detection area 120°

The PIR (passive infrared sensor) installed on the Cheeta Sensor model is designed to operate the fitting when movement is detected.

The sensor operates when the ambient light level is below 30 lux, so only at night.

The sensor has a duration timer, the light remains on for approx. 90 seconds duration.

The sensor settings are factory set and not adjustable.

This fitting has a manual override for the sensor.




OL7819SS
Brick Light 316SS
H100 W230
Recess 75
E27 60w

IP54



Stainless Steel



Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity.

But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel "revivers" are available and can be used to maintain the finish.

Copper & Brass



Raw materials like copper and brass develop a natural patina over time, and will add to the appeal of a natural setting.

The Oriel Lighting outdoor range are reasonably priced, medium duty products, designed for domestic applications.

The brass, copper, stainless steel and aluminium used in the construction of these fittings is of high quality.



OL7741CO
Brava Copper
H135 W115 P110
GU10 35w

IP44






The fittings on this page are energy saving LED ready.

contemporary OUTDOOR

LED READY **NEW**



UA7787CO
Oxley single adjustable
BD70 D60 P180
GU10 35w

IP65



LED READY **NEW**



UA7787SS
Oxley single adjustable
BD70 D60 P180
GU10 35w

316
IP65



LED READY **NEW**



UA7786CO
Oxley up/down wall washer
H210 D60 P90 BD70
GU10 35w x 2

IP65



LED READY **NEW**



UA7786SS
Oxley up/down wall washer
H210 D60 P90 BD70
GU10 35w x 2

316
IP65



LED READY



OL7718BC
Comma up/down wall washer
BD80 H150 P120
GU10 35w x 2

IP44



LED READY



OL7711BC
Comma single adjustable
BD80 H155 P200
GU10 35w

IP44




The nickel plated copper & brass used in the Comma BC gives long life, similar to traditional chrome plated tap ware.

Oxley & Comma fittings are GU10, and supplied without globes.

You can choose from a wide range of retrofit LED GU10 globes - for optimum life and performance we recommend the SMART TC GU10 globe.



A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm

colour temperature **3000K**

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm

colour temperature **4000K**

allumē  Not Suitable for Dimming

TC- Temperature Control
This SMART globe adapts itself to the luminaire, managing heat and achieving a guaranteed life of 20,000 hrs.

If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.

LED READY



OL7718CO
Comma up/down wall washer
BD80 H150 P120
GU10 35w x 2

IP44



LED READY



OL7711CO
Comma single adjustable
BD80 H155 P200
GU10 35w

IP44





The fittings on this page are energy saving LED ready.

IP44

LED READY

 0.5m

OL7774/1SS
 Zeta single adjustable
 BD100 P195
 GU10 35w

IP44

LED READY

 0.5m

OL7774/3SS
 Zeta triple adjustable
 W60 L450 P190
 GU10 35w x 3

IP44

LED READY

OL7775/1SS
 Zeta single wall washer
 BD75 H115 P80
 GU10 35w

IP44

LED READY

OL7775/2SS
 Zeta up/down wall washer
 BD75 H200 P80
 GU10 35w x 2

IP44

LED READY

 0.5m

OL7774/2SS
 Zeta double adjustable
 W60 L300 P190
 GU10 35w x 2

IP44

LED READY

NEW

OL7776/2SS
 Zeta 2 light round adjustable
 BD115 P170
 GU10 35w



500 Lumen
6 Watt

GU10

A-LED-970653055
 LED GU10 retrofit globe
 6w | 55° | Ra80 | 480lm

colour temperature
3000K

A-LED-970654055
 LED GU10 retrofit globe
 6w | 55° | Ra80 | 500lm

colour temperature
4000K



Not Suitable for Dimming

These fittings are GU10, and supplied without globes.

You can choose from a wide range of retrofit LED GU10 globes - for optimum life and performance we recommend the SMART TC GU10 globe.

TC- Temperature Control
 This SMART globe adapts itself to the luminaire, managing heat and achieving a guaranteed life of 20,000 hrs.

If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.



The fittings on this page are energy saving LED ready.

contemporary OUTDOOR

NEW



OL7774/1BK

Zeta single adjustable

BD100 P195

GU10 35w



0.5m

IP44



NEW



OL7774/3BK

Zeta triple adjustable

W60 L450 P190

GU10 35w x 3



0.5m

IP44



NEW



OL7775/1BK

Zeta single wall washer

BD75 H115 P80

GU10 35w

IP44



NEW



OL7775/2BK

Zeta up/down wall washer


BD75 H200 P80

GU10 35w x 2

IP44



NEW



OL7774/2BK

Zeta double adjustable

W60 L300 P190

GU10 35w x 2



0.5m

IP44



IP44



OL7247SS

Tresco stainless wall light

H260 D190 P200

GU10 35w



IP44



OL7248SS

Tresco stainless path light

H590 D190

GU10 35w




ZETA & TRESKO series

Designed for OUTDOOR use with GU10 Globes. (Globe/s not included)

These fittings are supplied without globes, giving you the option of selecting the most appropriate GU10 LED for the application.

You can choose from a wide range of retrofit LED GU10 globes - for optimum life and performance we recommend the SMART TC GU10 globe.



GU10 LED

OUTDOOR



The fittings on this page are energy saving LED ready.



OL7503BKOP
Olympus Pillar Mount
H400 D300
E27 60w

IP44




OL7500BKOP
Olympus Wall
H440 W300 P330
E27 60w

IP44



60mm Fitter

See Page 121 for post options



OL7506BKOP
Olympus Post Top
H320 D300
E27 60w

IP44




OL7873BK
Apollo Pillar Mount
H435 D320
E27 60w

IP44




OL7870BK
Apollo Wall
H415 W320 P440
E27 60w

IP44



60mm Fitter

See Page 121 for post options



OL7876BK
Apollo Post Top
H362 D320
E27 60w

IP44





sg

Ibiza can be converted from upward facing to downward facing prior to installation.

SG70420BK
Ibiza
H515 W230 P320
E27 60w

IP44





sg

Ibiza can be converted from upward facing to downward facing prior to installation.

SG70420WH
Ibiza
H515 W230 P320
E27 60w

IP44




sg

SG70410BK
Java Mini
H440 W160 P280
E27 60w

IP44




sg

SG70410WH
Java Mini
H440 W160 P280
E27 60w

IP44



sg

Merging form and function, the SG luminaires are constructed and manufactured of high quality materials with a meticulous attention to detail.

These quality luminaires are made of cast powder-coated aluminium with UV-stabilised clear polycarbonate diffusers.

They are highly corrosion resistant and impact resistant.



The fittings on this page are energy saving LED ready.

traditional OUTDOOR

NEW



OL7843BK

Pandora wall light

H220 W120 P120

E27 40w

Clear glass

IP44



NEW



OL7844BK

Pandora wall bracket

H385 W120 P195

E27 40w

Clear glass

IP44



SL64908BK

Oakland 1 Light

H250 W180 P150

E27 25w

Clear glass

IP44



SL64909BK

Oakland 2 Light

H300 W280 P150

2 x E27 25w

Clear glass

IP44



OL7860BK

Cosmo Black

H400 W270 P330

E27 60w

Opal diffuser

IP44



OL7850GP

Domo Graphite

H360 W185 P290

E27 60w

Clear glass

IP44



OL7850BK

Domo Black

H360 W185 P290

E27 60w

Clear glass

IP44



OL7850WH

Domo White

H360 W185 P290

E27 60w

Clear glass

IP44



OL7270BK

Fenchurch

H360 W180 P110

E27 60w

IP44



OL7270WH

Fenchurch

H360 W180 P110

E27 60w

IP44



OL7880CO

Alley Copper finish

H340 SD295 P370

E27 42w

Clear glass

IP44



OL7880BK

Alley Black

H340 SD295 P370

E27 42w

Clear glass

IP44





The fittings on this page are energy saving LED ready.



OL7322BK

Newark (upward facing)

H520 W230 P300

E27 60w

Textured Black finish

IP44



OL7321BK

Newark (downward facing)

H520 W230 P300

E27 60w

Textured Black finish

IP44



OL7326BK

Newark 1lt Post

H2250 D250

E27 60w

IP44



Textured Black finish



OL7669BK

Highgate Post

H2250 D200

E27 60w

IP44



Satin Black finish

(Complete with post)

(Complete with post)



OL7119BK

Cortez Pillar

W300x300 H275

E27 60w

Textured Black finish

IP44



NEW

OL7119GP

Cortez Pillar

W300x300 H275

E27 60w

Textured Graphite finish

IP44





The fittings on this page are energy saving LED ready.

traditional OUTDOOR



OL7661BK

Highgate Down
H330 W170 P190
E27 60w

IP44



OL7661GN

Highgate Down
H330 W170 P190
E27 60w

IP44



OL7661PR

Highgate Down
H330 W170 P190
E27 60w

IP44




OL7664BK

Highgate Sensor
H400 W140 P210
E27 42w

IP44



Highgate Sensor model, sensor configuration.



Duration Time approximately 10 seconds to 10 minutes
Lux Control Level Night / Day adjustable

The motion sensor can be adjusted to turn the fitting on day and night or night only. The time the light remains on can also be adjusted from approx. 10 seconds to 10 minutes.



OL7662BK

Highgate Up
H380 W170 P200
E27 60w

IP44



OL7662GN

Highgate Up
H380 W170 P200
E27 60w

IP44



OL7662PR

Highgate Up
H380 W170 P200
E27 60w

IP44



OL7663WH

Highgate DIY
H170 D280
B22 60w



OL7663BK

Highgate DIY
H170 D280
B22 60w



OL7253BK

Tokyo Pillar Mount
H320 D230
E27 60w

IP44



OL7250BK

Tokyo Wall
H225 W240 P135
E27 60w

IP44



OUTDOOR bollard lights



The fittings on this page are energy saving LED ready.

LED



OL7141BK

Oki Bollard

H650 W150x90

E27 60w

IP44



OL7255BK

Tokyo Bollard

H970 D230

Post Dia. 120

E27 100w

IP44



UA7335GP


Regent Bollard

H750 D260

E27 10w LED



IP44



UA7325GP

Monaco Bollard


H600 W60x70 P150

Base Flange 95x85

LED 6w HP

Integral Driver

IP44



OL7155BK


Velika buriable Bollard

H1200 D150

Post Dia. 120

E27 60w

IP44



OL7156BK

Velika with flange

H1000 BD170

Post Dia. 120

E27 60w

IP44



UA7370GP

Terzo Bollard

H650 D120

E27 10w LED



IP44





The fittings on this page are energy saving LED ready.

OUTDOOR

Galactic

IP44 	IP44 	IP44 	IP44 	IP44 	IP44
OL7010/50OP Galactic 50cm E27 100w	OL7010/40OP Galactic 40cm E27 100w	OL7010/35OP Galactic 35cm E27 100w	OL7010/30OP Galactic 30cm E27 100w	OL7010/25OP Galactic 25cm E27 60w	OL7010/20OP Galactic 20cm E27 40w

OL7021BK
Galactic Pillar Mount
BD120 H120

Wall arm suitable for use with 20, 25 & 30cm Galactic acrylic balls.

OL7025BK
Galactic Wall Arm
BD100 P220

Galactic acrylic balls are designed to fit a 60mm (outside diameter) post.

60mm Fitter

OL7051/1000BK
Plumb Post 1M with base flange
H1000 BD220
Post Dia. 60mm

OL7051/1800BK
Plumb Post 1.8m with base flange
H1800 BD220
Post Dia. 60mm

60mm Diameter

Plumb posts are aluminium and have an outside diameter of 60mm.

OL7050/2400BK
Plumb Post 2.4M
H2400 PD60
Post Dia. 60mm

IP44

OL7010/20OP+OL7021BK
Galactic 20cm plus Pillar Mount
H300 D200 BD120

IP44

OL7010/25OP+OL7021BK
Galactic 25cm plus Pillar Mount
H350 D250 BD120

IP44

OL7010/30OP+OL7021BK
Galactic 30cm plus Pillar Mount
H400 D300 BD120

IP44

OL7010/20OP+OL7025BK
Galactic 20cm plus Wall Arm
P275 W200 BD100

IP44

OL7010/25OP+OL7025BK
Galactic 25cm plus Wall Arm
P300 W250 BD100

IP44

OL7010/30OP+OL7025BK
Galactic 30cm plus Wall Arm
P325 W300 BD100

LED energy saving OUTDOOR

LED

LED



UA7411BK

Vargo Square LED Wall Light

160x160 P95

6W | 200lumen | 4000K

IP54

LED



UA7411GP

Vargo Square LED Wall Light

160x160 P95

6W | 200lumen | 4000K

IP54

LED



UA7410BK

Vargo Round LED Wall Light

D160 P90

6W | 200lumen | 4000K

IP54

LED



UA7410GP

Vargo Round LED Wall Light

D160 P90

6W | 200lumen | 4000K

IP54

LED

UA7814/60

Ebo.LED.60

L600 W120 P110

11w | 1100lumen | 4000K

IP66



UA7814/120

Ebo.LED.120

L1160 W120 P110

50w | 4600lumen | 4000K

IP66

LED

NEW



LF7411BK

Varde LED single adjustable

BD75 P165

6W | 380lumen | 4000K

IP44

LED

NEW



LF7411SS

Varde LED single adjustable

BD75 P165

6W | 380lumen | 4000K

IP44

LED

NEW



LF7422BK

Varde LED up/down wall washer

BD75 H160 P90

2 x 6W | 380lumen | 4000K

IP44

LED

NEW



LF7422SS

Varde LED up/down wall washer

BD75 H160 P90

2 x 6W | 380lumen | 4000K

IP44

LED



Kombi features an all polycarbonate construction with hidden fixings

LF7551BK

Kombi LED Bulkhead

195x110 P75

700lumen | 4000K



IP54

LED



LF7551WH

Kombi LED Bulkhead

195x110 P75

700lumen | 4000K



IP54

LED

NEW



LF7552BK

Ossen LED Bulkhead

D175 P70

700lumen | 4000K



IP54

LED

NEW



LF7552WH

Ossen LED Bulkhead

D175 P70

700lumen | 4000K



IP54

LED



UA7801BK

Duro.20

H290 W200 P95

7w | 525lm

IP66

colour temperature
4000K



LED



UA7801GY

Duro.20

H290 W200 P95

7w | 525lm

IP66

colour temperature
4000K



LED



UA7804BK

Duro.30R

D300 P95

14w | 1075lm

IP66

colour temperature
4000K



LED



UA7804GY

Duro.30R

D300 P95

14w | 1075lm

IP66

colour temperature
4000K



The Duro series are polycarbonate and have hidden fixings.

OUTDOOR



The fittings on this page are energy saving LED ready.



OL7970WH
Galaxy Plain
W210 H145 P100
E27 60w

IP54




OL7970BK
Galaxy Plain
W210 H145 P100
E27 60w

IP54




Frosted glass

Outdoor Lighting

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

These are reasonably priced, medium duty products. Your lighting advisor will guide you as to their suitability for your application. They are not recommended for seaside or high traffic commercial applications.



OL7971WH
Galaxy Guard
W210 H145 P100
E27 60w

IP54




OL7971BK
Galaxy Guard
W210 H145 P100
E27 60w

IP54




Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.




OL7973WH
Galaxy Eyelid
W210 H145 P100
E27 60w

IP54




OL7973BK
Galaxy Eyelid
W210 H145 P100
E27 60w

IP54




Most outdoor fittings are ideally suited for use with an energy saving LED globe.

Being outdoor, and often running for long periods of time, an energy saving globe is a good choice for these lights.

Choosing an energy saving globe will make a substantial difference to your energy costs.



LF7951BK
Osmo Poly bunker with glass lense
L200 W120
E27 40w

IP54




LF7951WH
Osmo Poly bunker with glass lense
L200 W120
E27 40w

IP54




The allume **A-LED-72 Series** lamps are available to suit most outdoor light fittings.

LED
allumē





The fittings on this page are energy saving LED ready.

OUTDOOR



OL7816WH

Visor Bulkhead

L290 H110 P130

E27 60w

IP54



OL7816BK

Visor Bulkhead

L290 H110 P130

E27 60w

IP54



OL7816GP

Visor Bulkhead

L290 H110 P130

E27 60w

IP54



Opal poly lens



OL7980BK

Cylinder Plain

L270 W170 P130

E27 100w

IP54



OL7983BK

Cylinder Eyelid

L270 W170 P130

E27 100w

IP54



Frosted glass

OL7982BK

Cylinder Louvred

H270 W170 P130

E27 100w

IP54



OUTDOOR



The fittings on this page are energy saving LED ready.



OL7993BK

Quatro Plain
W220x220 P110
E27 40w

IP54



OL7993WH

Quatro Plain
W220x220 P110
E27 40w

IP54



OL7993GP

Quatro Plain
W220x220 P110
E27 40w

IP54



Opal poly
lense



OL7902BK

Tonato Eyelid
D300 P90
E27 60w x 2

IP54



OL7902GP

Tonato Eyelid
D300 P90
E27 60w x 2

IP54



OL7902WH

Tonato Eyelid
D300 P90
E27 60w x 2

IP54



Opal poly
lense



OL7901BK

Tonato Plain
D300 P90
E27 60w x 2

IP54



OL7901GP

Tonato Plain
D300 P90
E27 60w x 2

IP54



OL7901WH

Tonato Plain
D300 P90
E27 60w x 2

IP54



Opal poly
lense



The fittings on this page are energy saving LED ready.

OUTDOOR



OL7960GP
Cheval
W220 H155 P125
E27 60w

IP54

LED READY



OL7960BK
Cheval
W220 H155 P125
E27 60w

IP54

LED READY



OL7960WH
Cheval
W220 H155 P125
E27 60w

IP54

LED READY



Frosted glass



OL7990BK
Deck Plain
L270 H135 P120
E27 60w

IP54

LED READY



OL7991BK
Deck Guard
L270 H135 P120
E27 60w

IP54

LED READY



OL7992BK
Deck Eyelid
L270 H135 P120
E27 60w

IP54

LED READY



OL7990WH
Deck Plain
L270 H135 P120
E27 60w

IP54

LED READY



OL7991WH
Deck Guard
L270 H135 P120
E27 60w

IP54

LED READY



OL7992WH
Deck Eyelid
L270 H135 P120
E27 60w

IP54

LED READY

Frosted glass



LW7803WH
Recessed Sensor
D80 P20 C65

LED READY

PIR Sensor [Passive Infrared]

3m mounting height

Detection Area
360° detection angle to ceiling
Max radius 5m (mounted at 3m Ht)

Maximum Load
1000w max Incandescent
300w max Fluorescent / LED

Duration Time
approx. 5 seconds to 5 minutes

Lux Control Level
2-2000 lux adjustable

PIR Sensor

Manual Override Function

IP20



LW7802BK
Motion Sensor
H85 W85 P100

LW7802WH
Motion Sensor
H85 W85 P100

LED READY

PIR Sensor

Manual Override Function

IP44

Indoor or Outdoor
Wall or Ceiling

Lightwatch PIR sensor unit basic configuration.

Maximum Load
1000w max Incandescent
300w max Fluorescent / LED

Duration Time
approximately 5 seconds to 5 minutes

Lux Control Level
2-2000 lux adjustable

2.5m mounting height

2m 6m 12m

detection area 180°

LED



LW7122WH
Cadet 2 LED Twin Spot
W280 P160
2 x 5w Epistar LED (2 x 450lm) **IP44**

LED



LW7132WH
Cadet 2 LED Sensor
W280 P160
2 x 5w Epistar LED (2 x 450lm) **IP44**

PIR Sensor

Manual Override Function

LED

NEW



LW7422BK
Escort LED Twin Spot
W280 P180
2 x 13w COB LED (2 x 1100lm) **IP54**

LED

NEW



LW7432BK
Escort LED Sensor
W280 P180
2 x 13w COB LED (2 x 1100lm) **IP54**

PIR Sensor

LED



LW7122BK
Cadet 2 LED Twin Spot
W280 P160
2 x 5w Epistar LED (2 x 450lm) **IP44**

LED



LW7132BK
Cadet 2 LED Sensor
W280 P160
2 x 5w Epistar LED (2 x 450lm) **IP44**

PIR Sensor

Manual Override Function

For the latest Lightwatch information visit the Lightwatch web site:
www.lightwatch.com.au



LED



LW7440BK

Ugo LED Flood

H220 W190 P190

20w Samsung LED (1600lm)

IP44

LED



LW7441BK

Ugo LED Sensor Flood

H220 W190 P190

20w Samsung LED (1600lm)



IP44

LED



LW7451BK

Curo LED Flood

H210 W90 P60-130

Samsung LED (650lm)

IP54

LED



LW7452BK

Curo LED Flood

H210 W210 P60-130

2 x Samsung LED (1300lm)

IP54

LED



LW7401BK

Foco LED Flood

W115 H150 P100

10w LED (700lm)

IP65

LED



LW7411BK

Foco LED Sensor Flood

W115 H210 P110

10w LED (700lm)



IP44

LED



LW7402BK

Foco LED Flood

W180 H170 P110

20w LED (1400lm)

IP65

LED



LW7403BK

Foco LED Flood

W225 H210 P125

30w LED (2250lm)

IP65

LED

NEW

PROTO.LED has low standby power usage, a high quality microwave motion detector and is suitable for use in Entry Areas, Outdoor Patios, Pantries, Walk-in-Robes, Hallways, Garages, Walkways, Foyers



OL49312

Proto LED Security Light

D295 P80

12w | 4000K | 700lm




Detects up to 6m



Energy Saving Light Sensor



Hold Time 5sec - 10min




Microwave Sensor



Mounting Height up to 6m




Automatic On/Off Light Control



Automatic Stepped Dimming



Low Standby Power



Indoor Wall or Ceiling

Outdoor Under eave



Replaceable LED Module

See Instructions

12v GARDEN LIGHTING



All of the fittings on this page are LED ready.



Lightscaping
the art of outdoor lighting

LED READY



OL7753SS
Luna Stainless
D100 P50
JC G4 20w

IP44





LED READY



OL7753BK
Luna Black
D100 P50
JC G4 20w

IP44




The LIGHTSCAPING range are reasonably priced, medium duty products, designed for domestic applications.

The brass, copper, stainless steel and aluminium used in the construction of these fittings is of high quality.

The powder coated aluminium alloy fittings are the most cost effective solution offering excellent value for money.

LIGHTSCAPING pond lights are designed for use in domestic freshwater garden ponds, and not in treated, salt or chlorinated water.

LED READY



OL7761GY
Rock Light Grey
H125 W140
MR16 20w

IP54



✓Included

LED READY



OL7758SS
Rocco Hooded
D95 P50 C55 R80
MR16 20w

IP44






LED READY





OL7758CO
Rocco Hooded
D95 P50 C55 R80
MR16 20w

IP44



The Rocco is a recessed wall light

-  solid copper
-  stainless steel

Copper is a perfect choice for garden lighting. Copper is long lasting and ages beautifully as it develops its natural, protective patina.

Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity.

But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look.

240 Lumen
3 Watt



A-LED-610383030
LED MR11 retrofit lamp
3w | 30° | Ra80 | 220lm

colour temperature **3000K**

A-LED-610384030
LED MR11 retrofit lamp
3w | 30° | Ra80 | 240lm

colour temperature **4000K**

12V AC/DC  Not Suitable for Dimming

590 Lumen
7 Watt




A-LED-680793060
LED MR16 retrofit lamp
7w | 60° | Ra80 | 570lm

colour temperature **3000K**

A-LED-680795060
LED MR16 retrofit lamp
7w | 60° | Ra80 | 590lm

colour temperature **5000K**

12V AC/DC  Not Suitable for Dimming

300 Lumen
3 Watt



A-LED-9103840
LED JC G4 retrofit lamp
3w | 270° | Ra80 | 300lm

colour temperature **4000K**

12V AC/DC  Not Suitable for Dimming

This lamp is suitable for use with most fittings using a JC12v lamp.

Ask your stockist for lamp and transformer compatibility details.

Lightscaping
the art of outdoor lighting

For the latest DIY garden lighting information, installation ideas and tips, visit the Lightscaping web site: www.lightscaping.com.au





All of the fittings on this page are LED ready.

12v GARDEN LIGHTING

LED READY



OL7731BK
Shinto
H490 D210
(Inc Spike 170)
JC G4 20w

IP44


LED READY



OL7719BK
Pavillion
H500 D150
(Inc Spike 170)
JC G4 20w

IP44

LED READY



OL7737CO
Goya 160 Copper
H620 D160
(Inc Spike 170)
JC G4 20w

IP44

LED READY



OL7766SS
Guide 12V Bollard
H670 D50
(Inc Spike 170)
MR11 10w

IP44

LED READY



OL7148BK
Thax Spike
H390 D75 P120
(Inc Spike 170)
MR16 20w

IP54

LED READY



OL7762SS
Accent Spike
H250 D60 L95
(Inc Spike 150)
MR16 20w

IP44


LED READY



OL7762BK
Accent Spike
H250 D60 L95
(Inc Spike 150)
MR16 20w

IP44

LED READY



OL7767SS
Lance 12V Bollard
H670 D35
(Inc Spike 170)
JC G4 10w

IP44



Lightscaping garden light cable
12V - 18 AWG - 1mm

OL7702/15
15m Garden Cable pack

OL7702/30
30m Garden Cable pack



OL7700/60
60va 12V AC
Garden Lighting Transformer
Suitable for use with **allume**
12V AC/DC LED lamps.

IP44



OLA16/314
Gel Connector 12V AC/DC
Used to connect 12V lights
Suits wire 22-14 AWG
Supplied in a Twin Pack



Fan shown for illustration purposes.



OL47507SC
Fan Oyster
Satin Chrome / Matt Opal
D230 P90 BD205
B22 100w




OL47500WH
Fan Oyster
White / Gloss Opal
D230 P90 BD205
B22 100w




OL47530SC
Fan Oyster
Satin Chrome / Alabaster
D230 P90 BD205
B22 100w




OL47530AB
Fan Oyster
Ant. Brass / Alabaster
D230 P90 bBD205
B22 100w




OL58148/3WH
Hopper Fan Light
D230 P160 BD80
GU10 50w x 3



✓Included



OL58148/3BC
Hopper Fan Light
D230 P160 BD80
GU10 50w x 3



✓Included



OL58148/3BK
Hopper Fan Light
D230 P160 BD80
GU10 50w x 3



✓Included



F30/201-RG
Replacement Glass
D170 H80 LIP158
(Suits Clipper style fan light)



F30/RWC-KNOB
Ceiling fan knob
Suits most fan wall controllers




OL58578/3BC
Zip Fan Light
D220 P110 BD80
Rated GU10 35w x 3 (globes not included)




OL58578/3WH
Zip Fan Light
D220 P110 BD80
Rated GU10 35w x 3 (globes not included)





OLA02/12WH

Switched cord set

Plug, cord & inline switch L2800



OLA02/12BK

Switched cord set

Plug, cord & inline switch L2800



OLA02/12CL

Switched cord set


Plug, cord & inline switch L2800



OLA02/12GD

Switched cord set

Plug, cord & inline switch L2800



OLA02/22WH

Flex & plug cord set

Plug & cord - 2m



OLA02/22BK

Flex & plug cord set

Plug & cord - 2m



OLA02/22CL

Flex & plug cord set

Plug & cord - 2m



OLA02/50BK

Flex & plug cord set

Plug & cord - 1m



OLA02/31BK

Cordline Switch

2 Pole, 2 Amp



OLA02/31WH

Cordline Switch

2 Pole, 2 Amp



OLA02/33BK

Foot Switch


250V in-line / floor lamp



OLA02/33WH

Foot Switch


250V in-line / floor lamp



OLA03/13BK

Black PVC Cable


3 core (round) by the metre



OLA03/13GD

Gold PVC Cable

3 core (round) by the metre



OLA03/13WH


White PVC Cable

3 core (round) by the metre



OL69256BC


Parti 3lt plate Brushed Chrome
See page 52 for the full range.



OLA03/73CLR

Clear PVC Cable


3 core (round) by the metre



OLA03/72CLR

Clear PVC Cable


2 core (round) by the metre



OLA03/53BK

Black Cloth Covered Cable

3 core (round) by the metre



OLA03/52BK

Black Cloth Covered Cable

2 core (round) by the metre

ACCESSORIES



OLA01/710WH
B22 Lampholder
4 piece with 10mm thread




OLA01/810WH
B22 Lampholder
10mm thread / pushbar





OLA01/529
ES Lampholder
E27 / 10mm thread




OLA01/528
ES Lampholder
E27 / 10mm thread




OLA01/710BK
B22 Lampholder
4 piece with 10mm thread





OLA01/810BK
B22 Lampholder
10mm thread / pushbar





OLA01/530
SES Lampholder
E14 / 10mm thread




OLA01/531
SES Lampholder
E14 / 10mm thread




OLA01/90
B22 Lampholder
"Snorkel" type lampholder




OLA16/SHADE
Shade adapter
Reduce E27 to B22



OLA01/130
Short B22 skirt
30mm long



OLA16/01
Candle drip cover
L70 D28



OLA01/510
ES Ceramic Lampholder
E27 Ceramic




OLA01/518
ES Lampholder + Frame
E27 Ceramic




OLA14/8WH
Oyster Knob
Suits ceiling button



OLA01/210A
GU10 Lampholder
Lampholder kit L300




OLA05/628
Washer
Stepped steel ID30 OD60



OLA05/428
Washer
Dished aluminium ID30 OD60



OLA01/278
78mm Lampholder
Suit 78mm linear globe



A-LVLH/300
12v Lampholder 30cm
A-LVLH/1000
12v Lampholder 100cm

transformers + drivers ACCESSORIES

LED



LED-Q4-12V-20W

12volt 20w
constant voltage driver



LED



LED-CV12V-12W

12volt 12w
constant voltage driver



LED



LED-CC350-12

350mA 12w
constant current driver



LED



LED-CC350-12DIM

350mA 12w Dimmable
constant current driver



LED



TX-ST60

Star-60va
L107 W40 H25



LED



TX-ST105

Star-105va
L130 W40 H30



LED



TX-TG40

Tiger - 0-40va
L105 W40 H30
LED ready transformer



LED



TX-TG80

Tiger - 0-80va
L105 W40 H30
LED ready transformer



LED



TX-ST60FP

Star-60va 12volt F&P
L107 W40 H25



LED



TX-ETH50.3

IP65 12volt 10-50va
D45 H30



LED



OLA19/01

LED Friendly Dimmer
Leading or Trailing Edge
Load 10-250w



LED



OLA19/03

LED Friendly Push Dimmer
Leading or Trailing Edge
Load 10-350w



LED



LED-CC350-3

350mA 3w
constant current driver

LED



OLA-MWS01

Microwave Motion Sensor
Retrofittable module



LED



A-SUCTIONCAP

To make removal of GU10 type
globes easier.

LED



OLA16/314

Gel Connector 12V AC/DC
Used to connect 12V lights
Suits wire 22-14 AWG
Supplied in a Twin Pack

LED



Lightscaping garden light cable
12V - 18 AWG - 1mm

OL7702/15

15m Garden Cable pack

OL7702/30

30m Garden Cable pack

LED



OL7700/60

60va 12V AC
Garden Lighting Transformer
Suitable for use with **allume**
12V AC/DC LED lamps.

IP44

LED

600 Lumen
7 Watt

A60 General Lighting

A-LED-7407130 7W B22 3000K
A-LED-7407140 7W B22 4000K

LED

600 Lumen
7 Watt

A60 General Lighting

A-LED-7407230 7W E27 3000K
A-LED-7407240 7W E27 4000K

LED

820 Lumen
9 Watt

A60 General Lighting

A-LED-7409130 9W B22 3000K
A-LED-7409140 9W B22 4000K

LED

820 Lumen
9 Watt

A60 General Lighting

A-LED-7409230 9W E27 3000K
A-LED-7409240 9W E27 4000K

LED

450 Lumen
5 Watt

C37 Candle Style

A-LED-41050130 5.5W B22 3000K
A-LED-41050140 5.5W B22 4000K

LED

450 Lumen
5 Watt

C37 Candle Style

A-LED-41050330 5.5W B15 3000K
A-LED-41050340 5.5W B15 4000K

LED

450 Lumen
5 Watt

C37 Candle Style

A-LED-41050430 5.5W E14 3000K
A-LED-41050440 5.5W E14 4000K

LED

NEW

800 Lumen
8 Watt

A60 300 Degree

A-LED-7208230 8W E27 3000K
A-LED-7208240 8W E27 4000K

LED

450 Lumen
5 Watt

G45 Fancy Round

A-LED-42050130 5.5W B22 3000K
A-LED-42050140 5.5W B22 4000K

LED

450 Lumen
5 Watt

G45 Fancy Round

A-LED-42050230 5.5W E27 3000K
A-LED-42050240 5.5W E27 4000K

LED

450 Lumen
5 Watt

G45 Fancy Round

A-LED-42050330 5.5W B15 3000K
A-LED-42050340 5.5W B15 4000K

LED

450 Lumen
5 Watt

G45 Fancy Round

A-LED-42050430 5.5W E14 3000K
A-LED-42050440 5.5W E14 4000K

LED



400 Lumen
5 Watt


SMART TC LED
GU10

A-LED-970553055
LED GU10 retrofit globe
5w | 55° | Ra80 | 390lm
colour temperature **3000K**

A-LED-970554055
LED GU10 retrofit globe
5w | 55° | Ra80 | 400lm
colour temperature **4000K**

allumē  Not Suitable for Dimming

LED




500 Lumen
6 Watt

SMART TC LED
GU10


A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm
colour temperature **3000K**

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm
colour temperature **4000K**

allumē  Not Suitable for Dimming

SMART TC LED
TC- Temperature Control
This SMART globe adapts itself to the luminaire, managing heat and achieving a guaranteed life of 20,000 hrs. If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.

LED




450 Lumen
5 Watt

GU10

A-LED-620553060
LED GU10 retrofit lamp
5w | 60° | Ra80 | 425lm
colour temperature **3000K**

A-LED-620555060
LED GU10 retrofit lamp
5w | 60° | Ra80 | 470lm
colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



580 Lumen
7 Watt

GU10

A-LED-690753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 570lm
colour temperature **3000K**

A-LED-690755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 590lm
colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



580 Lumen
7 Watt

GU10

A-LED-670753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 570lm
colour temperature **3000K**

A-LED-670755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 590lm
colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



540 Lumen
7 Watt

GU10

A-LED-650753060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 520lm
colour temperature **3000K**

A-LED-650755060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 550lm
colour temperature **5000K**

allumē  LED Dimmer Friendly

LED



240 Lumen
3 Watt

MR11

A-LED-610383030
LED MR11 retrofit lamp
3w | 30° | Ra80 | 220lm
colour temperature **3000K**

A-LED-610384030
LED MR11 retrofit lamp
3w | 30° | Ra80 | 240lm
colour temperature **4000K**

12V AC/DC  Not Suitable for Dimming

LED



590 Lumen
7 Watt

MR16

A-LED-680793060
LED MR16 retrofit lamp
7w | 60° | Ra80 | 570lm
colour temperature **3000K**

A-LED-680795060
LED MR16 retrofit lamp
7w | 60° | Ra80 | 590lm
colour temperature **5000K**

12V AC/DC  Not Suitable for Dimming

LED



300 Lumen
3 Watt

JC G4

A-LED-9103840
LED JC G4 retrofit lamp
3w | 270° | Ra80 | 300lm
colour temperature **4000K**

12V AC/DC  Not Suitable for Dimming

Visit allumelighting.com.au for more information about our range of lamps & tubes.



LED filament lamps



LED

NEW

colour temperature
2700K

500 Lumen
6 Watt

A-LED-26706227
LED OPAL MATT
ST64 | 6W | 2700K | 500lm

LED

NEW

Opal matt globe, with LED filament inside, gives an even light.

LED Dimmer Friendly

LED

NEW

colour temperature
2700K

500 Lumen
6 Watt

A-LED-21706127
LED OPAL MATT
A60 | 6W | 2700K | 500lm

LED

NEW

colour temperature
2700K

500 Lumen
6 Watt

A-LED-21706227
LED OPAL MATT
A60 | 6W | 2700K | 500lm

LED

NEW

colour temperature
2700K

500 Lumen
6 Watt

A-LED-23706227
LED OPAL MATT
G95 | 6W | 2700K | 500lm

LED

NEW

colour temperature
2700K

500 Lumen
6 Watt

A-LED-24706227
LED OPAL MATT
G125 | 6W | 2700K | 500lm

LED

NEW

colour temperature
4000K

500 Lumen
6 Watt

A-LED-21706140
LED OPAL MATT
A60 | 6W | 4000K | 500lm

LED

NEW

colour temperature
4000K

500 Lumen
6 Watt

A-LED-21706240
LED OPAL MATT
A60 | 6W | 4000K | 500lm

LED

NEW

colour temperature
4000K

500 Lumen
6 Watt

A-LED-23706240
LED OPAL MATT
G95 | 6W | 4000K | 500lm

LED

NEW

colour temperature
4000K

500 Lumen
6 Watt

A-LED-24706240
LED OPAL MATT
G125 | 6W | 4000K | 500lm

LED

160 Lumen
2Watt

A-LED-8902222
LED FILAMENT
ST64 | 2W | 2200K | 160lm

LED

200 Lumen
2 Watt

A-LED-8802222
LED FILAMENT
G125 | 2W | 2200K | 200lm

LED

400 Lumen
4 Watt

A-LED-8704227
LED FILAMENT
G125 | 4W | 2700K | 400lm

LED

300 Lumen
3 Watt

A-LED-8603227
LED FILAMENT 185mm
T30 | 3W | 2700K | 300lm

LED

NEW



A-LED-21104227
LED FILAMENT
A60 | 4W | 2700K | 400lm

400
Lumen
4 Watt

LED

NEW



A-LED-21203222
LED SPIRAL FILAMENT
A60 | 3W | 2200K | 190lm

190
Lumen
3 Watt

LED

NEW




A-LED-22102427
LED FILAMENT
G45 | 2W | 2700K | 200lm

200
Lumen
2 Watt

LED

NEW



A-LED-22203222
LED SPIRAL FILAMENT
G45 | 3W | 2200K | 180lm

180
Lumen
3 Watt

LED

NEW



A-LED-23104227
LED FILAMENT
G95 | 4W | 2700K | 400lm

400
Lumen
4 Watt

LED

NEW



A-LED-23205222
LED SPIRAL FILAMENT
G95 | 5W | 2200K | 300lm

300
Lumen
5 Watt

LED

NEW



A-LED-24104227
LED FILAMENT
G125 | 4W | 2700K | 400lm

400
Lumen
4 Watt

LED

NEW



A-LED-24205222
LED SPIRAL FILAMENT
G125 | 5W | 2200K | 300lm

300
Lumen
5 Watt

LED

NEW



A-LED-26104127
LED FILAMENT
ST64 | 4W | 2700K | 400lm

400
Lumen
4 Watt

LED

NEW



A-LED-26104227
LED FILAMENT
ST64 | 4W | 2700K | 400lm

400
Lumen
4 Watt

LED

NEW



A-LED-26305222
LED LOOP FILAMENT
ST64 | 5W | 2200K | 300lm

300
Lumen
5 Watt

LED

NEW



A-LED-25104127
LED FILAMENT
C35 | 4W | 2700K | 400lm

400
Lumen
4 Watt

LED

NEW



A-LED-25104427
LED FILAMENT
C35 | 4W | 2700K | 400lm

400
Lumen
4 Watt

LED

NEW





A-LED-28101427
LED FILAMENT
T20.55 | 1W | 2700K | 120lm

120
Lumen
1 Watt




T5 Circular fluorescent tubes

- A-T5C/G10Q-22/840 T5 22w CIRCULAR TUBE 4000K [G10q] D184mm
- A-T5C-22/840 T5 22w CIRCULAR TUBE 4000K [2GX13] D225mm
- A-T5C-40/840 T5 40w CIRCULAR TUBE 4000K [2GX13] D299mm



T9 Circular fluorescent tubes

- A-FCL22/830 T9 22w TRIPHOS TUBE 3000K
- A-FCL22/840 T9 22w TRIPHOS TUBE 4000K
- A-FCL22/865 T9 22w TRIPHOS TUBE 6500K
- A-FCL32/830 T9 32w TRIPHOS TUBE 3000K
- A-FCL32/840 T9 32w TRIPHOS TUBE 4000K
- A-FCL40/840 T9 40w TRIPHOS TUBE 4000K



Visit allumelighting.com.au for more information about our range of lamps & tubes.

Halogen globes
We have a large range of legacy 12v & 240v halogen globes in stock. Contact sales for available models.

Energy Reduction - ER
GU10 ER globes
Contact sales for avail. models

Energy Reduction - ER
MR16 ER globes
Contact sales for avail. models






Energy Reduction - ER
G9 ER globes
Contact sales for avail. models

Energy Reduction - ER
Linear Halogen ER globes
Contact sales for avail. models

Energy Reduction - ER
GLS ER globes
Contact sales for avail. models

Energy Reduction - ER
Plain Candle ER globes
Contact sales for avail. models

Energy Reduction - ER
Fancy Round ER globes
Contact sales for avail. models



symbols used in this catalogue



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.



The fittings offered in this catalogue with these symbols are energy saving LED ready.

Measuring Light Fittings

All measurements are in millimeters (mm) unless otherwise noted.

We measure fittings in various ways, with the following "prefixes" :

L = Length, W = Width, H = Height, P = Projection,
D = Diameter, BD = Base Diameter, S = Suspension,
C = Cutout, R = Recess, HD = Head Diameter,
SD = Shade Diameter


Generally a pendant is measured as the fitting only, with a separate measurement for the suspension.

If it is unclear, please contact your distributor.

Measuring Lampshades

The measurements are expressed as Top x Bottom x Height, as per the diagram below.

For example, a 340x430x270 shade is 340mm across the top, 430mm across the bottom and 270mm down the side.



E27 lampholder



Colour temperature of light (° Kelvin)



Down light supplied with a flex + plug



PIR Passive InfraRed sensor



E14 lampholder



Colour rendition of light (CRI)



Domestic use replacement guarantee



Microwave motion sensor



B22 lampholder



Fitting is suitable for dimming



On / Off touch switch suitable for energy saver



Manual override of motion sensor



B15 lampholder



Fitting is not suitable for dimming



Dimmer touch NOT suitable for energy saver



GU10 LED globe recommended for this fitting



GU10 lampholder



Double insulated



This fitting is designed for use with an LED globe



MR16 LED globe recommended for this fitting



Fitted with a cordline switch



Suited for indoor use only



IC - 4 abutted & covered



JC LED globe recommended for this fitting



Fitted with a foot switch



May be used outdoor



IC abutted & covered



GU10 LED globe included with this fitting



Switched B22 lamp holder



This fitting is designed for use with reflector globes



CA 90 abutted only



2GX13 fluorescent tube included with fitting



Circular cut-out dimensions



Square / rectangular cut-out dimensions



Minimum distance to nearest surface



GU10 halogen globe included with this fitting



Toft lamp with USB 025

Unless stated, fittings do not include globes (bulbs). Maximum wattages noted in this catalogue may be reviewed as a result of product development. Globe styles and wattages are recommended only and no responsibility can be taken for damage to fittings or fixtures caused by globes. Care should be taken with all light fittings, heat is generated and can cause injury. No representations are made as to suitability for specific use. Engaging a specifier, lighting consultant or designer is recommended.

All fixed lights, other than "do it your self" models, must be installed by a qualified electrician, in accordance with AS/NZS3000.

Improper use, modification or incorrect installation could cause serious injury to persons or damage to property; and will void warranties.

All reasonable care has been taken to ensure that colours, illustrations and descriptions are correct, however due to printing processes and continuing product research and development we reserve the right to alter specifications at any time. Dimensions are in millimeters (mm), and as accurate as possible - if dimension is critical contact your distributor.

Some products experience "batch" colour variations, this applies specifically to fabric shades and fittings made from natural materials, such as the Earth range.

For detailed terms & conditions of sale, refer to the current Standard Terms & Conditions.

GENERAL INFORMATION

Where an installation or operational instruction sheet is supplied, it should be followed.

All fixed light fittings must be installed by a licensed electrical contractor in accordance with AS/NZS 3000. Installation by any person other than a licensed electrical contractor voids the warranty, and could cause a safety risk.

Fittings should not be modified, any modification voids warranty and could be a safety risk.

Unless indicated, fittings do not include globes (light bulbs / tubes); and when globes are included they should be considered to be complimentary.

These fittings are designed for reasonable domestic use, operating in normal conditions and at a normal ambient temperature.

Unless specifically noted, these fittings should be considered to be IP20. Unless noted, they should not be used in damp conditions. They should be regularly dusted & cleaned and should not be used in a caustic or corrosive environment.

Unless noted, fixed fittings require a reliable earth.

Use only the correct globe type and observe the maximum wattage. Failure to do so may result in premature failure of the fitting or in extreme circumstances, fire.

Repairs to light fittings must be undertaken by a suitably qualified person. Some portable lamps (touch lamps) have flexes and plugs which cannot be repaired.

LED FITTINGS

The LED fittings in this catalogue are designed for reasonable domestic or light duty commercial applications.

Not all LED fittings are dimmable, refer to individual fitting specifications. Not all dimmers are suitable for use with dimmable LED luminaires/drivers. Unless specifically noted, a LED fitting should not be installed with a dimmer.

Many are supplied complete with DRIVERS or have built-in or integral drivers. Modification of these fittings supplied as a complete unit may diminish performance and void warranty.

Where a fitting is not supplied with a driver, a suitable compatible driver must be used - your distributor can advise as to which is the most appropriate.

The installation instructions supplied should be followed to maximise the life of the fitting and installed globes.

Some fittings are suitable for domestic or light duty commercial applications only - your lighting advisor can assist in the correct selection for your application.

Electronic drivers & transformers can, in rare circumstances, cause interference with radios, television and other electronic devices.

Not all dimmers or lighting control systems are compatible with all drivers / transformers, some restrictions apply. Confirm suitability with your installing electrician or the distributor. Using an incorrect dimmer may cause premature failure, and will void warranty.

As some fittings have small tolerances for mounting - ensure holes are cut accurately to size. It is recommended to use an actual fitting to gauge the correct hole size as specifications may change due to constant product review and innovation.

Care should be taken when mounting recessed fittings as some surfaces do not allow efficient heat dissipation, and could cause premature transformer failure or even fire. As a general rule recessing into MDF and timber should be avoided.

All installations should be to AS/NZS3000. There are specific requirements for 12v Halogen downlights. Heat "cages" are available for a number of the recessed halogen downlights offered in this catalogue.

Ensure good ventilation around the transformer and the rear of the light fitting. Mount the transformer away from the rear of the luminaire. Ensure all insulation materials are well clear of the light fitting & transformer.

White coloured fittings may not be suitable for commercial applications, or for unusually long operating times, as they can discolour in time with excessive exposure to heat.

GU10 (240v) SPOTLIGHTS, DOWNLIGHTS & WALL LIGHTS

These fittings are suitable for domestic use. Due to globe life limitations they would not be ideal in commercial applications.

It is not recommended that domestic fittings are run continuously for greater than 8 hours per day on a regular basis.

OUTDOOR LIGHTING

Fittings designed for outdoor use are often not suitable for indoor use.

They are designed to operate at lower ambient temperatures with indoor operation often resulting in premature globe and component failure.

Care should be taken as stainless steel fittings tend to hold the heat of the globe and will be hot to touch.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity. But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look. Regular maintenance of the finish will be required.

If a stainless steel fitting is installed in a harsh environment the use of a surface protecting oil should be considered.
















Our range consists of reasonably priced, medium duty products. Your lighting advisor will guide you as to their suitability for your application. Many are not recommended for seaside or high traffic commercial applications.

IP Ratings

IP Rating states the resistance of a fitting to the penetration of solid objects (first number) and liquids (second number).

Where applicable, the symbol used in this catalogue is this: **IP65**

This table is a guide to the IP ratings.

Protection from solid objects.		Protection from liquids.			
1		Protected against the entry of solid bodies with dimensions of more than 50mm.	1		Protected against the vertical falling of water drops.
2		Protected against the entry of solid bodies with dimensions of more than 12mm.	2		Protected against the vertical falling of water with a maximum inclination of 15°.
3		Protected against the entry of solid bodies with dimensions of more than 2.5mm.	3		Protected against the vertical falling of water with a maximum inclination of 60°.
4		Protected against the entry of solid bodies with dimensions of more than 1mm.	4		Protected against water sprayed from any direction. Limited ingress permitted.
5		Protected against the entry of dust.	5		Protected against low pressure water jets from any direction. Limited ingress permitted.
6		Totally protected against the entry of dust.	6		Protected against high pressure water jets from any direction. Limited ingress permitted.
Example: IP65			7		Protected against immersion between 15cm and 1m.
Primo (SG70570) is rated IP65 Totally protected from the entry of dust (6) and against low pressure water jets from any direction (5).			8		Protected against long periods of immersion under pressure.



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.



Recycle the packaging and any disused light fittings.



Oriel Lighting (Australia) Pty Ltd
 ABN 87 081 823 985
 PO Box 686, Mt Ommaney 4074
 Phone (07) 3715 9800
 Facsimile (07) 3715 7400
 Email: admin@oriel-lighting.com.au
www.oriel-lighting.com.au



Volume 10 no. 1
 November 2018