


Crompton



GERARD
LIGHTING

crompton.com.au

HORNET 20W LED FLOODLIGHT ADJUSTABLE & SLIMLINE

FEATURES

- Adjustable head 300° horizontal, 200° vertical with flexibility to direct the light (up/down/sideways)
- Slim and compact, designed to disappear when mounted under the eave
- Complete with 1m fly lead for easy installation
- Retro-fit accessory included for easy installation onto existing floodlight mounting points
- Integrated driver and LED modules
- Engineered to deliver absolute focus, optimum performance and robustness
- IP66 rating protects the light fixture from water spray and dust ingress
- Cool white colour temperature; ideal for general and task lighting
- Ideal for lighting outdoor entertaining areas, BBQ areas and access areas

DIMENSIONS

- L 187mm x W 125mm x H 23mm
- Weight: 0.42kg

PERFORMANCE

- Ingress Protection: IP66
- Wattage: 20W
- Voltage: 240V
- Light Colour Temperature: 4000K Cool White
- Lumens: 1600Lm
- Colour Rendering Index: CRI 80
- Beam Angle: 120°
- Average Life: 30,000hrs*
- 3 Year Warranty
- Non-Dimmable

COMPLIANCE


- AS/NZS60598

Product Code: CFL20840



*Actual product life may vary dependent upon frequency of maintenance and product application. Must be installed by licensed electrical contractor.
** When printed on standard A4 paper.

Crompton



COMPACT

Unique slim design allows for unobtrusive placement of the floodlight



EASY TO INSTALL


Supplied with a separate mounting base which allows for retrofitting onto existing floodlights mounting points

FLEXIBLE

Adjustable head with 300° horizontal and 200° vertical flexible rotation



**Image represents actual product size.
Dimensions: L 187mm x W 125mm x H 23mm
Weight: 0.42kg



16W LED Exterior Wall Light Sirroco Bulkhead Range

Compact in design, this wall & ceiling light is ideal to use for multiple lighting applications.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

Performance:

- Wattage: 16W
- Field angle: Surround
- Surface Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Polycarbonate lens
- Non dimmable

Applications:

Outdoor living spaces, building & wall facades



Sirroco Bulkhead Eyelid
CBU7840



Sirroco Bulkhead Open
CBU7880



| Code | Name | Lumens | Beam | Dimension (mm) |
|---------|-------------------------|--------|------|-------------------|
| CBU7840 | Sirroco Bulkhead Eyelid | 480Lm | 78° | Ø 260mm x D 102mm |
| CBU7880 | Sirroco Bulkhead Open | 730Lm | 120° | Ø 260mm x D 95mm |



LED Exterior Wall Light Bronte Up/Down Range

Clean, modern design that radiates an exceptional 2-way light beam.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

Performance:

- Field Angle: Up & Down
- Wall Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Tempered glass
- Non dimmable

Applications:

Outdoor living spaces building & wall facade



9W LED Bronte Up/Down
CED8340



20W LED Bronte Up/Down
CED8380



| Code | Name | Beam | Lumen | Wattage | Dimension (mm) |
|---------|----------------|------|--------|---------|------------------------------|
| CED8340 | Bronte Up/Down | 127° | 480Lm | 9W | W 140mm x H 65mm x D 88.5mm |
| CED8380 | Bronte Up/Down | 130° | 1240Lm | 20W | W 220mm x H 85mm x D 102.5mm |

LED Exterior Wall Lights Diablo Range

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP44

Performance:

- Wall Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Tempered glass lens
- Non dimmable

Applications:

Outdoor living space, building & wall



14W Diablo Square Up/Down
CED6280S



14W Diablo Round Up/Down
CED6280R



7W Diablo Square Direct
CED6240S



7W Diablo Round Direct
CED6240R



| Code | Name | Field Angle | Beam | Lumen | Wattage | Dimension (mm) |
|----------|-------------------------|-------------|------|-------|---------|-----------------------------|
| CED6280S | Diablo Square Up & Down | Up & Down | 120° | 900Lm | 14W | W 110mm x H 203mm x D 109mm |
| CED6280R | Diablo Round Up & Down | Up & Down | 120° | 860Lm | 14W | W 110mm x H 203mm x D 109mm |
| CED6240S | Diablo Square Direct | Down | 120° | 500Lm | 7W | W 110mm x H 150mm x D 109mm |
| CED6240R | Diablo Round Direct | Down | 120° | 460Lm | 7W | W 110mm x H 150mm x D 109mm |



LED Exterior Wall Light Ostro Range

Create a subtle spill of light across steps & along pathways

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

- Die-cast aluminium
- Polycarbonate lens
- Non dimmable

Performance:

- Field Angle: Outward
- Colour Temperature: 4000K Cool White

Applications:

Ideal light for steps, seating areas and along pathways



Ostro Square Recessed
CBL6440



Ostro Surface Mounted
CBL6485



Ostro Recessed
CBL6480



Ostro Vertical Recessed
CBL6420

| Code | Name | Colour | Beam | Lumen | Wattage | Dimension (mm) |
|---------|-------------------------|----------|------|-------|---------|-----------------------------|
| CBL6485 | Ostro Surface Mounted | Graphite | 44° | 330Lm | 14W | W 265mm x H 120mm x D 79mm |
| CBL6480 | Ostro Recessed | Graphite | 44° | 330Lm | 14W | W 265mm x H 120mm x D 79mm |
| CBL6440 | Ostro Square Recessed | Graphite | 31° | 300Lm | 19W | W 245mm x H 239mm x D 106mm |
| CBL6420 | Ostro Vertical Recessed | Grey | 70° | 22Lm | 1W | W 80mm x H 200mm x D 27mm |

IIW LED Exterior Wall Light Lodos Brick Light Range

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

Applications:

Ideal light for steps, seating areas and along pathways

Performance:

- Field angle: Outward
- Wall Recessed
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Frosted tempered glass
- Non dimmable



Lodos Open Recessed - Black
CBL6280B



Lodos Open Recessed - Silver
CBL6280S



Lodos Grill Recessed
CBL6260B



Lodos Asym Recessed
CBL6240B



| Code | Name | Colour | Beam | Lumen | Wattage | Dimension |
|----------|----------------------|--------|------|-------|---------|----------------------------|
| CBL6280B | Lodos Open Recessed | Black | 70° | 460Lm | 11W | W 233mm x H 83mm x D 108mm |
| CBL6280S | Lodos Open Recessed | Silver | 70° | 460Lm | 11W | W 233mm x H 83mm x D 108mm |
| CBL6260B | Lodos Grill Recessed | Black | 60° | 250Lm | 11W | W 233mm x H 83mm x D 108mm |
| CBL6240B | Lodos Asym Recessed | Black | 45° | 95Lm | 11W | W 233mm x H 83mm x D 108mm |



11W LED Exterior Wall light Kali Spot

Enhance outdoor facades & entertaining spaces with this minimalistic yet powerful LED wall light with adjustable spot.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

Performance:

- Wattage: 11W
- Field angle: Outward
- Beam angle: 108°
- 840 Lumen output
- Surface Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Tempered glass
- Non dimmable

Applications:

Ideal for accentuating outdoor spaces



| Code | Name | Dimension (mm) |
|---------|-----------|-----------------|
| CED8320 | Kali Spot | Ø 94mm x D 90mm |



8W LED Exterior Wall light Santana Lantern

Use a lantern light to highlight a wall texture and outdoor space.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP44

Performance:

- Wattage: 8W
- Field Angle: Surround
- Beam angle: 75°
- 420 Lumen output
- Wall Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Polycarbonate lens
- Non dimmable

Applications:

Outdoor living spaces, building & wall facades



| Code | Name | Dimension (mm) |
|---------|-----------------|-----------------------------|
| CED7150 | Santana Lantern | W 145mm x H 243mm x D 173mm |

9W LED Exterior Wall Light Alisio Lantern

From this traditional lantern design, spills a warm glow of light, creating a welcoming setting.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP44

Performance:

- Wattage: 9W
- Field angle: Surround
- Beam angle: 75°
- 460 Lumen output
- Wall Mounted
- Colour Temperature: 4000K Cool White
- Dark grey die-cast aluminium
- Tempered glass
- Non dimmable

Applications:

Outdoor living spaces, building & wall facades



| Code | Name | Dimension (mm) |
|---------|----------------|-----------------------------|
| CED7110 | Alisio Lantern | W 148mm x H 224mm x D 190mm |



8W LED Exterior Inground Light Vienta Uplight Range

Compact in design & highly efficient, this light is perfectly suitable for decks & pathways.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP67

Performance:

- Wattage: 8W
- Field angle: Upward 80°
- 500 Lumen output
- Installation: Inground
- Colour Temperature: 4000K Cool White
- Stainless steel
- Tempered glass
- Walk over only
- Non dimmable

Applications:

Landscaping, pathways & decks



Vienta Square Uplight
CIG7830



Vienta Round Uplight
CIG7860

| Code | Name | Dimension (mm) |
|---------|-----------------------|----------------------------|
| CIG7830 | Vienta Square Uplight | W 110mm x H 110mm x D 50mm |
| CIG7860 | Vienta Round Uplight | Ø 110mm x D 50.5mm |



Accord Pendant Range

Minimalist and classic pendant that is shaped for total flexibility of use within the home. The Accord looks great hung in a continuous line above a bench and is a perfect alternative to a bedside lamp.

Compliance:

- Voltage: 240V
- Globe not included
- Globe fitting: E27
- Must be installed by a licensed electrician
- Plaster reconstituted sandstone

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Accord White
CIDP608161



Accord Sandstone
CIDP608162

3

Year
Warranty

| Code | Type | Wattage | Dimension (mm) |
|------------|-------------------|---------|-------------------|
| CIDP608162 | Accord Sandstone* | Max 25W | Ø 180mm x H 185mm |
| CIDP608161 | Accord White | Max 40W | Ø 180mm x H 185mm |

*Note: sandstone finish looks charcoal grey



Alana Pendant


The Crompton Alana pendant light comprises an edgy and unique design that will suit any modern home. The brass features of the Crompton Alana adds a touch of luxury to a room and would look perfect over a kitchen bench and ideal as a bedside lamp.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Plaster and wire trim

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|---------------|-------------------|
| CIDP408161 | Alana Pendant | Ø 170mm x H 220mm |



Alpha Pendant Range


Influenced by Danish aesthetics, the Alpha collection features three sculptural designs made from aluminium and timber. These simple understated lights are a perfect addition to a modern and contemporary space.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium, timber and copper look finish

Applications:

Create a dramatic statement by grouping the three designs together to maximise the style you want to achieve.



Alpha Light Drop
CIDP208162

Alpha Hat
CIDP208161

Alpha Cone
CIDP208163

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|------------------|-------------------|
| CIDP208162 | Alpha Light Drop | Ø 235mm x H 410mm |
| CIDP208161 | Alpha Hat | Ø 356mm x H 290mm |
| CIDP208163 | Alpha Cone | Ø 185mm x H 420mm |

Hattie Pendant

The Crompton Hattie pendant is simple and classic, yet full of personality and versatility. The Crompton Hattie pendant can be hung in a continuous line above a bench and also looks great over dining tables or in a reading area.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Plaster

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|----------------|-------------------|
| CIDP600162 | Hattie Pendant | Ø 250mm x H 165mm |



Aspect Pendant Range


This white on white geometric pendant light range, is a stylish and simplistic addition to any space. The Scandi inspired design will compliment any décor style with its effortless and minimal look. This light would work nicely in a bedroom or bathroom setting to create the perfect ambience. The moulded geometric shapes add texture to a room to give in the wow factor it deserves.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Plaster

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Aspect Geo
CIDP404161

Aspect Hexagonal
CIDP611164

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|------------------|-------------------|
| CIDP404161 | Aspect Geo | Ø 180mm x H 200mm |
| CIDP611164 | Aspect Hexagonal | Ø 200mm x H 196mm |

Billie Pendant Range

The Crompton Billie pendant features a classic design with a detailed wooden trim. The large bowl shade provides great ambient light for living and dining areas.

Compliance:

- Voltage: 240V
- Globe not included
- Globe fitting: E27
- Must be installed by a licensed electrician
- Plaster reconstituted sandstone and timber

Applications:

Perfect for use in the kitchen, living room, hallway and dining areas.



Billie Sandstone
CIDP603162

Billie White
CIDP603161

3
Year
Warranty

| Code | Name | Wattage | Dimension (mm) |
|------------|-------------------|---------|-------------------|
| CIDP603162 | Billie Sandstone* | Max 25W | Ø 350mm x H 237mm |
| CIDP603161 | Billie White | Max 40W | Ø 350mm x H 237mm |

*Note: sandstone finish looks charcoal grey



Bennie Pendant Range

The Bennie collection features three sculptural designs made from aluminium and timber. These simple understated lights are a perfect addition to a modern and contemporary space.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium and timber

Applications:

Perfect for the kitchen, living rooms, bedroom and dining areas. Create a dramatic statement by grouping the three designs together to maximize the style you want to achieve.



Bennie Bowl
CIDP114164

Bennie Round
CIDP103162

Bennie Cone
CIDP110164

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|--------------|-------------------|
| CIDP114164 | Bennie Bowl | Ø 350mm x H 230mm |
| CIDP103162 | Bennie Round | Ø 350mm x H 180mm |
| CIDP110164 | Bennie Cone | Ø 250mm x H 260mm |

Cylinder Pendant Range

The Cylinder pendant has a classic shape and neutral tone to complement any style of interior and colour palette. This pendant brings an urban edge to your décor with its texture and form.

Compliance:

- Voltage: 240V
- Globe fitting: E27
- Globe not included
- Must be installed by a licensed electrician
- Plaster reconstituted sandstone

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Cylinder Sandstone
CIDP607164



Cylinder White
CIDP607163

3
Year
Warranty

| Code | Name | Wattage | Dimension (mm) |
|------------|---------------------|---------|-------------------|
| CIDP607164 | Cylinder Sandstone* | Max 25W | Ø 100mm x H 200mm |
| CIDP607163 | Cylinder White | Max 40W | Ø 100mm x H 200mm |

*Note: sandstone finish looks charcoal grey



Cubis Pendant Range

The traditional shapes, finished in crisp white offers a fresh and clean design that will work with any interior. Understated and beautiful lighting to complement both modern and classic interiors. These small and simple designs look great clustered over a benchtop, in a stairwell or used as bedside lighting.

Compliance:

- Voltage: 240V
- Globe fitting: GU10 / Max 35W
- Globe not included
- Must be installed by a licensed electrician
- Plaster

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Cubis Square
CIDP402161



Cubis Round
CIDP603163

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|--------------|---------------------------|
| CIDP402161 | Cubis Square | W 70mm x D 70mm x H 250mm |
| CIDP603163 | Cubis Round | Ø 70mm x H 250mm |

Felix Pendant Range

The classic cylinder shape of the Felix pendant gives great direct downward light for use over workspaces such as kitchen benches and dining tables. Its minimalist design would suit any modern interior.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Felix White
CIDP107164



Felix Ebony
CIDP107165

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|-------------|-------------------|
| CIDP107164 | Felix White | Ø 150mm x H 335mm |
| CIDP107165 | Felix Ebony | Ø 150mm x H 335mm |



Emmett Pendant

The Crompton Emmett pendant features sandstone cement with wooden detailing. The natural material compositions and soft yet clean lines of the Crompton Emmett pendant is perfect for either modern or traditional interior styles.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 25W
- Globe not included
- Must be installed by a licensed electrician
- Plaster reconstituted sandstone and timber

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

| Code | Name | Dimension (mm) |
|------------|-----------------|-------------------|
| CIDP600161 | Emmett Pendant* | Ø 250mm x H 165mm |

*Note: sandstone finish looks charcoal grey

3

Year
Warranty

Keli Pendant

The Crompton Keli pendant is striking, beautiful and versatile. The black metal shade with wooden detail emits a great ambient light. The Crompton Keli pendant looks perfect in a series or beautiful on its own.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium and timber

Applications:

Perfect for use in the kitchen, living room, hallway and dining areas.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|--------------|-------------------|
| CIDP208164 | Keli Pendant | Ø 200mm x H 155mm |



Flux Pendant

A sleek cone shape pendant light in crisp white offers a fresh and clean design that will work with any interior. The Crompton Flux is a small and simple light that looks great clustered over a bench top, in a stairwell or used as bedside lighting. A minimal chic design that is flexible to your space without compromising on style.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 25W
- Globe not included
- Must be installed by a licensed electrician
- Plaster

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|--------------|-------------------|
| CIDP410162 | Flux Pendant | Ø 165mm x H 290mm |




Kitchen & Dining

If your dining area is open plan with your kitchen choose a pendant light for your dining table. It can segment your room and create a dining ambiance.

When installing a pendant a common rule is to ensure that the light rests 80cm above the dining table or bench. This creates a comfortable light and enough room to move around. You also have to ensure that the light is high enough that people won't walk into it.

Consider how you will create some softer or ambient lighting for an after dinner conversation.



Studio Pendant Range


The clean, neat and sleek designs are brought to life with the metal copper detail adding a touch of luxury to a room. Understated and beautiful lighting to complement both modern and classic interiors. Perfect for a statement piece in the kitchen, living & dining rooms, hallway and bedroom.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Plaster and wire

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Studio Cone
CIDP410161



Studio Cylinder
CIDP607161

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|-----------------|-------------------|
| CIDP410161 | Studio Cone | Ø 300mm x H 320mm |
| CIDP607161 | Studio Cylinder | Ø 160mm x H 370mm |



Titan Pendant

A factory inspired pendant light with a modern twist. This oversized black matt dome creates a bold statement to reflect a more refined industrial look. The Crompton Titan pendant has a minimal urban design, making it a versatile choice for kitchen bench space, dining room table or hanging in a hallway.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

Perfect for the kitchen, living room, hallway and dining areas.

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|---------------|-------------------|
| CIDP101161 | Titan Pendant | Ø 280mm x H 350mm |

Monte Pendant

The Crompton Monte pendant has an intricate detail with clean distinct lines making it both artistic and contemporary. It is a statement piece that would look great above a dining table or create wow factor in an entranceway.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Metal and fabric

Applications:

A statement piece perfect for the dining room, entranceway, living room or stairwell.



| Code | Name | Dimension (mm) |
|------------|---------------|-------------------|
| CIDP103161 | Monte Pendant | Ø 400mm x H 300mm |

3
Year
Warranty



Aero Pendant

A unique urban design made of metal wire to create a striking look that will make heads turn. This edgy design is ideally suited to more modern interiors in a place where you want to make a statement.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Timber and wire

Applications:

Perfect for the living room, bedroom, hallway and dining areas.



| Code | Name | Dimension (mm) |
|------------|--------------|-------------------|
| CIDP212161 | Aero Pendant | Ø 390mm x H 150mm |

3
Year
Warranty



Cast Pendant Range

These refined vintage style pendant lights are a charming addition to your interior. Elegant glass with highlights of bronze trim creates a minimal nostalgic charm to suit both modern and industrial looks.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Clear glass and metal finish

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Cast Bell
CIDP000161



Cast Bowl
CIDP003161

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|-----------|-------------------|
| CIDP000161 | Cast Bell | Ø 150mm x H 155mm |
| CIDP003161 | Cast Bowl | Ø 250mm x H 135mm |



Brava Pendant Range

The Brava range captures a modern metallic look to create a stylish focal point in any space. The Brava range looks great with modern tones of greys, whites and blues.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium and timber

Applications:

Perfect for use in the kitchen, living room, hallway and dining areas.



Brava Bowl
CIDP203162



Brava Round
CIDP203161



Brava Cylinder
CIDP207161

| Code | Name | Dimension (mm) |
|------------|----------------|-------------------|
| CIDP203162 | Brava Bowl | Ø 200mm x H 155mm |
| CIDP203161 | Brava Round | Ø 270mm x H 210mm |
| CIDP207161 | Brava Cylinder | Ø 110mm x H 180mm |

3
Year
Warranty

Phoenix Metal Pendant

The Crompton Phoenix pendant with its metal shade and decorative cage gives a distinct and edgy design to any interior. Its genuine industrial style is classic for use over a kitchen bench or dining area.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|-----------------------|-------------------|
| CIDP112161 | Phoenix Metal Pendant | Ø 400mm x H 120mm |



Revolve Metal Pendant

The Crompton Revolve pendant is classic and strong in design and will charm any interior. Its simple composition of black and metal makes it a timeless choice of pendant.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Glass and aluminium

Applications:

Perfect for the kitchen, living room, hallway and dining areas.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|-----------------------|-------------------|
| CIDP113161 | Revolve Metal Pendant | Ø 410mm x H 160mm |

Soho Cluster Pendant

This contemporary Crompton clustered pendant light illuminates luxury into any style of interior. The black and contrasted gold colour way creates a warm inviting glow ideal for setting the right mood in a dining room, bedroom or living space. A stylish design that grabs attention.

Compliance:

- Voltage: 240V
- Globe fitting: E14 / Max 4X40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

A statement piece perfect for the dining room, entranceway, living room or stairwell.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|----------------------|-------------------|
| CIDP209161 | Soho Cluster Pendant | Ø 350mm x H 160mm |



Anja Pendant Range

The organic shape of the Anja pendants compliments its natural woven string and metal materials. The soft formation of the shape combined with the woven finish add both texture and warmth to your space.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Woven raffia and PVC

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Anja Tear Drop
CIDP503163



Anja Round
CIDP503162

Getting 'back to nature' with materials such as wood & rattan ... minimalist & simplistic style trends

3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|----------------|-------------------|
| CIDP503163 | Anja Tear Drop | Ø 300mm x H 380mm |
| CIDP503162 | Anja Round | Ø 430mm x H 310mm |



Bailey Pendant

The Crompton Bailey pendant adds a natural touch to any room. Beautifully constructed from wood, it sheds cascading light over your surroundings, casting unique shadows that illuminate your sophisticated and simple style.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Reconstituted timber

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|----------------|-------------------|
| CIDP500162 | Bailey Pendant | Ø 355mm x H 380mm |



Lunix Pendant

An intriguing organic design made with woven fibres to create natural and relaxed feel to a space. The discus shape gives the light a contemporary edge that will work well with both classic and modern styles.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Rattan, fabric and timber look finish

Applications:

Perfect for the living room, bedroom, hallway and dining areas.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|---------------|-------------------|
| CIDP503161 | Lunix Pendant | Ø 480mm x H 200mm |

Rubus Pendant

This rectangular woven pendant light creates a warm natural vibe to suit a more relaxed, transitional space. The etched rattan design radiates a soft glow that is perfect for a modern beach house to reflect a more simple rustic style.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Rattan and fabric

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



| Code | Name | Dimension (mm) |
|------------|---------------|-----------------------------|
| CIDP502161 | Rubus Pendant | W 220mm x H 400mm x D 220mm |

3
Year
Warranty



Husk Pendant Range

The Husk pendant range is sleek, contemporary and versatile. Hang the small or medium Husk pendant in a continuous line at a dining table or bench and a large Husk pendant makes a stunning statement on its own. The beauty and simplicity of this range makes it ideal for any room in your house.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Husk Grey



Husk White



| Code | Name | Dimension (mm) |
|------------|----------------|-------------------|
| CIDP101166 | Grey / Large | Ø 305mm x H 260mm |
| CIDP101164 | Grey / Medium | Ø 220mm x H 207mm |
| CIDP101162 | Grey / Small | Ø 160mm x H 162mm |
| CIDP101167 | White / Large | Ø 305mm x H 260mm |
| CIDP101165 | White / Medium | Ø 220mm x H 207mm |
| CIDP101163 | White / Small | Ø 160mm x H 162mm |



Mali Pendant Range

These Scandinavian inspired pendant lights are beautifully crafted from aluminum and wood. The vibrant duck egg blue contrasting with the natural oak finish is perfect for a relaxed modern look. The colours bring a sense of charm and personality to your space to complement both modern and classic styles.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium and timber

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas. Create a dramatic statement by clustering pendants together or hanging at different heights.



Mali Bowl
CIDP502162

Mali Sculpture
CIDP507161

Mali Cone
CIDP508161

Mali Bell
CIDP508162

| Code | Name | Dimension (mm) |
|------------|----------------|-------------------|
| CIDP502162 | Mali Bowl | Ø 175mm x H 105mm |
| CIDP507161 | Mali Sculpture | Ø 180mm x H 173mm |
| CIDP508161 | Mali Cone | Ø 125mm x H 190mm |
| CIDP508162 | Mali Bell | Ø 175mm x H 105mm |



Polly Pendant

This 'on trend' designer light, in charcoal grey with timber highlight is a perfect go-to choice for any interior style. A simplistic and minimal design that is flexible to any space. Cluster this light to create an impact or use in a more subtle way in a guest bedroom or bathroom to set the right mood.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Plaster, timber and concrete look finish

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas. Create a dramatic statement by clustering pendants together or hanging at different heights.



| Code | Name | Dimension (mm) |
|------------|---------------|-------------------|
| CIDP408162 | Polly Pendant | Ø 180mm x H 330mm |

Stucco Concrete Pendant

The natural and raw concrete in the Crompton Stucco pendant light is both striking and beautiful. This pendant adds both texture and form to your space and the neutral colour tones are perfect for modern interiors.

Compliance:

- Voltage: 240V
- Globe fitting: E2/Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Plaster and concrete look finish

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

| Code | Name | Dimension (mm) |
|------------|-------------------------|-------------------|
| CIDP403161 | Stucco Concrete Pendant | Ø 300mm x H 360mm |



11W Low Profile LED Downlight



The low profile design and 800 lumens of dimmable light, ideal for all living spaces.

Features

- Complies to the highest luminaire classification IC-4
- Low profile aluminium housing for strength and shallow form designed for maximum heat dissipation to ensure long life
- White finish
- Satin flush diffused front lens, soft appearance
- Complete with 1.2 metres flex & plug



Benefits

- Ergonomically designed wide blade solid springs are perfectly balanced to allow single handed install
- Low profile in the ceiling with remote driver
- Available in two colour temperature 3000K, 800 Lm; and 4000K, 830 Lm
- Superior thermal performance leading to a longer life
- IC-4 classification suitable for normal use when covered in building insulation

| Product Code | Description | Watts | Voltage | IP | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Beam Angle | Dimmable** |
|--------------|---|-------|---------|------|----------------------|--------|-----------------|-----------------|-----|------------|------------|
| CDL11W3 | 11W LED flush, diffused downlight Single | 11W | 240V | IP44 | 3000K | 800Lm | 73lm/W | Ø 105 x H 40 | 80+ | 100° | Yes** |
| CDL11W34PK | 11W LED flush, diffused downlight 4 pack | 11W | 240V | IP44 | 3000K | 800Lm | 73lm/W | Ø 105 x H 40 | 80+ | 100° | Yes** |
| CDL11W310PK | 11W LED flush, diffused downlight 10 pack | 11W | 240V | IP44 | 3000K | 800Lm | 73lm/W | Ø 105 x H 40 | 80+ | 100° | Yes** |
| CDL11W4 | 11W LED flush, diffused downlight Single | 11W | 240V | IP44 | 4000K | 830Lm | 75lm/W | Ø 105 x H 40 | 80+ | 100° | Yes** |
| CDL11W44PK | 11W LED flush, diffused downlight 4 pack | 11W | 240V | IP44 | 4000K | 830Lm | 75lm/W | Ø 105 x H 40 | 80+ | 100° | Yes** |
| CDL11W410PK | 11W LED flush, diffused downlight 10 pack | 11W | 240V | IP44 | 4000K | 830Lm | 75lm/W | Ø 105 x H 40 | 80+ | 100° | Yes** |

*Actual product life may vary dependant upon frequency of maintenance and product application.

**Dimmable with approved dimmers, please refer to website for specifications.





LED A60 Frosted Range


Most commonly used light bulb, ideal for ceiling fittings and in table, wall and floor lamps.

LED A60 Frosted Range

| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Dimmable** |
|--------------|-------------------|-------|----------|--------|----------------------|--------|-----------------|-----------------|-----|------------|
| CLA66W65ES | LED A60 6W E27 | 6W | 230-240V | ES/E27 | 6500K | 500Lm | 83lm/W | Ø 60 x H 110 | 80+ | No |
| CLA66W3ES | LED A60 6W E27 | 6W | 230-240V | ES/E27 | 3000K | 470Lm | 78lm/W | Ø 60 x H 110 | 80+ | No |
| CLA66W65BC | LED A60 6W B22 | 6W | 230-240V | BC/B22 | 6500K | 500Lm | 83lm/W | Ø 60 x H 108 | 80+ | No |
| CLA66W3BC | LED A60 6W B22 | 6W | 230-240V | BC/B22 | 3000K | 470Lm | 78lm/W | Ø 60 x H 108 | 80+ | No |
| CLA610W65ES | LED A60 9.5W E27 | 9.5W | 230-240V | ES/E27 | 6500K | 806Lm | 85lm/W | Ø 60 x H 110 | 80+ | No |
| CLA610W3ES | LED A60 9.5W E27 | 9.5W | 230-240V | ES/E27 | 3000K | 806Lm | 85lm/W | Ø 60 x H 110 | 80+ | No |
| CLA610W65BC | LED A60 9.5W B22 | 9.5W | 230-240V | BC/B22 | 6500K | 806Lm | 85lm/W | Ø 60 x H 108 | 80+ | No |
| CLA610W3BC | LED A60 9.5W B22 | 9.5W | 230-240V | BC/B22 | 3000K | 806Lm | 85lm/W | Ø 60 x H 108 | 80+ | No |
| CLA612W65ES | LED A60 11.5W E27 | 11.5W | 230-240V | ES/E27 | 6500K | 1060Lm | 92lm/W | Ø 60 x H 120 | 80+ | No |
| CLA612W3ES | LED A60 11.5W E27 | 11.5W | 230-240V | ES/E27 | 3000K | 1060Lm | 92lm/W | Ø 60 x H 120 | 80+ | No |
| CLA612W65BC | LED A60 11.5W B22 | 11.5W | 230-240V | BC/B22 | 6500K | 1060Lm | 92lm/W | Ø 60 x H 118 | 80+ | No |
| CLA612W3BC | LED A60 11.5W B22 | 11.5W | 230-240V | BC/B22 | 3000K | 1060Lm | 92lm/W | Ø 60 x H 118 | 80+ | No |
| CLA69W65ESD | LED A60 8.5W E27 | 8.5W | 230-240V | ES/E27 | 6500K | 850Lm | 100lm/W | Ø 60 x H 110 | 80+ | Yes** |
| CLA69W3ESD | LED A60 8.5W E27 | 8.5W | 230-240V | ES/E27 | 3000K | 806Lm | 94lm/W | Ø 60 x H 110 | 80+ | Yes** |
| CLA69W65BCD | LED A60 8.5W B22 | 8.5W | 230-240V | BC/B22 | 6500K | 850Lm | 100lm/W | Ø 60 x H 108 | 80+ | Yes** |
| CLA69W3BCD | LED A60 8.5W B22 | 8.5W | 230-240V | BC/B22 | 3000K | 806Lm | 94lm/W | Ø 60 x H 108 | 80+ | Yes** |


*Actual product life may vary dependant upon frequency of maintenance and product application.

**Dimmable with approved dimmers, please refer to website for specifications.



8.6W LED A60 Colour Temperature Changing

Most commonly used bulb, ideal for ceiling fittings and in table, wall and floor lamps.



LED A60 8.6W Colour Temperature Changing


| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Dimmable |
|--------------|------------------|-------|----------|--------|----------------------|--------|-----------------|-----------------|-----|----------|
| CLA69WESCTC | LED A60 8.6W E27 | 8.6W | 230-240V | ES/E27 | 2700K-6500K-mixed | 806Lm | 93lm/W | Ø 60 x H 120 | 80+ | No |
| CLA69WBCCTC | LED A60 8.6W B22 | 8.6W | 230-240V | BC/B22 | 2700K-6500K-mixed | 806Lm | 93lm/W | Ø 60 x H 120 | 80+ | No |

*Actual product life may vary dependant upon frequency of maintenance and product application.



9.2W LED A60 Switch To Dim


Most commonly used bulb, ideal for ceiling fittings and in table, wall and floor lamps.



LED A60 9.2W Switch To Dim

| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Dimmable |
|--------------|------------------|-------|----------|--------|----------------------|--------|-----------------|-----------------|-----|----------------|
| CLA69W3ESDFD | LED A60 9.2W E27 | 9.2W | 230-240V | ES/E27 | 3000K | 850Lm | 92lm/W | Ø 60 x H 120 | 80+ | Switch Dimming |

*Actual product life may vary dependant upon frequency of maintenance and product application.



Note: Not to be used on lighting circuits with external dimmer connected.

3.4W LED Fancy Round Range


Ideal fit for table, wall and floor lamps.



3.4W LED Fancy Round Range

| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Dimmable |
|--------------|----------------------------------|-------|----------|---------|----------------------|--------|-----------------|-----------------|-----|----------|
| CLFR3W65SESF | LED Fancy Round 3.4W E14 Frosted | 3.4W | 230-240V | SES/E14 | 6500K | 270Lm | 79lm/W | Ø 45 x H 78 | 80+ | No |
| CLFR3W3SESF | LED Fancy Round 3.4W E14 Frosted | 3.4W | 230-240V | SES/E14 | 3000K | 250Lm | 74lm/W | Ø 45 x H 78 | 80+ | No |
| CLFR3W65SBCF | LED Fancy Round 3.4W B15 Frosted | 3.4W | 230-240V | SBC/B15 | 6500K | 270Lm | 79lm/W | Ø 45 x H 77 | 80+ | No |
| CLFR3W3SBCF | LED Fancy Round 3.4W B15 Frosted | 3.4W | 230-240V | SBC/B15 | 3000K | 250Lm | 74lm/W | Ø 45 x H 77 | 80+ | No |
| CLFR3W65ESF | LED Fancy Round 3.4W E27 Frosted | 3.4W | 230-240V | ES/E27 | 6500K | 270Lm | 79lm/W | Ø 45 x H 74 | 80+ | No |
| CLFR3W3ESF | LED Fancy Round 3.4W E27 Frosted | 3.4W | 230-240V | ES/E27 | 3000K | 250Lm | 74lm/W | Ø 45 x H 74 | 80+ | No |
| CLFR3W65BCF | LED Fancy Round 3.4W B22 Frosted | 3.4W | 230-240V | BC/B22 | 6500K | 270Lm | 79lm/W | Ø 45 x H 73 | 80+ | No |
| CLFR3W3BCF | LED Fancy Round 3.4W B22 Frosted | 3.4W | 230-240V | BC/B22 | 3000K | 250Lm | 74lm/W | Ø 45 x H 73 | 80+ | No |
| CLFR3W65SESC | LED Fancy Round 3.4W E14 Clear | 3.4W | 230-240V | SES/E14 | 6500K | 270Lm | 79lm/W | Ø 45 x H 78 | 80+ | No |
| CLFR3W3SESC | LED Fancy Round 3.4W E14 Clear | 3.4W | 230-240V | SES/E14 | 3000K | 250Lm | 74lm/W | Ø 45 x H 78 | 80+ | No |
| CLFR3W65SBCC | LED Fancy Round 3.4W B15 Clear | 3.4W | 230-240V | SBC/B15 | 6500K | 270Lm | 79lm/W | Ø 45 x H 77 | 80+ | No |
| CLFR3W3SBCC | LED Fancy Round 3.4W B15 Clear | 3.4W | 230-240V | SBC/B15 | 3000K | 250Lm | 74lm/W | Ø 45 x H 77 | 80+ | No |
| CLFR3W65ESC | LED Fancy Round 3.4W E27 Clear | 3.4W | 230-240V | ES/E27 | 6500K | 270Lm | 79lm/W | Ø 45 x H 74 | 80+ | No |
| CLFR3W3ESC | LED Fancy Round 3.4W E27 Clear | 3.4W | 230-240V | ES/E27 | 3000K | 250Lm | 74lm/W | Ø 45 x H 74 | 80+ | No |
| CLFR3W65BCC | LED Fancy Round 3.4W B22 Clear | 3.4W | 230-240V | BC/B22 | 6500K | 270Lm | 79lm/W | Ø 45 x H 73 | 80+ | No |
| CLFR3W3BCC | LED Fancy Round 3.4W B22 Clear | 3.4W | 230-240V | BC/B22 | 3000K | 250Lm | 74lm/W | Ø 45 x H 73 | 80+ | No |

*Actual product life may vary dependant upon frequency of maintenance and product application.



LED MR16 & PAR16 Ranges

Provides directional lighting and are commonly used in track lighting, downlights and other spotlight fittings.



LED MR16 Range



| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Rated Voltage | Dimmable** |
|--------------|-------------------|-------|---------|-------|----------------------|--------|-----------------|-----------------|-----|---------------|------------|
| CMR166W3 | LED MR16 6W GU5.3 | 6W | 12V | GU5.3 | 3000K | 450Lm | 75lm/W | Ø 50 x H 45 | 80+ | 12V | No |
| CMR166W65 | LED MR16 6W GU5.3 | 6W | 12V | GU5.3 | 6500K | 480Lm | 80lm/W | Ø 50 x H 45 | 80+ | 12V | No |

LED PAR16 Range

| | | | | | | | | | | | |
|-----------|---------------------|------|----------|------|-------|-------|--------|-------------|-----|------|-------|
| CP165W3 | LED PAR16 4.8W GU10 | 4.8W | 230-240V | GU10 | 3000K | 370Lm | 77lm/W | Ø 50 x H 45 | 80+ | 240V | No |
| CP165W65 | LED PAR16 4.8W GU10 | 4.8W | 230-240V | GU10 | 6500K | 380Lm | 79lm/W | Ø 50 x H 45 | 80+ | 240V | No |
| CP166W3D | LED PAR16 5.6W GU10 | 5.6W | 230-240V | GU10 | 3000K | 480Lm | 84lm/W | Ø 50 x H 45 | 80+ | 240V | Yes** |
| CP166W65D | LED PAR16 5.6W GU10 | 5.6W | 230-240V | GU10 | 6500K | 500Lm | 89lm/W | Ø 50 x H 45 | 80+ | 240V | Yes** |

*Actual product life may vary dependant upon frequency of maintenance and product application.

**Dimmable with approved dimmers, please refer to website for specifications.



LED Candle Range


Ideal for chandeliers and also small wall, table and floor lamps.



LED Candle Range

| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Beam Angle | Dimmable** |
|--------------|-----------------------------|-------|----------|---------|----------------------|--------|-----------------|-----------------|-----|------------|------------|
| CLC3W3SBCF | LED Candle 3.4W B15 Frosted | 3.4W | 230-240V | SBC/B15 | 3000K | 250Lm | 74lm/W | Ø 35 x H 101 | 80+ | 280° | No |
| CLC3W3SESF | LED Candle 3.4W E14 Frosted | 3.4W | 230-240V | SES/E14 | 3000K | 250Lm | 74lm/W | Ø 35 x H 102 | 80+ | 280° | No |
| CLC3W3BCF | LED Candle 3.4W B22 Frosted | 3.4W | 230-240V | BC/B22 | 3000K | 250Lm | 74lm/W | Ø 35 x H 96 | 80+ | 280° | No |
| CLC3W3ESF | LED Candle 3.4W E27 Frosted | 3.4W | 230-240V | ES/E27 | 3000K | 250Lm | 74lm/W | Ø 35 x H 98 | 80+ | 280° | No |
| CLC3W3SBCC | LED Candle 3.4W B15 Clear | 3.4W | 230-240V | SBC/B15 | 3000K | 250Lm | 74lm/W | Ø 35 x H 101 | 80+ | 240° | No |
| CLC3W3SESC | LED Candle 3.4W E14 Clear | 3.4W | 230-240V | SES/E14 | 3000K | 250Lm | 74lm/W | Ø 35 x H 102 | 80+ | 240° | No |
| CLC3W3BCC | LED Candle 3.4W B22 Clear | 3.4W | 230-240V | BC/B22 | 3000K | 250Lm | 74lm/W | Ø 35 x H 96 | 80+ | 240° | No |
| CLC3W3ESC | LED Candle 3.4W E27 Clear | 3.4W | 230-240V | ES/E27 | 3000K | 250Lm | 74lm/W | Ø 35 x H 98 | 80+ | 240° | No |
| CLC4W3SBCFD | LED Candle 3.8W B15 Frosted | 3.8W | 230-240V | SBC/B15 | 3000K | 270Lm | 71lm/W | Ø 38 x H 108 | 80+ | 280° | Yes** |
| CLC4W3SESF | LED Candle 3.8W E14 Frosted | 3.8W | 230-240V | SES/E14 | 3000K | 270Lm | 71lm/W | Ø 38 x H 110 | 80+ | 280° | Yes** |
| CLC4W3BCFD | LED Candle 3.8W B22 Frosted | 3.8W | 230-240V | BC/B22 | 3000K | 270Lm | 71lm/W | Ø 38 x H 108 | 80+ | 280° | Yes** |
| CLC4W3ESFD | LED Candle 3.8W E27 Frosted | 3.8W | 230-240V | ES/E27 | 3000K | 270Lm | 71lm/W | Ø 38 x H 108 | 80+ | 280° | Yes** |
| CLC4W3SBCCD | LED Candle 3.8W B15 Clear | 3.8W | 230-240V | SBC/B15 | 3000K | 260Lm | 68lm/W | Ø 38 x H 110 | 80+ | 230° | Yes** |
| CLC4W3SESCD | LED Candle 3.8W E14 Clear | 3.8W | 230-240V | SES/E14 | 3000K | 260Lm | 68lm/W | Ø 38 x H 110 | 80+ | 230° | Yes** |
| CLC4W3BCCD | LED Candle 3.8W B22 Clear | 3.8W | 230-240V | BC/B22 | 3000K | 260Lm | 68lm/W | Ø 38 x H 108 | 80+ | 230° | Yes** |
| CLC4W3ESCD | LED Candle 3.8W E27 Clear | 3.8W | 230-240V | ES/E27 | 3000K | 260Lm | 68lm/W | Ø 38 x H 108 | 80+ | 230° | Yes** |

*Actual product life may vary dependant upon frequency of maintenance and product application.
 **Dimmable with approved dimmers, please refer to website for specifications.





 15,000 Hours*
 Average Life

Warm White
 3000k

 Colour Temperature

18W LED T8 Range


Provide task lighting, making them ideal for use over work areas.



18W LED T8 Range

| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Dimmable |
|--------------|-----------------------|-------|----------|------|----------------------|--------|-----------------|-----------------|-----|----------|
| CT818W4 | LED T8 18W Cool White | 18W | 100-240V | G13 | 4000K | 1600Lm | 93lm/W | Ø 25.4 x H 1198 | 80+ | No |
| CT818W65 | LED T8 18W Day Light | 18W | 100-240V | G13 | 6500K | 1600Lm | 93lm/W | Ø 25.4 x H 1198 | 80+ | No |

*Actual product life may vary dependant upon frequency of maintenance and product application.



Note: D.I.Y only with Iron Core Magnetic Ballast Fixtures

8W LED R63

Provide directional lighting, making them ideal for use in spot or accent lighting occasions.

10W LED R80

Provide directional lighting, making them ideal for use in spot or accent lighting occasions. Commonly used in bathroom light fittings.





LED R63 8W

| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Dimmable |
|--------------|----------------|-------|----------|--------|----------------------|--------|-----------------|-----------------|-----|----------|
| CR638W65ES | LED R63 8W E27 | 8W | 230-240V | ES/E27 | 6500K | 700Lm | 88lm/W | Ø 63 x H 102 | 80+ | No |

LED R80 10W

| | | | | | | | | | | |
|-------------|-----------------|-----|----------|--------|-------|-------|--------|--------------|-----|----|
| CR8010W3ES | LED R80 10W E27 | 10W | 230-240V | ES/E27 | 3000K | 850Lm | 85lm/W | Ø 80 x H 114 | 80+ | No |
| CR8010W65ES | LED R80 10W E27 | 10W | 230-240V | ES/E27 | 6500K | 890Lm | 89lm/W | Ø 80 x H 114 | 80+ | No |

*Actual product life may vary dependant upon frequency of maintenance and product application.



2.2W LED G4

Used in small light fixtures and appliance hoods.



2.3W LED G9

Used in small appliances, desk lamps and other small light fixtures.



LED G4 2.2W

| Product Code | Description | Watts | Voltage | Base | Colour Temp (Kelvin) | Lumens | Lumens Per Watt | Dimensions (mm) | CRI | Beam Angle | Dimmable |
|--------------|-------------|-------|---------|------|----------------------|--------|-----------------|-----------------|-----|------------|----------|
| CG42W3 | LED G4 2.2W | 2.2W | 12V | G4 | 3000K | 200Lm | 91lm/W | Ø 16 x H 45 | 80+ | 300° | No |

LED G9 2.3W

| | | | | | | | | | | | |
|--------|-------------|------|----------|----|-------|-------|--------|-------------|-----|------|----|
| CG92W3 | LED G9 2.3W | 2.3W | 230-240V | G9 | 3000K | 200Lm | 87lm/W | Ø 16 x H 48 | 80+ | 300° | No |
|--------|-------------|------|----------|----|-------|-------|--------|-------------|-----|------|----|

*Actual product life may vary dependant upon frequency of maintenance and product application.




LAYER YOUR LIGHTS THE RIGHT WAY

Ambient, Accent, Task ... We explain it all!

So you've heard about the kitchen triangle? Well for 2017 it's all about light layering! Follow our Instagram (@cromptonau) to discover how to design with light in your home by utilising the three lighting layers – ambient, task and accent!

**So you know
about the kitchen
triangle...**



Ambient

Ambient lighting is considered the base level of lighting and makes a room more welcoming. It provides an area with overall illumination, with a comfortable level of brightness to see and walk about safely. Ambient lighting is typically provided by ceiling-mounted luminaires, providing light for general vision. Examples of ambient lighting include downlights, spotlights, oysters, batten-fix, pendants and also wall-mounted luminaires.



Task


Task Lighting is essential as it provides a direct source of light for a specific activity like reading, grooming, preparing food, doing homework and playing games. Ensuring adequate task lighting makes a work environment more pleasant, free of glare and shadows, and bright enough to prevent eye strain. Examples of task lighting include track lighting systems, spotlights, wall-mounted, pendants and under-cabinet luminaires.



Accent

Accent lighting adds drama to a room by creating visual interest. It can be used to draw the eye to items such as paintings and sculptures. It can also be used to highlight architectural design elements and outdoor landscaping. Accent lighting is often provided by downlights, under-cabinet luminaires, spotlights and track lighting systems.

Crompton



crompton.com.au



Follow us on Instagram @cromptonau

GERARD
L I G H T I N G